

Maximum Performance (MaP) of Toilet Fixtures

Appendix B - Sorted by Manufacturer

Revisions to the original June listing are noted below with a red block on the right margin →

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
															Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)				
14-134	American Standard	Antiquity Cadet 3 EL (one-piece)	2907.016 (one-piece)	1,000	SPS		1	3		E		*									F	
7-517	American Standard	Cadet 3 COMPLETE RF (10" rough-in)	2384.310: "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3011 bowl, 4019 tank	1,000	SPS		2	3		R		*										
7-521	American Standard	Cadet 3 EL (10" rough-in)	2383.010: 3014 bowl, 4019 tank	800	SPS		2	3		E		*										F
6-641	American Standard	Cadet 3 EL (12" rough-in)	2383.012: 3014 bowl, 4021 tank (unlined tank)	1,000	SPS		2	3	*	E		*										F
7-541	American Standard	Cadet 3 EL (12" rough-in)	2383.500: 3014 bowl, 4021.500 (lined tank)	800	SPS		2	3		E		*										F
7-520	American Standard	Cadet 3 EL (14" rough-in)	2383.014: 3014 bowl, 4027 tank	1,000	SPS		2	3		E		*										F
7-518	American Standard	Cadet 3 EL ADA (10" rough-in)	2386.010: 3016 bowl, 4019 tank	1,000	SPS		2	3		E	*	*										F
7-523	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.012: 3016 bowl, 4021 tank (unlined tank); NOTE: this combination is also sold as 3305.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		E	*	*										F
7-542	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.500: 3016 bowl, 4021.500 (lined tank)	1,000	SPS		2	3		E	*	*										F
7-516	American Standard	Cadet 3 EL ADA (14" rough-in)	2386.014: 3016 bowl, 4027 tank	1,000	SPS		2	3		E	*	*										F
12-108	American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	WS	WS	2	3		E												F
14-052	American Standard	Cadet 3 FloWise EL (lined tank)	2832.513: 3014.128 bowl, 4021.513 tank(lined)	1,000	SPS		2	3		E												F
12-107 & 12-114	American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	WS	WS	2	3		E	*											F
14-054	American Standard	Cadet 3 FloWise EL ADA (lined tank)	2835.513: 3016.128 bowl, 4021.513 tank(lined)	1,000	SPS		2	3		E	*											F
14-055	American Standard	Cadet 3 FloWise EL ADA (one-piece; lined tank)	2403.513 (one piece; lined tank)	1,000	SPS		1	3		E	*											F
12-101	American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	WS	WS	2	3		R												F
14-053	American Standard	Cadet 3 FloWise RF (lined tank)	2829.513: 3011.128 bowl, 4021.513 tank(lined)	1,000	SPS		2	3		R												F
14-130	American Standard	Cadet 3 FloWise RF ADA	2758.128: 3005.128 bowl, 4021.128 tank	1,000	WS	WS	2	3		R	*	*										F
7-517	American Standard	Cadet 3 RF (10" rough-in)	2384.010: 3011 bowl, 4019 tank NOTE: this combination is also sold as 2384.310, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R		*										F
7-522	American Standard	Cadet 3 RF (12" rough-in)	2384.012: 3011 bowl, 4021 tank; NOTE: this combination is also sold as 2880.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R		*										F
7-543	American Standard	Cadet 3 RF (12" rough-in)	2384.500: 3011 bowl, 4021.500 (lined tank)	1,000	SPS		2	3		R		*										F
7-519	American Standard	Cadet 3 RF (14" rough-in)	2384.014: 3011 bowl, 4027 tank	1,000	SPS		2	3		R		*										F
12-109	American Standard	Cadet 3 RF (insulated tank)	2880.500: 3011.016 bowl, 4021.500 tank (lined); NOTE: this combination is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R		*										F
12-117	American Standard	Cadet 3 RF (insulated tank)	2882.000 Toilet in a Box (A "COMPLETE" package that includes bowl, tank, seat, and installation mat'l's as one item or SKU)	1,000	SPS		2	3		R		*										F
14-056	American Standard	Cadet 3 RF ADA	2755.016: 3005.016 bowl, 4021.016 tank	1,000	SPS		2	3		R	*	*										F
14-127	American Standard	Cadet 3 Right Height RF ADA (lined)	2755.500: 3005.016 bowl, 4021.016 tank (lined)	1,000	SPS		2	3		R	*	*										F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
																					250 grams to 475 grams
14-RN	American Standard	Cadet EL	2333: 4098 tank, 3099 bowl	750	SPS		2	-	*	E				*							F
13-085	American Standard	Cadet EL	2462.016: 3481.016 bowl, 4142.016 tank	800	SPS		2	-	*	E				*							F
13-086	American Standard	Cadet EL ADA	2467.016: 3483.016 bowl, 4142.016 tank	800	SPS		2	-	*	E	*			*							F
WS-14	American Standard	Cadet Flowise EL	2462.100: 3481.100 bowl, 4142.100 tank	NM	WS	WS	2	-	*	E											F
WS-14	American Standard	Cadet Flowise EL ADA	2467.100: 3483.100 bowl, 4142.100 tank	NM	WS	WS	2	-	*	E	*										F
10-007	American Standard	Champion 4 EL	2018.214: 3121 bowl, 4266 tank	1,000	SPS		2	3		E		*									F
11-100	American Standard	Champion 4 EL	2018.504: 3121.016 bowl, 4266.504 (lined tank)	1,000	SPS		2	3		E		*									F
12-102	American Standard	Champion 4 EL (one-piece)	2004 (one-piece)	800	SPS		1	3		E		*									F
13-073	American Standard	Champion 4 EL ADA	2002.014: 3225 bowl, 4266 tank; NOTE: this combination is also sold as 2586.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		E	*	*									F
11-099	American Standard	Champion 4 EL ADA	2002.504: 3225.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		E	*	*									F
13-093	American Standard	Champion 4 EL ADA	2586.500: 3225.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		E	*	*									F
11-097	American Standard	Champion 4 EL ADA (one-piece)	2034.314 (one-piece); NOTE: this one-piece fixture is also sold as 2034.014, which is the same fixture but with a seat.	800	SPS		1	3		E	*	*									F
10-022 & 12-118	American Standard	Champion 4 RF	2023.214: 3110 bowl, 4266 tank; NOTE: this combination is also sold as 2585.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R		*									F
11-101	American Standard	Champion 4 RF	2023.504: 3110.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		R		*									F
13-091	American Standard	Champion 4 RF	2585.500: 3110.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		R		*									F
5-502	American Standard	Champion Right Height EL ADA	2002: 3225 bowl, 4260 tank	1,000	SPS		2	3	*	E	*	*									F
5-546	American Standard	Champion Select EL	2087: 3121 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*									F
5-545	American Standard	Champion Select EL ADA	2057: 3225 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*									F
5-547	American Standard	Champion Select RF	2035: 3110 bowl, 4272 tank	800	SPS		2	3	*	R		*									F
14-050	American Standard	Chinalux EL	1000EL: 1100EL bowl, 120012 tank	350	SPS		2	2		E		*									F
14-051	American Standard	Chinalux RF	1000RF: 1100RF bowl, 120012 tank	400	SPS		2	2		R		*									F
13-074	American Standard	Colony FitRight EL	2435.012: 3189.016 bowl, 4003.016 tank; NOTE: this combination is also sold as 2453.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	SPS		2	2		E		*									F
13-082	American Standard	Colony FitRight EL (10-inch rough-in)	2485.010: 3189.016 bowl, 4006.016 tank	600	SPS		2	2		E		*									F
13-076	American Standard	Colony FitRight EL (lined tank)	3189.016 bowl, 4003.516 tank (lined)	600	SPS		2	2		E		*									F
13-078	American Standard	Colony FitRight EL ADA	2437.012: 3191.016 bowl, 4003.016 tank	600	SPS		2	2		E	*	*									F
13-088	American Standard	Colony FitRight EL ADA (10-inch rough-in)	2487.010: 3191.016 bowl, 4006.016 tank	600	SPS		2	2		E	*	*									F
13-083	American Standard	Colony FitRight EL ADA (lined tank)	3191.016 bowl, 4003.516 tank (lined)	600	SPS		2	2		E	*	*									F
13-084	American Standard	Colony FitRight RF (10-inch rough-in)	2486.010: 3190.016 bowl, 4006.016 tank	600	SPS		2	2		R		*									F
13-077	American Standard	Colony FitRight RF (lined tank)	3190 bowl, 4003.516 tank (lined)	600	SPS		2	2		R		*									F
10-128	American Standard	Compact Cadet 3 EL	2431.010: 3046.016 bowl, 4019.016 tank; NOTE: this combination is also sold as 2447.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		E		*									F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)				
		500 grams and more	Type/technology of toilet fixture																			
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)	4-L (1.1-gal) Pressure-assist (HET)																			
Model Name	Model Number	NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																				
12-104	American Standard	Evolution 2 EL ADA	2428.012: 3068.016 bowl, 4061.016 tank	1,000	SPS		2	2		E	*	*										F
12-106	American Standard	Evolution 2 EL ADA (insulated tank)	2428.500: 3068.016 bowl, 4061.500 tank (lined)	1,000	SPS		2	2		E	*	*										F
12-100	American Standard	Evolution 2 RF	2426.012: 3061.016 bowl, 4061.016 tank	800	SPS		2	2		R		*										F
12-105 & 14-084	American Standard	Mainstream Complete EL (insulated tank)	3469.500: a COMPLETE package, which includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3063.416 bowl, 4061.516 tank (lined)	1,000	SPS		2	2		E		*										F
13-089	American Standard	Mainstream FloWise RF	3468.128: sold as a COMPLETE package, which includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3061.428 bowl, 4061.428 tank	800	SPS	WS	2	2		R												F
13-080 & 13-087	American Standard	Monarch RF	2436.012: 3190.016 bowl, 4003.016 tank; NOTE: this combination is also sold as 3510.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	SPS		2	2		R		*										F
13-077 & 13-079	American Standard	Monarch RF (lined tank)	3510.500: 3190.016 bowl, 4003.516 tank (lined); This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	SPS		2	2		R		*										F
5-531	American Standard	Oakmont Champion EL ADA	2738: 3101 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*										F
10-004	American Standard	Oakmont Champion 4 EL	2625.014: 3153 bowl, 4272 tank	1,000	SPS		2	3		E		*										F
5-532	American Standard	Oakmont Champion 4 EL	2625: 3153 bowl, 4272 tank	1,000	SPS		2	3	*	E		*										F
10-017	American Standard	Oakmont Champion 4 EL ADA	2738.014: 3101 bowl, 4272 tank	1,000	SPS		2	3		E	*	*										F
10-008	American Standard	Oakmont Champion 4 RF	2627.014: 3167 bowl, 4272 tank	1,000	SPS		2	3		R		*										F
5-503	American Standard	Oakmont Champion 4 RF	2627: 3167 bowl, 4272 tank	1,000	SPS		2	3	*	R		*										F
10-090	American Standard	Renaissance EL	2446: 3344 bowl, 4037 tank	250			2	2		E		*										F
10-009	American Standard	Skyline Champion 4 EL	2219.014: 3121 bowl, 4077 tank	1,000	SPS		2	3		E		*										F
10-005	American Standard	Skyline Champion 4 EL ADA	2067.014: 3225 bowl, 4077 tank	950	SPS		2	3		E	*	*										F
6-642	American Standard	Skyline Champion 4 EL ADA	3225 bowl, 4077 tank	1,000	SPS		2	3	*	E	*	*										F
10-006	American Standard	Skyline Champion 4 RF	2112.014: 3110 bowl, 4077 tank	1,000	SPS		2	3		R		*										F
6-643	American Standard	Skyline Champion 4 RF	3110 bowl, 4077 tank	1,000	SPS		2	3	*	R		*										F
14-125	American Standard	Studio Cadet 3 EL	2588.016: 3014.016 bowl, 4202.016 tank	1,000	SPS		2	3		E		*										F
14-126	American Standard	Studio Cadet 3 EL (lined tank)	2588.500: 3014.016 bowl, 4202.500 tank (lined)	1,000	SPS		2	3		E		*										F
14-129	American Standard	Studio Cadet 3 EL ADA	2589.016: 3016.016 bowl, 4202.016 tank	1,000	SPS		2	3		E	*	*										F
14-128	American Standard	Studio Cadet 3 EL ADA (lined tank)	2589.500: 3016.016 bowl, 4202.500 tank (lined)	1,000	SPS		2	3		E	*	*										F
14-121	American Standard	Studio Cadet 3 RF	2587.016: 3011.016 bowl, 4202.016 tank	1,000	SPS		2	3		R		*										F
14-124	American Standard	Studio Cadet 3 RF (lined tank)	2587.500: 3011.016 bowl, 4202.500 tank (lined)	1,000	SPS		2	3		R	*	*										F
14-123	American Standard	Studio Cadet 3 RF ADA	2579.016: 3005.016 bowl, 4202.016 tank	1,000	SPS		2	3		R	*	*										F
14-122	American Standard	Studio Cadet 3 RF ADA (lined tank)	2579.500: 3005.016 bowl, 4202.500 tank (lined)	1,000	SPS		2	3		R	*	*										F
10-145	American Standard	Titan EL	2841.016: 3893.016 bowl, 4337.016 tank	1,000	SPS		2	3		E		*										F
14-RN	American Standard	Titan EL ADA	2839.016: 3892.016 bowl, 4337.016 tank	900	SPS		2	3		E	*	*										F
8-515	American Standard	Titan EL ADA (one piece)	2782.016 (one-piece)	1,000	SPS		1	3		E	*	*										F
10-144	American Standard	Titan RF	2845.016: 3895.016 bowl, 4337.016 tank	1,000	SPS		2	3		R	*	*										F
8-519	American Standard	Titan Triangle EL	2842.016: 3893.016 bowl, 4338.016 tank	1,000	SPS		2	3		E		*										F
8-520	American Standard	Titan Triangle EL ADA	2840.016: 3892.016 bowl, 4338.016 tank	1,000	SPS		2	3		E	*	*										F
8-517	American Standard	Titan Triangle RF	2846.016: 3895.016 bowl, 4338.016 tank	1,000	SPS		2	3		R		*										F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
5-510	Capizzi	Turbo Capizzi High Profile EL	0478 bowl, 1578 tank	500	SPS		2	-	*	E							HET				F
5-511	Capizzi	Turbo Capizzi Low Profile EL	0478 bowl, 1513 tank	400	SPS		2	-	*	E							HET				F
5-513	Capizzi	Turbo Capizzi Low Profile EL ADA	0441 bowl, 1513 tank	500	SPS		2	-	*	E	*						HET				F
8-536	Caroma	Adelaide 270 CC Cube RF	834000 bowl, 814790 tank	700	SPS	WS	2	-	*	R		*					HET				F
12-006	Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	SPS	WS	2	-	*	R	*	*					HET				F
12-005	Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	SPS	WS	2	-	*	R	*	*					HET				F
8-537	Caroma	Adelaide 270 CC Standard RF	834000 bowl, 814328 tank	700	SPS	WS	2	-	*	R		*					HET				F
10-113	Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	SPS	WS	2	-	*	R		*					HET				F
11-050	Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	WS	WS	2	-	*	E		*					HET				F
10-112	Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	SPS	WS	2	-	*	E	*	*					HET				F
11-049	Caroma	Bondi 270 RF ADA	609177 bowl, 726350 tank	550	WS	WS	2	-	*	E	*	*					HET				F
10-110	Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	SPS	WS	2	-	*	R		*					HET				F
13-069	Caroma	Bondi 305 EL	609130 bowl, 726350 tank	700	WS	WS	2	-	*	E		*					HET				F
12-002	Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	WS	WS	2	-	*	R		*					HET				F
8-538	Caroma	Caravelle One-Piece RF ADA	989668	800	SPS	WS	1	-	*	R	*	*					HET				F
9-032	Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	SPS	WS	2	-	*	E		*					HET				F
7-525	Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	SPS	WS	2	-	*	E	*	*					HET				F
	Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	500	SPS	WS	2	-	*	R		*					HET				F
5-509	Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	800	SPS	WS	2	-	*	R	*	*					HET				F
7-526	Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	SPS	WS	2	-	*	E		*					HET				F
5-508	Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	650	SPS	WS	2	-	*	R		*					HET				F
14-025	Caroma	Caravelle One-Piece RF	989646	700	SPS	WS	1	-	*	R		*					HET				F
7-513	Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	SPS	WS	2	-	*	R		*					HET				F
12-004	Caroma	Colonial 270 RF ADA	605320 bowl, 625070 tank	700	SPS	WS	2	-	*	R	*	*					HET				F
14-035	Caroma	Profile Smart 305 RF (NOTE: 1.2g/4.5L for the full flush - 0.8g/3.0L for reduced flush)	609151A bowl, 840420 tank	800	WS	WS	2	-	*	R		1.2g 4.5L					HET				F
7-527	Caroma	Reflections 270 EL	609100 bowl, 629530 tank	500	SPS		2	-	*	E		*					HET				F
5-507	Caroma	Reflections 270 RF	989720: 609159 bowl, 629530 tank	650	SPS		2	-	*	R		*					HET				F
7-524	Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600	SPS		2	-	*	R		*					HET				F
11-052	Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	WS	WS	2	-	*	E		*					HET				F
7-514	Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	800	SPS	WS	2	-	*	E	*	*					HET				F
7-528	Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	WS	WS	2	-	*	R		*					HET				F
11-051	Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	WS	2	-	*	E	*	*					HET				F
5-519	Caroma	Royale 305 EL	609130 bowl, 629530 tank	800	WS	WS	2	-	*	E		*					HET				F
	Caroma	Royale 305 RF	609151 bowl, 624530 tank	600	SPS	WS	2	-	*	R		*					HET				F
11-055	Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	WS	WS	2	-	*	E		*					HET				F
8-533	Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	SPS	WS	2	-	*	E	*	*					HET				F
11-053	Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	WS	WS	2	-	*	E		*					HET				F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
11-054	Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	WS	2	-	*	E	*	*				HET					F
10-115	Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	SPS	WS	2	-	*	E		*				HET					F
10-114	Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	SPS	WS	2	-	*	R		*				HET					F
12-093	Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	SPS	WS	2	-	*	E	*	*				HET					F
13-125	Caroma	Sydney Low Profile 270 EL	609100 bowl, 622330 tank	550	WS	WS	2	-	*	E		*				HET					F
13-122	Caroma	Sydney Low Profile 270 RF ADA	609177 bowl, 622330 tank	650	WS	WS	2	-	*	R	*	*				HET					F
13-123	Caroma	Sydney Low Profile 270 RF	609159 bowl, 622330 tank	550	WS	WS	2	-	*	R		*				HET					F
13-124	Caroma	Sydney Low Profile 305 EL	609130 bowl, 622330 tank	550	WS	WS	2	-	*	E		*				HET					F
12-068	Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	SPS	WS	2	-	*	R		*				HET					F
14-037	Caroma	Sydney Smart 270 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609100 bowl, 622322 tank	800	WS	WS	2	-	*	E		1.3g 4.9L				HET					F
14-039	Caroma	Sydney Smart 270 RF (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609159 bowl, 622322 tank	800	WS	WS	2	-	*	R		1.3g 4.9L				HET					F
13-121	Caroma	Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	800	WS	WS	2	-	*	E	*	1.3g 4.9L				HET					F
14-038	Caroma	Sydney Smart 270 RF ADA (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609177 bowl, 622322 tank	800	WS	WS	2	-	*	R	*	1.3g 4.9L				HET					F
14-036	Caroma	Sydney Smart 305 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609130 bowl, 622322 tank	900	WS	WS	2	-	*	E		1.3g 4.9L				HET					F
14-026	Caroma	Sydney Smart Rear Outlet (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609450 bowl, 622322 tank	900	WS	WS	2	-	*			1.3g 4.9L				HET			R		F
11-116 & 12-003	Caroma	Sydney Smart 305 RF (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	WS	WS	2	-	*	R		1.3g 4.9L				HET					F
10-116	Caroma	Walvit EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500	SPS		2	-	*	E	*	*				HET			R		W
8-532	Cascadian	None EL	C5000 bowl; T5000 tank	250			2	3		E		*									F
14-049	Cascadian	Regal/Toscana EL ADA	C930 bowl, T901 tank	1,000	SPS	WS	2	3		E	*										F
8-531	Cascadian	None RF	C1101 bowl; T1102 tank	300			2	2		R		*									F
8-506	Ceralux/Mancesa	San Marino EL ADA	2262 bowl, 2261 tank	500	SPS		2	2		E	*	*									F
8-505	Ceralux/Mancesa	Windsor RF	2700 bowl, 2711 tank	400	SPS		2	2		R		*									F
WS-13	Ceramica Industrial De Taubate Ltd	Nina EL	111: bowl model unknown, 815 tank	NM	WS	WS	2			E											F
WS-13	Ceramica Industrial De Taubate Ltd	Twister EL	151: 151 bowl, 855 tank	NM	WS	WS	2			E											F
WS-13	Ceramica Industrial De Taubate Ltd	Twister RF	150: 150 bowl, 855 tank	NM	WS	WS	2			R											F
WS-12	Cerapure Industries	None EL ADA (one-piece)	C-3432D	NM	WS	WS	1		*	E	*	*				HET					F
WS-14	Cerapure Industries	None RF	CT-3007	NM	WS	WS	2			R											F
WS-14	Cerapure Industries	None EL	CT-3008	NM	WS	WS	2			E											F
WS-14	Cerapure Industries	None EL ADA	CT-6008D	NM	WS	WS	2		*	E	*					HET					F
13-007	Chelini	Bournelli RF	B1415R/T14206: 1415 R bowl, 14206 tank	800	SPS		2	2		R		*									F
13-024	Chelini	Cabot EL	B1015E/T10306: B1015E bowl, T10306 tank	1,000	SPS		2	3		E		*									F
13-027	Chelini	Cabot RF	B1015R/T10306: B1015R bowl, T10306 tank	1,000	SPS		2	3		R		*									F
13-120	Chelini	Champlain EL	B215E/T2306: B215E bowl, T2306 tank	600	SPS		2	3		E		*									F
13-118	Chelini	Champlain EL ADA	B216E/T2306: B216E bowl, T2306 tank	1,000	SPS		2	3		E	*	*									F
13-006	Chelini	Champlain EL ADA	B218E/T2306: 218E bowl, T2306 tank	1,000	SPS		2	3		E	*	*									F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)													Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.																	
		Type/technology of toilet fixture													Model Name	Model Number				
13-119	Chelini	Champlain RF	B215R/T2306: B215R bowl, T2306 tank	600	SPS		2	3		R		*								F
13-066	Chelini	Marriot RF	B1215R/TDF1246: B1215R bowl, TDF1246 tank	600	SPS		2	2.5	*	R		*				HET				F
14-019	Chelini	Marriot EL	B125E bowl, TDF1246 tank (lined tank)	400	SPS		2	2	*	E		*				HET				F
14-047	Chelini	Marriot EL ADA	B1216E bowl, TDF1246 tank (lined tank)	800	SPS		2	2	*	E	*	*				HET				F
14-048	Chelini	Champlain EL ADA	B216R bowl, T2306 tank (lined tank)	1,000	SPS		2	3		E	*	*								F
14-079	Chelini	Cabot RF ADA	B1516R bowl, T10348 tank (lined tank)	800	SPS		2	3		R	*							HET		F
14-080	Chelini	Marriot EL	B1215E bowl, TDF1246 tank (lined tank)	400	SPS		2	2.5	*	E		*				HET				F
14-020	Chelini	Cabot EL ADA	B1516E bowl, T10348 tank (lined tank)	1,000	SPS		2	3		E	*							HET		F
14-046	Chelini	Bournelli RF	B1415R bowl, T14248 tank (lined tank)	500	SPS		2	2		R								HET		F
13-117	Chelini	Verrazano RF ADA	B1118R/T11206: B1118R bowl, T11206 tank	800	SPS		2	2		R	*	*								F
COLCERAMICA - SEE MANSFIELD/COLCERAMICA																				
11-082	Contrac	None RF	4710BFT (lined tank)	600	SPS		1	3		R		*								F
11-083	Contrac	None RF	4710BFTU (one piece)	550	SPS		1	3		R		*								F
11-084	Contrac	None RF	4710BFZ (one piece with insulated tank)	500	SPS		1	3		R		*				HET				F
11-085	Contrac	None RF	4710BFZU (one piece)	600	SPS		1	3		R		*				HET				F
13-126	Contrac	Captiva EL ADA	4710BIV	800	SPS	WS	1	3		E	*							HET		F
11-080	Contrac	None RF	4720BFZ combination (lined tank)	600	SPS		2	2		R		*				HET				F
11-081	Contrac	None RF	4720BFZU combination	550	SPS		2	2		R		*				HET				F
13-127	Contrac	Carter EL ADA	4720BIV: bowl and tank nos. not provided	550	SPS	WS	2	3		E	*							HET		F
11-078	Contrac	None EL	4722BET bowl, 4721BFT tank (lined)	650	SPS		2	2		E		*								F
11-079	Contrac	None EL	4722BET bowl, 4721BFTU tank	600	SPS		2	2		E		*								F
11-074	Contrac	None RF	4722BFT bowl, 4721BFT tank (lined)	600	SPS		2	2		R		*								F
11-075	Contrac	None RF	4722BFT bowl, 4721BFTU tank	550	SPS		2	2		R		*								F
11-076	Contrac	None EL ADA	4722BIT bowl, 4721BFT tank (lined)	600	SPS		2	2		E	*	*								F
14-060	Contrac	None RF (lined tank)	5720BFZ: B5720BFZ bowl, T5720BFZ tank (lined)	600	SPS	WS	2	2		R		*				HET				F
14-070	Contrac	Clint EL (1 piece - lined tank)	5710BEZ (one-piece - lined tank)	1,000	SPS	WS	1	2	*	E		*				HET				F
14-067	Contrac	Chloe RF (1 piece - lined tank)	5710BFT (one-piece - lined tank)	700	SPS		1	2		R		*								F
14-069	Contrac	Clara (1 piece - lined tank)	5710BLT (one-piece - lined tank)	1,000	SPS	WS	1	2	*	S		*				HET				F
14-065	Contrac	Cain EL (lined tank)	5720BEV: B5720BEV bowl, T5720BEV tank (lined)	800	SPS	WS	2	3		E								HET		F
14-061	Contrac	Colin EL (lined tank)	5720BEZ: B5720BEZ bowl, T5720BEZ tank (lined)	700	SPS	WS	2	2	*	E		*				HET				F
14-066	Contrac	Calum RF (lined tank)	5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	SPS	WS	2	3		R								HET		F
14-071	Contrac	None EL ADA (lined tank)	5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	SPS	WS	2	3		E	*							HET		F
14-068	Contrac	Colten EL ADA (lined tank)	5720BIZ: B5720BIZ bowl, T5720BIZ tank (lined)	800	SPS	WS	2	2	*	E	*	*				HET				F
11-077	Contrac	None EL ADA	4722BIT bowl, 4721BFTU tank	600	SPS		2	2		E	*	*								F
COSTCO - SEE WATERRIDGE																				
13-011	Crane	Artesian EL	31108: 3406 bowl, 3544 tank	300	SPS		2	2		E		*								F
13-012	Crane	Artesian EL	31110: 3406 bowl, 3546 tank (insulated)	300	SPS		2	2		E		*								F
11-037	Crane	Atlas/Atlanta RF	31012N: 31047N bowl, 31742N tank	400	SPS		2	2		R		*								F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
		500 grams and more																			
Type/technology of toilet fixture		Model Name	Model Number																		
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																					
4-L (1.1-gal) Pressure-assist (HET)																					
Gravity-fed & Vacuum-assist																					
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																					
11-017	Crane	Baby Bowl (NOTE: 10" child's bowl height)	3811: 3210 bowl, 3227 tank	250	SPS		2	3		R		*									F
11-023	Crane	Classic III EL ADA	31512: 31852 bowl, 31822 tank	800	SPS		2	3		E	*	*									F
WS-11	Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	WS	2	-		E		*							HET		F
13-014	Crane	Eco Galaxy/Cranada EL ADA	31009: 3815 bowl, 31590 tank	800	SPS		2	2		E	*	*							HET		F
13-013	Crane	Eco Galaxy/Cranada EL ADA	31069: 3815 bowl, 31593 tank (insulated)	800	SPS		2	2		E	*	*							HET		F
WS	Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	WS	2	-		R		*							HET		F
WS	Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	WS	2	-		R		*							HET		F
11-004	Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	WS	2	3		R										HET	F
WS-11	Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	NM	WS	WS	2	3		R										HET	F
WS	Crane	Eco Saratoga Dual RF	31970: 3352 bowl, 31960 tank	NM	WS	WS	2			R									HET		F
WS-11	Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	WS	2			E		*							HET		F
WS	Crane	Eco Saratoga EL	31980: 3372 bowl, 31960 tank	NM	WS	WS	2			E									HET		F
WS	Crane	Eco Saratoga EL	31986: 3372 bowl, 31966 tank (insulated)	NM	WS	WS	2			E									HET		F
13-016	Crane	Eco Saratoga EL ADA	31983: 3815 bowl, 31964 tank	600	SPS		2	2		E	*	*							HET		F
13-015	Crane	Eco Saratoga EL ADA	31996: 3815 bowl, 31966 tank (insulated)	600	SPS		2	2		E	*	*							HET		F
WS-11	Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	WS	2			R		*							HET		F
WS	Crane	Eco Saratoga RF	31976: 3352 bowl, 31966 tank (insulated)	NM	WS	WS	2			R									HET		F
11-028	Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	SPS	WS	2	-	*	E				*					HET		F
WS-11	Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	WS	2	-	*	E	*			*					HET		F
WS	Crane	Ecomiser Dual EL	38370: 3827 bowl, 31500 tank	NM	WS	WS	2	-	*	E				*					HET		R F
WS	Crane	Ecomiser Dual EL ADA	38400: 3830 bowl, 31500 tank	NM	WS	WS	2	-	*	E	*			*					HET		R F
14-119	Crane	Economiser EL	3837: 3827 bowl, 3612NS tank	600	SPS		2	-	*	E									HET		R F
14-120	Crane	Economiser RF	3836: 3826 bowl, 3612NS tank	600	SPS		2	-	*	R									HET		R F
11-038	Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000	SPS		2	-	*	E									HET		F
11-039	Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000	SPS		2	-	*	E									HET		F
11-040	Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000	SPS		2	-	*	E	*								HET		F
11-030	Crane	Ecomiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	SPS	WS	2		*	R				*					HET		F
11-029	Crane	Economiser Bigfoot EL	31135: 31125 bowl, 3612 tank	1,000	SPS		2	-	*	E				*					HET		F
11-019	Crane	Economiser EL	3832: 3822 bowl, 3612 tank	1,000	SPS		2	-	*	E				*					HET		F
10-039	Crane	Economiser EL	3835: 3825 bowl, 3612 tank	1,000	SPS		2	-	*	E				*					HET		F
10-031	Crane	Economiser EL ADA	3838: 3828 bowl, 3612 tank	1,000	SPS		2	-	*	E	*			*					HET		F
11-025	Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	SPS	WS	2	-	*	E									HET		F
WS-11	Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	WS	2	-	*	E	*								HET		F
11-027	Crane	Economiser One Bigfoot RF	31134: 31124 bowl, 3612 tank	1,000	SPS		2	-	*	R				*					HET		F
11-026	Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	SPS	WS	2	-	*	R									HET		F
10-035	Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000	SPS		2	-	*	E									HET		F
10-034	Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000	SPS		2	-	*	E	*								HET		F
10-037	Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000	SPS		2	-	*	R									HET		F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)				
		500 grams and more																				
Type/technology of toilet fixture		Model Name	Model Number																			
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																						
4-L (1.1-gal) Pressure-assist (HET)																						
Gravity-fed & Vacuum-assist																						
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																						
10-038	Crane	Economiser RF	3834: 3824 bowl, 3612 tank	1,000	SPS		2	-	*	R				*								F
11-016	Crane	Flormont EL	3186: 3184 bowl, 3546 tank (lined)	250	SPS		2	2		E		*										F
11-021	Crane	Flormont EL	3921: 3184 bowl, 3742 tank	250	SPS		2	3		E		*										F
11-022	Crane	Flormont EL ADA	3922: 3191 bowl, 3742 tank	400	SPS		2	3		E	*	*										F
11-007	Crane	Galaxy Cranada EL	31514: 3372 bowl, 31744 tank	500	SPS		2	3		E		*										F
11-006	Crane	Galaxy Cranada EL	3790: 3372 bowl, 3740 tank	500	SPS		2	3		E		*										F
10-042	Crane	Galaxy Cranada EL	3792: 3372 bowl, 3742 tank	500	SPS		2	2		E		*										F
10-043	Crane	Galaxy Cranada EL	3793: 3372 bowl, 3743 tank	500	SPS		2	2		E		*										F
11-005	Crane	Galaxy Cranada EL ADA	31149: 3815 bowl, 3740 tank	250	SPS		2	3		E	*	*										F
11-008	Crane	Galaxy Cranada RF	31504: 3352 bowl, 31744 tank	500	SPS		2	3		R		*										F
10-029	Crane	Galaxy Cranada RF	3782: 3352 bowl, 3742 tank	500	SPS		2	2		R		*										F
10-041	Crane	Galaxy Cranada RF	3783: 3352 bowl, 3743 tank	500	SPS		2	2		R		*										F
11-015	Crane	Opus III EL	31672: 31572 bowl, 31552 tank	800	SPS		2	3		E		*										F
11-003	Crane	Opus III EL ADA	31682: 31582 bowl, 31552 tank	800	SPS		2	3		E	*	*										F
11-024	Crane	Shiloh EL	31731 (one piece)	400	SPS		1			E		*										F
10-036	Crane	Sureflush EL	31352: 31192 bowl, 31242 tank	1,000	SPS		2	3		E		*										F
11-013	Crane	SureFlush EL	31362: 31202 bowl, 31242 tank	800	SPS		2	3		E		*										F
11-012	Crane	Sureflush EL	31363: 31202 bowl, 31243 tank	800	SPS		2	3		E		*										F
11-011	Crane	SureFlush EL ADA	31372: 31212 bowl, 31242 tank	1,000	SPS		2	3		E	*	*										F
11-014	Crane	Sureflush EL ADA	31373: 31212 bowl, 31243 tank	1,000	SPS		2	3		E	*	*										F
11-002	Crane	SureFlush RF	31352: 31192 bowl, 31242 tank	1,000	SPS		2	3		R		*										F
11-010	Crane	Sureflush RF	31353: 31192 bowl, 31243 tank	800	SPS		2	3		R		*										F
10-145	Crane	Titan EL	32022: 32008 bowl, 32006 tank	1,000	SPS		2	3		E		*										F
8-514	Crane	Titan EL (one piece)	081-0755	1,000	SPS		1	3		E		*										F
14-RN	Crane	Titan EL ADA	32032: 32013 bowl, 32006 tank	900	SPS		2	3		E	*	*										F
8-515	Crane	Titan EL ADA (one piece)	32018	1,000	SPS		1	3		E	*	*										F
8-518	Crane	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	SPS		2	3		E		*										F
8-521	Crane	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	SPS		2	3		E	*	*										F
8-516	Crane	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	SPS		2	3		R		*										F
10-144	Crane	Titan RF	32012: 32004 bowl, 32006 tank	1,000	SPS		2	3		R		*										F
8-519	Crane	Titan Triangle EL	32062: 32008 bowl, 32026 tank	1,000	SPS		2	3		E		*										F
8-520	Crane	Titan Triangle EL ADA	32035: 32013 bowl, 32026 tank	1,000	SPS		2	3		E	*	*										F
8-517	Crane	Titan Triangle RF	32052: 32004 bowl, 32026 tank	1,000	SPS		2	3		R		*										F
12-064	Danze	Cirtangular EL ADA	DC023230 bowl, DC022221 tank	1,000	SPS		2	3		E	*	*										F
14-093	Danze	Cirtangular EL ADA	DC023330 bowl, DC022321 tank	800	WS	WS	2	3		E	*									HET		F
WS-14	Danze	Orrington EL ADA	DC013330 bowl, DC012323 tank	NM	WS	WS	2	3		E	*									HET		F
12-127	Danze	Orrington EL ADA	DC013230 bowl, DC012223 tank	1,000	SPS		2	3		E	*	*										F
12-065	Danze	Orrington EL ADA (one-piece)	DC011223 (one-piece)	1,000	SPS		1	3		E	*	*										F
14-094	Danze	Ziga Zaga EL ADA	DC031221 (one-piece)	1,000	SPS		1	3		E	*	*										F
14-021	DKDC	Total Flush EL ADA	TF1000: B1000 bowl, T1000 tank	1,000	SPS		2	3		E	*									HET		F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
12-030	Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*				HET				R	W
12-032	Duravit	Caro (ADA optional)	015609 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*				HET				R	W
8-527	Duravit	Caro EL	010101 bowl; 092410 tank	1,000			2	3		E		*									F
8-544	Duravit	Darling	020709 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		R	*	*				HET				R	W
WS-13	Duravit	D-Code	011701 bowl, 092720 tank	NM	WS	WS	2										HET				F
13-070	Duravit	D-Code	220909 bowl, used with in-wall tank	500	WS	WS	2			S	*	*				HET				R	W
8-526	Duravit	Duraplus EL	010201 bowl; 092510 tank	1,000			2	3		E		*									F
12-031	Duravit	Foster (ADA optional)	017509 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*				HET				R	W
WS-13	Duravit	Happy D	017009 bowl, 091010 tank	NM	WS	WS	2					*				HET					F
6-605	Duravit	Happy D RF	017009 bowl, 091000-05 tank	600	SPS		2	2		R	*	*				HET				R	W
6-604	Duravit	Happy D Wallmount RF	017109 bowl, 111.335 in-wall tank (Geberit)	600	SPS	WS	2	2		R	*	*				HET				R	W
8-529	Duravit	Phillipe Starck RF (one piece)	016301.02 (one-piece)	300	SPS		1	3		R	*	*								R	W
12-033	Duravit	Starck 2 (ADA optional)	016009 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*				HET				R	W
6-602	Duravit	Starck 2 EL (one piece)	016301 (one-piece)	250			1	3		E	*	*								R	W
WS-13	Duravit	Starck 3	012809 bowl, 092010 tank	NM	WS	WS	2					*				HET					F
8-543	Duravit	Starck 3 RF	220009 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		R	*	*				HET				R	W
WS-13	Duravit	Starck X	220409 bowl, used with in-wall tank	NM	WS	WS	2			S	*	*				HET				R	W
WS-13	Duravit	Vero	211609 bowl, 090910 tank	NM	WS	WS	2					*				HET					F
WS-13	Duravit	Vero	211709 bowl, 109.304 in-wall tank (Geberit)	NM	SPS	WS	2	2		S		*				HET					F
12-034	Duravit	Vero (ADA optional)	221709 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*				HET				R	W
13-078	Eljer	Calloway EL ADA	091-2775: 3191.416 bowl, 4003.416 tank	600	SPS		2	2		E	*	*									F
13-080	Eljer	Calloway RF	091-2760: 3190.416 bowl, 4003.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	600	SPS		2	2		R		*									F
9-007	Eljer	Canterbury EL (one piece)	081-3025 (one-piece)	600	SPS		1	3		E		*									F
7-523	Eljer	Diplomat EL ADA (12" rough-in)	091-3275: 3016.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	SPS		2	3		E	*	*									F
7-522	Eljer	Diplomat RF (12" rough-in)	091-0160: 3011.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	SPS		2	3		R		*									F
10-128	Eljer	Diplomat Spacesaver EL	091-3925: 3046.416 bowl, 4019.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	SPS		2	3		E		*									F
10-026	Eljer	Patriot EL	091-2125: 131-2125 bowl, 141-2120 tank	400			2	2		E		*									F
	Eljer	Patriot EL ADA	091-2175: 131-2175 bowl, 141-2120 tank	500			2	2		E	*	*									F
10-028	Eljer	Patriot RF (replaces earlier version of Patriot RF)	091-2120: 131-2120 bowl, 141-2120 tank	400			2	2		R		*									F
	Eljer	Patriot Savoy EL	091-0225: 131-2125 bowl, 141-0220 tank	500			2	2		E		*									F
10-027	Eljer	Patriot Savoy EL ADA	091-0285: 131-2175 bowl, 141-0220 tank	425			2	2		E	*	*									F
9-009	Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800	SPS		2	-		E		*					HET				F
9-010	Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800	SPS		2	-		E	*	*					HET				F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
		500 grams and more																			
		Type/technology of toilet fixture																			
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
		4-L (1.1-gal) Pressure-assist (HET)																			
		Gravity-fed & Vacuum-assist																			
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																			
		Model Name	Model Number																		
9-008	Eljer	PR Titan RF (one piece)	081-0750	1,000	SPS		1	3		R		*									F
12-026	Eljer	Sanborn EL	091-0425: 131-0425 bowl, 141-0420 tank	800			2	2		E		*									F
12-025	Eljer	Sanborn RF	091-0420: 131-0420 bowl, 141-0420 tank	800			2	2		R		*									F
10-145	Eljer	Titan EL	091-0755: 131-0755 bowl, 141-0777 tank	1,000	SPS		2	3		E		*									F
8-514	Eljer	Titan EL (one piece)	081-0755	1,000	SPS		1	3		E		*									F
14-RN	Eljer	Titan EL ADA	091-0777: 131-0777 bowl, 141-0777 tank	900	SPS		2	3		E	*	*									F
8-515	Eljer	Titan EL ADA (one piece)	081-0777	1,000	SPS		1	3		E	*	*									F
8-518	Eljer	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	SPS		2	3		E	*	*									F
8-521	Eljer	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	SPS		2	3		E	*	*									F
8-516	Eljer	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	SPS		2	3		R		*									F
10-144	Eljer	Titan RF	091-0750: 131-0750 bowl, 141-0777 tank	1,000	SPS		2	3		R		*									F
8-519	Eljer	Titan Triangle EL	091-3755: 131-0755 bowl; 141-3777 tank	1,000	SPS		2	3		E		*									F
8-520	Eljer	Titan Triangle EL ADA	091-3777: 131-0777 bowl; 141-3777 tank	1,000	SPS		2	3		E	*	*									F
8-517	Eljer	Titan Triangle RF	091-3750: 131-0750 bowl; 141-3777 tank	1,000	SPS		2	3		R		*									F
9-006	Eljer	Toronto Patriot EL	091-2025: 131-2125 bowl; 141-2020 tank	600			2	2		E		*									F
9-004	Eljer	Toronto Patriot EL ADA	091-2075: 131-2175 bowl; 141-2020 tank	800			2	2		E	*	*									F
9-005	Eljer	Toronto Patriot RF	091-2020: 131-2120 bowl; 141-2020 tank	400			2	2		R		*									F
7-505	Eljer	Toronto Savoy EL	091-0265: 131-2125 bowl, 141-0260 tank	400			2	2		E		*									F
7-534	Eljer	Toronto Savoy EL ADA	091-1265: 131-2175 bowl, 141-0260 tank	1,000			2	2		E	*	*									F
FERGUSON - SEE PROFLO AND MIRABELLE																					
14-118	Foremost	None EL ADA	AIO 400E*-HET: AIO B400E bowl, AIO T400 tank	400	WS	WS	2	3		E	*										HET
14-117	Foremost	None RF ADA	AIO 400R*-HET: AIO B400R bowl, AIO T400 tank	500	WS	WS	2	3		R	*										HET
14-115	Foremost	AIO (All-In-One) EL ADA	AIO 7800HET-LO: AIO B7800HET-LO bowl, AIO T7800HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0061042)	700	SPS		2	3		E	*										HET
12-017	Foremost	AIO (All-In-One) EL ADA	AIO1000-E: AIOB1000-E bowl, AIOT1000 tank	1,000	WS	WS	2	-	*	E	*			*							HET
12-016	Foremost	AIO (All-In-One) RF ADA	AIO1000-R: AIOB1000-R bowl, AIOT1000 tank	1,000	WS	WS	2	-	*	R	*			*							HET
14-114	Foremost	AIO (All-In-One) EL	AIO250EW-LO: AIO B250EW-LO bowl, AIO T250EW-LO tank (Combination also sold as AquaSource-Lowe's SKU#0000184)	800	SPS		2	2		E		*									F
14-110	Foremost	AIO (All-In-One) RF	AIO250RW-LO: AIO B250RW-LO bowl, AIO T250RW-LO tank (Combination also sold as AquaSource-Lowe's SKU#0000187)	800	SPS		2	2		R		*									F
14-073	Foremost	HET EL ADA (one-piece)	HB-800-ADA (one-piece)	1,000	SPS	WS	1	3	*	E	*	*									HET
14-059	Foremost	Premier RF (lined tank)	LL-8207-*3: LL-8207-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8207-*L3)	1,000	SPS		2	2		R		*									F
14-058	Foremost	Premier EL ADA (lined tank)	LL-8207HC-*3: LL-8207HC-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8297-*L3)	1,000	SPS		2	2		E	*	*									F
14-062	Foremost	None EL ADA (lined tank)	TL-10PA-HET-E (one-piece- lined tank)	600	SPS		1	3		E	*										HET
13-138 & 14-108	Foremost	HET EL ADA (one-piece)	TL-10PA-HET-E (one-piece)	600	SPS	WS	1	3		E	*										HET
14-063	Foremost	None EL ADA (lined tank)	TL-10PB-HET-E (one-piece- lined tank)	600	SPS	WS	1	3		E	*										HET
13-137 & 14-109	Foremost	HET EL ADA (one-piece)	TL-10PB-HET-E (one-piece)	600	SPS	WS	1	3		E	*										HET
14-072	Foremost	Astoria EL ADA (lined tank)	TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined)	700	SPS	WS	2	3		E	*										HET

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	500 grams and more												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
		Type/technology of toilet fixture																		
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																		
		4-L (1.1-gal) Pressure-assist (HET)																		
		Gravity-fed & Vacuum-assist																		
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																		
		Model Name	Model Number																	
8-539	Foremost	Gemini Dual-Flush RF (lined tank)	TL-2005-*L: LL-2005 bowl, T-2005-L tank (lined)	800	SPS		2	2	*	R		*				HET				F
13-140	Foremost	Genie EL (lined tank)	TL-2010E-*L: LL-2010E bowl, T-2010-*L tank (lined)	700	SPS		2	2	*	E						HET				F
14-064	Foremost	HET EL ADA	TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank)	600	SPS	WS	2	3		E	*							HET		F
13-139 & 14-107	Foremost	None EL ADA	TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank	500	SPS	WS	2	3		E	*							HET		F
9-044 & 13-147	Foremost	Gemini Dual-Flush ADA	TL-2100-*L (one-piece)	1,000	SPS	WS	1	2	*	S	*	*				HET				F
13-128	Foremost	Iris EL	TL-4000 (one piece)	1,000	SPS		1	3		E		*								F
14-014	Foremost	None EL (one piece, All-In-One package)	TL-4000-*L and TL-4310-*LM sold as All-In-One package (one-piece) (lined tank)	1,000	SPS		1	3		E		*								F
11-093	Foremost	Premier EL	TL-5100-*L (one piece with lined tank)	750	SPS		1	2		E		*								F
14-078	Foremost	Premier/Lilas RF (one-piece)	TL-5101-*L1 (one-piece)	750	SPS		1	2		R		*								F
11-092	Foremost	Regent RF	TL-5200-*L (one piece with lined tank)	700	SPS		1	2		R		*								F
14-016	Foremost	Regent RF	TL-5207-*L: LL-5207 bowl, T-5207-*L tank (lined tank)	400	SPS		2	2		R		*								F
14-113	Foremost	None RF (lined tank)	TL-5207-*L2:	600	SPS		2	3		R								HET		F
13-142	Foremost	Regent RF	TL-5210-*L (one piece - lined tank)	750	SPS		1	2	*	R						HET				F
9-045	Foremost	Tuxedo EL ADA	TL-5300E-*L (one-piece) (ALSO sold as TL-5310-*LM)	1,000	SPS		1	2		E	*	*								F
10-080	Foremost	Colonade - EL ADA	TL-6010E-*L: LL-6010-E bowl, T-6010-*L tank (lined)	500	SPS		2	3		E	*	*								F
10-078	Foremost	Colonade - EL ADA	TL-6010E: LL-6010-E bowl, T-6010 tank	600			2	3		E	*	*								F
13-135	Foremost	HET EL (one-piece)	TL-6100-E*N (one-piece)	500	WS	WS	1	3		E								HET		F
11-094	Foremost	Aragon IV - EL	TL-6300E-*LN (one-piece, lined tank)	1,000	SPS		1	2		E		*								F
10-084 & 13-148	Foremost	Westminster - RF	TL-6800-*L: T-6800-*L bowl, LL-6800 tank (lined)	800	SPS		2	2		R		*								F
13-129	Foremost	Westminster EL	TL-6800E-WN, LL-6800-EWN Bowl T-6800-WN Tank	900	SPS		2	3		E		*								F
14-083	Foremost	None RF	TL-6800R-*LO: LL-6800-R*-MI bowl, T-6800-*S tank (Combination also sold as AquaSource-Lowe's SKU#0000164)	700	SPS		2	2		R		*								F
13-136	Foremost	Benton EL	TL-7100-WL(One Piece)	250	SPS		1	2	*	E		*				HET				F
11-001	Foremost	Plaza	TL-7107-*L: LL-7107 bowl, T-7107 tank	500	WS	WS	2	3	*	S	*	*				HET				F
11-072	Foremost	Dietrich EL	TL-7237-*L: LL-7237 bowl, T-7237-*L tank (lined)	350	SPS		2	3		E		*								F
11-086 & 13-149	Foremost	HET EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank	1,000	WS	WS	2	3		E	*							HET		F
14-077	Foremost	HET EL ADA	TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T-7600HC-HET-*1 tank	600	SPS	WS	2	3		E	*							HET		F
13-130	Foremost	HET EL ADA	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	WS	WS	2	3		E	*							HET		F
14-075	Foremost	HET EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim)	900	SPS		2	3		E	*							HET		F
14-076	Foremost	HET EL ADA	TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600-HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0005905 and as Home Depot 331-725)	400	SPS	WS	2	3		E	*							HET		F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
		500 grams and more																			
		Type/technology of toilet fixture	Model Name																		Model Number
13-131	Foremost	HET RF ADA	TL-7600HC-HETR- [*] L: LL-7600HC-HETR bowl, T-7600HC-HET tank (unlined tank) (Fluidmaster tank trim)	1,000	WS	WS	2	3		R	*										F
13-132	Foremost	HET RF ADA	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET- [*] L tank (lined tank) (Fluidmaster tank trim)	900	WS	WS	2	3		R	*										F
14-081	Foremost	HET RF ADA	TL-7605HC- [*] L: LL-7605HC bowl, T-7605- [*] L tank (lined tank)	550	SPS		2	3		R	*										F
14-082	Foremost	HET RF ADA (lined tank)	TL-7637HC- [*] L: LL-7637HC bowl, T-7637- [*] L tank (lined tank)	600	SPS		2	3		R	*										F
13-133	Foremost	Home Depot - Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036)	800	SPS	WS	2	3		E	*										F
14-111	Foremost	None RF (lined tank)	TL-8207- [*] L4:	800	SPS		2	3		R											F
14-085	Foremost	Rona Toilet-to-Go (TTG) RF	TL-8257- [*] L1-TTG: LL-8257- [*] L1 bowl, T-8257- [*] L1 tank (lined tank)	700	SPS		2	2		R		*									F
14-074	Foremost	Odessa RF (one-piece with lined tank)	TL-8260- [*] L (one-piece with lined tank)	800	SPS	WS	1	2	*	S		*									F
8-530	Foremost	Moline EL	TL-8267- [*] L: LL-8267 bowl, T-8267 tank (lined)	700	SPS		2	3	*	S		*									F
13-141	Foremost	Europa EL (one-piece with lined tank)	TL-8271E- [*] L (one-piece with lined tank)	800	SPS		1	2	*	E											F
13-134	Foremost	Total Advantage EL (one-piece with lined tank)	TT-2000E- [*] L (one piece with lined tank)	1,000	SPS	WS	1	2	*	E											F
11-073	Foremost	Total - RF	TT-2010- [*] L: LL-2010 bowl, T-2010 tank (lined)	600	WS	WS	2	3	*	R		*									F
13-130	Foremost	HET EL ADA	TT-8295- [*] L: LL-7600-HET bowl, T-7600-HET- [*] L tank (NOTE: This the All-In-One version of the TL-7600HC-HET- [*] L fixture shown above)	900	SPS	WS	2	3		E	*										F
12-046	Gerber	Allerton EL	21-010 (one-piece)	800			2	2		E		*									F
10-095	Gerber	Allerton EL (10-inch rough-in)	20-005: 21-572 bowl, 28-585 tank	1,000			2	2		E		*									F
10-059	Gerber	Allerton EL (12-inch rough-in)	20-004: 21-572 bowl, 28-580 tank	600			2	2		E		*									F
14-087	Gerber	Allerton EL (12-inch rough-in - lined tank)	20-004: 21-572 bowl, LT28-580 tank (lined tank)	1,000			2	2		E		*									F
10-096	Gerber	Allerton EL (14-inch rough-in)	20-006: 21-572 bowl, 28-584 tank	500			2	2		E		*									F
10-061	Gerber	Allerton EL ADA (10-inch rough-in)	20-008: 21-577 bowl, 28-585 tank	800			2	2		E	*	*									F
10-060	Gerber	Allerton EL ADA (12-inch rough-in)	20-002: 21-577 bowl, 28-580 tank	800			2	2		E	*	*									F
14-088	Gerber	Allerton EL ADA (12-in rough - lined tank)	20-007: 21-577 bowl, LT28-580 tank (lined tank)	800			2	2		E	*	*									F
10-097	Gerber	Allerton EL ADA (14-inch rough-in)	20-009: 21-577 bowl, 28-584 tank	800			2	2		E		*									F
10-058	Gerber	Allerton RF (10-inch rough-in)	20-002: 21-542 bowl, 28-585 tank	800			2	2		R		*									F
10-057	Gerber	Allerton RF (12-inch rough-in)	20-001: 21-542 bowl, 28-580 tank	1,000			2	2		R		*									F
14-086	Gerber	Allerton RF (12-inch rough-in - lined tank)	20-001: 21-542 bowl, LT28-580 tank (lined tank)	1,000			2	2		R		*									F
10-094	Gerber	Allerton RF (14-inch rough-in)	20-003: 21-542 bowl, 28-584 tank	1,000			2	2		R		*									F
5-574	Gerber	Aquasaver EL (one-piece)	21-015	400	SPS		1	2		E		*									F
12-058	Gerber	Avalanche EL (10-inch rough-in)	21-810: 21-862 bowl, 28-895 tank	600	SPS		2	3		E		*									F
12-059	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-890 tank	800	SPS		2	3		E		*									F
12-063	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-892 tank (insulated)	800	SPS		2	3		E		*									F
12-060	Gerber	Avalanche EL (14-inch rough-in)	21-814: 21-862 bowl, 28-894 tank	600	SPS		2	3		E		*									F
9-029	Gerber	Avalanche EL ADA	21-817: 21-828 bowl, 28-895 tank	1,000	SPS		2	3		E	*	*									F
9-030	Gerber	Avalanche EL ADA	21-818: 21-828 bowl, 28-890 tank	1,000	SPS		2	3		E	*	*									F
9-031	Gerber	Avalanche EL ADA	21-824: 21-828 bowl, 28-894 tank	1,000	SPS		2	3		E	*	*									F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
		500 grams and more																			
		Type/technology of toilet fixture																			
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
		4-L (1.1-gal) Pressure-assist (HET)																			
		Gravity-fed & Vacuum-assist																			
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																			
		Model Name	Model Number																		
12-061	Gerber	Avalanche EL ADA (12-inch rough-in)	21-818: 21-828 bowl, 28-892 tank	500	SPS		2	3		E	*	*									F
14-089	Gerber	Avalanche 1.28 EL ADA	HE-21-818: HE-21-828 bowl, HE-28-890 tank	800	WS	WS	2	3		E	*	*									F
12-055	Gerber	Avalanche RF (10-inch rough-in)	21-800: 21-852 bowl, 28-895 tank	800	SPS		2	3		R		*									F
12-056	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-890	800	SPS		2	3		R		*									F
12-062	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-892 (insulated)	800	SPS		2	3		R		*									F
12-057	Gerber	Avalanche RF (14-inch rough-in)	21-804: 21-852 bowl, 28-894 tank	800	SPS		2	3		R		*									F
12-047	Gerber	Brianne EL	21-011 (one-piece)	1,000	SPS		2	3		E		*									F
10-063	Gerber	Brianne EL	21-013 (one-piece)	600	SPS		1	-		E		*		*							F
10-105	Gerber	Brianne EL (12-inch rough-in)	20-015: 21-185 bowl, 28-183 tank	1,000	SPS		2	3		E		*									F
14-092	Gerber	Brianne EL (12-inch rough-in - lined tank)	20-015: 21-185 bowl, LT28-183 tank (lined tank)	1,000	SPS		2	3		E		*									F
10-104	Gerber	Brianne EL ADA (12-inch rough-in)	20-013: 21-183 bowl, 28-183 tank	800	SPS		2	3		E	*	*									F
14-090	Gerber	Brianne EL ADA (12-inch rough-in - lined tank)	20-013: 21-183 bowl, LT28-183 tank (lined tank)	1,000	SPS		2	3		E	*	*									F
10-062	Gerber	Brianne RF	20-014: 21-184 bowl, 28-183 tank	1,000	SPS		2	3		R		*									F
14-091	Gerber	Brianne RF (lined tank)	20-014: 21-184 bowl, LT28-183 tank (lined tank)	800	SPS		2	3		R		*									F
12-126	Gerber	Logan Square EL (10-inch rough-in)	20-017: 21-532 bowl, 28-535 tank	1,000	SPS		2	3		E		*									F
12-125	Gerber	Logan Square EL (12-inch rough-in)	20-016: 21-532 bowl, 28-530 tank	800	SPS		2	3		E		*									F
14-095	Gerber	Logan Square EL (12-inch rough-in - lined tank)	20-016: 21-532 bowl, LT28-530 tank (lined tank)	500	SPS		2	3		E		*									F
12-124	Gerber	Logan Square EL ADA (10-inch rough-in)	20-019: 21-538 bowl, 28-535 tank	1,000	SPS		2	3		E	*	*									F
12-123	Gerber	Logan Square EL ADA (12-inch rough-in)	20-018: 21-538 bowl, 28-530 tank	1,000	SPS		2	3		E	*	*									F
14-096	Gerber	Logan Square EL ADA (12-inch rough-in - lined tank)	20-018: 21-538 bowl, LT28-530 tank (lined tank)	1,000	SPS		2	3		E	*	*									F
12-121	Gerber	Lynx EL (12-inch rough-in)	21-612: 21-662 bowl, 28-690 tank	500			2	2		E		*									F
14-098	Gerber	Lynx EL (10-inch rough-in)	21-610: 21-660 bowl, 28-690 tank	500			2	2		E		*									F
14-097	Gerber	Lynx RF (10-inch rough-in)	21-600: 21-650 bowl, 28-690 tank	400			2	2		R		*									F
12-122	Gerber	Lynx EL ADA (12-inch rough-in)	21-618: 21-628 bowl, 28-690 tank	500			2	2		E	*	*									F
12-089	Gerber	Lynx RF (12-inch rough-in)	21-602: 21-652 bowl, 28-690 tank	500			2	2		R		*									F
10-064	Gerber	Maurice EL	20-012 (one-piece)	500	SPS		1	-	*	E		*		*							F
10-103	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, 28-495 tank	300			2	2		E		*									F
10-106	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, EH 28-495 tank (pedestal flush valve)	400	SPS		2	2		E		*									F
12-048	Gerber	Maxwell EL (12-inch rough-in)	21-017 (one piece)	500			1	2		E		*									F
10-102	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, 28-490 tank	350			2	2		E		*									F
10-101	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH 28-490 tank	300	SPS		2	2		E		*									F
12-050	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH28-492 tank (insulated) (pedestal flush valve)	400	SPS		2	2		E		*									F
12-091	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, 28-492 tank (insulated)	400			2	2		E		*									F
10-100	Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, 28-494 tank	400			2	2		E		*									F
10-099	Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, EH 28-494 tank (pedestal flush valve)	300	SPS		2	2		E		*									F
10-071	Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, 28-495 tank	300			2	2		E	*	*									F
10-072	Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, EH28-495 tank (pedestal flush valve)	250	SPS		2	2		E	*	*									F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
		500 grams and more																			
		Type/technology of toilet fixture																			
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
		4-L (1.1-gal) Pressure-assist (HET)																			
		Gravity-fed & Vacuum-assist																			
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																			
		Model Name	Model Number																		
10-073	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, 28-490 tank	300			2	2		E	*	*									F
10-074	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-490 tank (pedestal flush valve)	300	SPS		2	2		E	*	*									F
12-051	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-492 tank (insulated)(pedestal flush valve)	250	SPS		2	2		E	*	*									F
12-092	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, 28-492 tank (insulated)	300			2	2		E	*	*									F
10-075	Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, 28-494 tank	250			2	2		E	*	*									F
10-076	Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, EH28-494 tank (pedestal flush valve)	250	SPS		2	2		E	*	*									F
10-065	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, 28-495 tank	400			2	2		R		*									F
10-066	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, EH28-495 tank (pedestal flush valve)	400	SPS		2	2		R		*									F
10-067	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, 28-490 tank	300			2	2		R		*									F
12-049	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-492 tank (insulated) (pedestal flush valve)	350	SPS		2	2		R		*									F
12-090	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, 28-492 tank (insulated)	350			2	2		R		*									F
10-068	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-490 tank (insulated) (pedestal flush valve)	400	SPS		2	2		R		*									F
10-098	Gerber	Maxwell RF (12-inch rough-in)	RF21-017 (one piece)	400			1	2		R		*									F
10-069	Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, 28-494 tank	600			2	2		R		*									F
10-070	Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, EH28-494 tank (pedestal flush valve)	300	SPS		2	2		R		*									F
14-099	Gerber	Maxwell Dual-Flush EL ADA	DF-21-118: 21-128 bowl, DF-28-190 tank	500	SPS	WS	2	2		E	*	*					HET				F
14-100	Gerber	Maxwell LX RF ADA	21-102: 21-152 bowl, 28-190 tank	400			2	2		R	*	*									F
14-101	Gerber	Maxwell LX EL ADA	21-118: 21-128 bowl, 28-190 tank	600			2	2		E	*	*									F
12-052	Gerber	Picturesque EL ADA (12-inch rough-in)	20-010: 21-180 bowl, 28-180 tank	1,000	SPS		2	3		E	*	*									F
14-102	Gerber	Picturesque EL ADA (12-inch rough-in - lined tank)	20-010: 21-180 bowl, LT28-180 tank (lined tank)	1,000	SPS		2	3		E	*	*									F
14-103	Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	1,000	WS	WS	2	-		E			*				HET			R	F
5-564	Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E			*				HET				F
5-580	Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		E			*				HET				F
5-560	Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E	*		*				HET				F
5-586	Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		E	*		*				HET				F
5-567	Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E	*		*				HET			R	F
5-560	Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-390 tank	1,000	SPS		2	-		E	*		*				HET				F
6-616	Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		R			*				HET				F
6-620	Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		R			*				HET				F
5-562	Gerber	Ultra Flush EL	21-312: 21-372 bowl , 28-380 tank	1,000	SPS		2	-		E			*								F
5-578	Gerber	Ultra Flush EL	21-314: 21-372 bowl , 28-384 tank	1,000	SPS		2	-		E			*								F
14-104	Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	800	WS	WS	2	-		E							HET			R	F
5-577	Gerber	Ultra Flush EL ADA	21-311: 21-372 bowl, 28-385 tank	1,000	SPS		2	-		E	*		*								F
5-581	Gerber	Ultra Flush EL ADA	21-317: 21-377 bowl, 28-385 tank	1,000	SPS		2	-		E	*		*								F
5-561	Gerber	Ultra Flush EL ADA	21-318: 21-377 bowl, 28-380 tank	1,000	SPS		2	-		E	*		*								F
5-582	Gerber	Ultra Flush EL ADA	21-324: 21-377 bowl, 28-384 tank	1,000	SPS		2	-		E	*		*								F
5-559	Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*						HET				F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)			
		250 grams to 475 grams	500 grams and more												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)					
		Type/technology of toilet fixture																					
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																					
		4-L (1.1-gal) Pressure-assist (HET)																					
		Gravity-fed & Vacuum-assist																					
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																					
		Model Name	Model Number																				
5-563	Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*												F
5-576	Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	SPS	WS	2	-		E	*												F
5-584	Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	SPS	WS	2	-		E	*												F
5-565	Gerber	Ultra Flush EL ADA (rear discharge)	21-325: 21-375 bowl, 28-380 tank	1,000	SPS		2	-		E	*			*								R	F
5-566	Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*											R	F
5-559	Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-390 tank	800	SPS		2	-		E	*												F
6-617	Gerber	Ultra Flush RF	21-300: 21-342 bowl, 28-385 tank	900	SPS		2	-		R				*									F
6-618	Gerber	Ultra Flush RF	21-304: 21-342 bowl, 28-384 tank	900	SPS		2	-		R				*									F
6-615	Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	SPS	WS	2	-		R													F
6-619	Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	SPS	WS	2	-		R													F
9-017	Gerber	Viper EL	21-510: 21-562 bowl, 28-595 tank	800			2	2		E		*											F
9-018	Gerber	Viper EL	21-510: 21-562 bowl, EH28-595 tank (pedestal flush valve)	800	SPS		2	2		E		*											F
9-019	Gerber	Viper EL	21-512: 21-562 bowl, 28-590 tank	800			2	2		E		*											F
12-087	Gerber	Viper EL	21-512: 21-562 bowl, 28-592 tank	800			2	2		E		*											F
9-020	Gerber	Viper EL	21-512: 21-562 bowl, EH28-590 tank (pedestal flush valve)	800	SPS		2	2		E		*											F
12-054	Gerber	Viper EL	21-512: 21-562 bowl, EH28-592 tank (pedestal flush valve)(insulated)	500	SPS		2	2		E		*											F
9-021	Gerber	Viper EL	21-514: 21-562 bowl, 28-594 tank	800			2	2		E		*											F
9-022	Gerber	Viper EL	21-514: 21-562 bowl, EH28-594 tank (pedestal flush valve)	500	SPS		2	2		E		*											F
9-023	Gerber	Viper EL ADA	21-517: 21-528 bowl, 28-595 tank	600			2	2		E	*	*											F
9-024	Gerber	Viper EL ADA	21-517: 21-528 bowl, EH28-595 tank (pedestal flush valve)	800	SPS		2	2		E	*	*											F
9-025	Gerber	Viper EL ADA	21-518: 21-528 bowl, 28-590 tank	800			2	2		E	*	*											F
12-086	Gerber	Viper EL ADA	21-518: 21-528 bowl, 28-592 tank (insulated)	600			2	2		E	*	*											F
9-026	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-590 tank (pedestal flush valve)	800	SPS		2	2		E	*	*											F
12-045	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-592 tank (insulated) (pedestal flush valve)	500	SPS		2	2		E	*	*											F
9-027	Gerber	Viper EL ADA	21-524: 21-528 bowl, 28-594 tank	600			2	2		E	*	*											F
9-028	Gerber	Viper EL ADA	21-524: 21-528 bowl, EH28-594 tank (pedestal flush valve)	600	SPS		2	2		E	*	*											F
9-011	Gerber	Viper RF	21-500: 21-552 bowl, 28-595 tank	600			2	2		R		*											F
9-012	Gerber	Viper RF	21-500: 21-552 bowl, EH28-595 tank (pedestal flush valve)	500	SPS		2	2		R		*											F
9-013	Gerber	Viper RF	21-502: 21-552 bowl, 28-590 tank	600			2	2		R		*											F
12-088	Gerber	Viper RF	21-502: 21-552 bowl, 28-592 tank	800			2	2		R		*											F
9-014	Gerber	Viper RF	21-502: 21-552 bowl, EH28-590 tank (pedestal flush valve)	600	SPS		2	2		R		*											F
12-053	Gerber	Viper RF	21-502: 21-552 bowl, EH28-592 tank (insulated) (pedestal flush valve)	600	SPS		2	2		R		*											F
9-015	Gerber	Viper RF	21-504: 21-552 bowl, 28-594 tank	600			2	2		R		*											F
9-016	Gerber	Viper RF	21-504: 21-552 bowl, EH28-594 tank (pedestal flush valve)	500	SPS		2	2		R		*											F
11-048	Globe Union Canada	StoneHouse EL	C220672 (one-piece)	350	SPS		1	2		E		*											F
	GLACIER BAY - SEE HOME DEPOT																						

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
		KEY: Flush performance (MaP column & score) 250 grams to 475 grams NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. 500 grams and more																			
		Type/technology of toilet fixture 6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs) 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist																			
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																			
WS-13	Greentide - CE Union International	None	6810H: X-6810H bowl, T-6810H tank	NM	WS	WS	2		*	R											
WS-13	Greentide - CE Union International	None	6810H-S: X-6810HS bowl, T-6810HS tank	NM	WS	WS	2			R											
WS-13	Greentide - CE Union International	None	6811H: X-6811H bowl, T-6811H tank	NM	WS	WS	2		*	E											
WS-13	Greentide - CE Union International	None	6811H-S: X-6811HS bowl, T-6810HS tank	NM	WS	WS	2			E											
8-548	HCG	King EL	CS1003 King: C1003 bowl, S352 tank	350			2	3		E		*									F
8-546	HCG	None - EL	CS9001DF: C9001 bowl, S9002DF tank	400	SPS		2	2		E		*									F
8-547	HCG	None - EL ADA	CS1001: C1001 bowl, S1001 tank	400			2	3		E	*	*									F
8-545	HCG	None - RF	CS9002DF: C9002 bowl, S9002DF tank	350	SPS		2	2		R		*									F
8-549	HCG	Queen EL	CS1003 Queen: C1003 bowl, S353 tank	400			2	3		E		*									F
	HD SUPPLY - SEE SEASONS																				
14-002	Hennessy & Hinchcliffe	Proficiency - EL ADA	N7717: N7717 bowl, N7715T tank NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number)	500	SPS	WS	2	2		E	*	0.8g 3L									F
14-003	Hennessy & Hinchcliffe	Proficiency - RF ADA	N7716: N7716 bowl, N7715T tank NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number)	400	SPS	WS	2	2		R	*	0.8g 3L									F
6-612	Home Depot - Glacier Bay	All-In-One RF	TG-4200-WL- Home Depot SKU 170-263	300	SPS		2	2		R		*									F
12-067, 12-070, & 13-009	Home Depot - Glacier Bay (by Niagara)	All-In-One RF ADA	Home Depot SKU 303-635: 303-635 bowl, 140-911 tank (Also sold as All-In-One package by Home Depot UPC CODE 732291338240)	1,000	SPS		2	2		R	*	*									F
10-083	Home Depot	Aragon IV EL	Home Depot SKU 511-028 (one-piece, lined tank)	1,000	SPS		1	2		E		*									F
10-081	Home Depot - Pegasus	Colonade EL ADA	HD SKUs: 146-548 bowl, 146-283 tank (lined)	500	SPS		2	3		E	*	*									F
7-530	Home Depot - Pegasus	Colonade EL ADA	Home Depot SKUs 160-406 bowl, 152-143 tank	400			2	3		E	*	*									F
10-079	Home Depot - Pegasus (by Foremost)	Colonade EL ADA	Home Depot SKUs: 160-406 bowl, 152-143 tank	600			2	3		E	*	*									F
13-068	Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless - All-In-One package)	N2228: N2228B bowl, N2228T tank. (Also sold in Combined All-In-One package as Home Depot SKU 840-565 - UPC Code 732291222822)	1,000	WS	WS	2	-	*	E	*										F
8-540	Home Depot - Pegasus	Dual-Flush RF	Home Depot SKU 131-926	800	SPS		2	-		R		*									F
11-106	Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. (Also sold in All-In-One combination package as Home Depot SKU 331-725 --- Replaced by another product: Glacier Bay All-In-One with UPC Code 732291222518)	800	SPS	WS	2	-	*	E	*										F
14-043	Home Depot - Glacier Bay	Glacier Bay Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold in Combined All-In-One package by Home Depot SKU 215-583 - UPC Code 732291231619)	1,000	SPS		2	2.5		E	*	*									F
14-011	Home Depot - Glacier Bay (by Niagara)	Glacier Bay Ecologic RF ADA (All-In-One package)	N2225R: N2225RB bowl, N2225T tank (Sold in combined All-In-One package by Home Depot: SKU 779-923 - UPC CODE 732291222549)	1,000	SPS	WS	2	-	*	R	*										F
14-076	Home Depot - Glacier Bay (by Foremost)	Glacier Bay EL ADA	Home Depot SKU 331-725 - Model TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600-HET-LO tank (R&T tank trim)	400	SPS	WS	2	3		E	*	*									F
12-129	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (All-In-One package)	Home Depot SKU 331-725 UPC Bar Code: 732291222518	600	SPS	WS	2	3		E	*										F
11-108	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (Flapperless)	Home Depot SKUs: 382-298 bowl, 382-438 tank UPC Code: 732291222617 (bowl) UPC Code: 732291222624 (tank)	400	SPS		2	-		E	*	*									F
WS-14	Home Depot - Glacier Bay (by Foremost)	Glacier Bay RF	HD SKU: 535-904: LL-7600-HETR bowl, T-7600-HET-YL tank	NM	SPS	WS	2			R											F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
		250 grams to 475 grams	500 grams and more												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)				
		Type/technology of toilet fixture																				
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																				
		4-L (1.1-gal) Pressure-assist (HET)																				
		Gravity-fed & Vacuum-assist																				
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																				
		Model Name	Model Number																			
14-075	Home Depot - Pegasus (by Foremost)	None EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim) Home Depot SKU 331-725	900	SPS		2	3		E	*											F
9-046	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	Home Depot SKU 464-747 (one-piece)	1,000	SPS		1	2		E	*	*										F
13-133	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (Sold combined as Home Depot SKU 780-036)	800	SPS	WS	2	3		E	*											F
WS-14	Home Depot - Glacier Bay	Pegasus RF	Home Depot SKUs 779-923: 779-923B bowl, 779-923T tank	NM	SPS	WS	2			R												F
12-036	Home Depot (by Niagara)	Power One EL	Home Depot SKU 385-195 - UPC Bar Code 732291231015 (Also available as Niagara N2310: 2310B bowl, 2310T tank)	1,000	SPS	WS	2	-	*	E												F
5-534	Home Depot - Pegasus	Tulip EL (See Vortens-Lamosa)	HD SKU 477-546: 3107 bowl, 3427 tank	400	SPS		2	-	*	E		*										F
12-023	Home Depot - Pegasus (by Niagara)	Westminster EL ADA	Home Depot SKUs 160-753 bowl, 164-146 tank (Also sold in All-In-One combination package as Home Depot SKU 266-868 and UPC Code 732291344678)	600	SPS		2	3		E	*	*										F
7-532	Home Depot - Glacier Bay (by Foremost)	Westminster EL ADA	TL-6800-E: LL-6800-E bowl (HD SKU 160-753), T-6800 tank (HD SKU 164-146)	250	SPS		2	3		E	*	*										F
14-010	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 266-868	600	SPS		2	3		E	*	*										F
13-067	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 780-036 & UPC Code 732291344685	1,000	SPS	WS	2	3		E	*											F
10-085	Home Depot - Westminster	Westminster RF	HD SKUs: 455-684 bowl, 455-685 tank (lined)	300			2	2		R		*										F
12-069	Jacuzzi	Era EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU BK37959 (Also sold as Lowe's SKU 86426)	1,000	SPS		2	3		E	*	*										F
13-037	Jacuzzi	Espree HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ36959 (Also sold as Lowe's SKU 48624)	1,000	SPS	WS	2	3		E	*											F
14-057	Jacuzzi	Perfecta HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU GU04959 (Also sold as Lowe's SKU 312978)	1,000	SPS	WS	2	3		E	*											F
8-512	Jacuzzi	Maxima EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ37959 (Also sold as Lowe's SKU 49238)	1,000	SPS		2	3		E	*	*										F
12-066	Jacuzzi	Perfecta RF ADA (toilet in a box)	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ33959 (Also sold as Lowe's SKU 130294)	1,000	SPS		2	3		R	*	*										F
12-095	Jameco	Aquacer RF	1700B bowl, 1700T tank. Sold as Lowe's SKUs 160-696 and 160-695, respectively.	250			2	2		R		*										F
12-096	Jameco	V5000 RF	Bowl & Tank sold as Lowe's SKU 60691	250			2	2		R		*										F
10-047	Kohler	Archer EL ADA	K-3517: 4295 bowl, 4493 tank	800	SPS		2	3		E	*	*										F
5-526	Kohler	Bancroft Comfort Height EL ADA	K-3487: 4281 bowl, 4633 tank	800	SPS		2	3		E	*	*										F
6-603	Kohler	Barrington Pressure Lite EL	K-3554: 4327 bowl, 4645 tank	1,000	SPS		2	-	*	E				*								F
12-018	Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	WS	WS	2	-		E												F
13-010	Kohler	Cimarron Class 6 EL ADA	K-3589: 4309 bowl, 4418 tank - NOTE: this fixture is also sold as K-11456 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS		2	3		E	*	*										F
5-522	Kohler	Cimarron Comfort Height EL ADA	K-3489	800	SPS		1	3		E	*	*										F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
13-032	Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451 when included as part of the "COMPLETE SOLUTION" package	1,000	WS	WS	2	3		E	*										F
6-628 & 8-555	Kohler	Cimarron RF ADA	K-3497: 4287 bowl, 4634 tank - NOTE: this fixture is also sold as K-11465 when included as part of the "COMPLETE SOLUTION" package.	800	SPS		2	3		R	*	*									F
9-049	Kohler	Devonshire EL ADA	K-3503: 4288 bowl, 4708 tank	1,000	SPS		2	3		E	*	*									F
12-076	Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	WS	WS	2			E		*					HET				F
WS-12	Kohler	Fountainhead Power Lite EL ADA	K-3524 (one piece)	NM	WS	WS	1			E	*			*			HET				F
10-046	Kohler	Gabrielle EL ADA	K-3513 (one-piece)	800	SPS		1	3		E	*	*									F
10-107	Kohler	Highline EL ADA	K-3611: 4298 bowl, 4632 tank	800	SPS		2	3		E	*	*									F
5-523	Kohler	Highline Pressure Lite EL ADA	K-3493: 4304 bowl, 4645 tank	800	SPS		2	-	*	E	*	*		*							F
12-075	Kohler	Kelston EL ADA	K-11452: F4306 bowl, F4474 tank	1,000	SPS		2			E	*	*									F
12-074	Kohler	Kelston EL ADA	K-11453: F4306 bowl, F4469 tank	1,000	SPS	WS	2			E	*						HET				F
5-524	Kohler	Memoirs Classic EL	K-3451 (Classic tank lid)	800	SPS		1	3		E		*									F
12-019	Kohler	Memoirs Classic EL ADA	K-3515: 4294 bowl, 4491 tank; NOTE: this fixture is also sold as K-11461 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS		2	3		E	*	*									F
12-020	Kohler	Memoirs Classic RF ADA	K-3509: 4289 bowl, 4491 tank	1,000	SPS		2	3		R	*	*									F
5-525	Kohler	Memoirs Stately EL	K-3453 (Stately tank lid)	800	SPS		1	3		E		*									F
12-022	Kohler	Memoirs Stately EL ADA	K-3526: 4294 bowl, 4492 tank; NOTE: this fixture is also sold as K-11460 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS		2	3		E	*	*									F
12-021	Kohler	Memoirs Stately RF ADA	K-3511: 4289 bowl, 4492 tank	1,000	SPS		2	3		R	*	*									F
13-063	Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	600	SPS	WS	2	2.5		E		*					HET				F
9-050	Kohler	Portrait EL ADA	K-3506 (one-piece)	1,000	SPS		1	3		E	*	*									F
4-501	Kohler	Purist EL	K-3492 Power-Assisted	800	SPS		1	-	*	E				*							F
12-094	Kohler	Saile EL	K-3564 (one piece)	500	SPS	WS	1			E		*					HET				F
5-506	Kohler	San Raphael Power Lite EL	K-3398 Power-Assisted (DISCONTINUED MODEL-replaced by K-3393)	850	SPS		1	-	*	E				*			HET				F
7-545	Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	SPS	WS	1	-	*	E	*			*-at 1.4-g			HET				F
12-024	Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	WS	WS	1	-	*	E	*						HET				F
	Kohler	Santa Rosa EL	K-3323	500			1	2		E		*									F
9-051	Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	SPS	WS	2	2	*	E		*					HET				F
8-550	Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	SPS	WS	2	2	*	R		*					HET				F
10-092	Kohler	Sterling Riverton RF	402502: 404015 bowl, 404522 tank	250			2	2		R		*									F
6-622	Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	SPS	WS	2	-	*	E		*					HET				F
WS	Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	NM	SPS	WS	2	-	*	R		*					HET				F
WS	Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	NM	SPS	WS	2	-	*	E		*					HET				F
13-003b	Kohler	Sterling Stinson EL	402075: 402070 bowl, 402071 tank	1,000	SPS		2	2		E		*									F
14-029	Kohler	Sterling Windham EL	402215: 404215 bowl, 404515 tank	1,000	SPS		2	2		E		*									F
12-073	Kohler	Wellworth Class 5 EL	K-3574: 4293 bowl, 4632 tank	1,000	SPS		2	3		E		*									F
5-527	Kohler	Wellworth Pressure Lite EL	K-3505: 4303 bowl, 4645 tank	1,000	SPS		2	-		E				*							F
7-508	Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	SPS	WS	2	-		E							HET				F
7-509	Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	SPS	WS	2	-	*	E	*						HET				F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
		250 grams to 475 grams	500 grams and more												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)				
		Type/technology of toilet fixture																				
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																				
		4-L (1.1-gal) Pressure-assist (HET)																				
		Gravity-fed & Vacuum-assist																				
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																				
		Model Name	Model Number																			
12-097	Kohler	Wellworth Class 5 RF	K-3576: 4299 bowl, 4632 tank	800	SPS		2	3		R		*										F
14-076	Lowe's	Aquasource HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	SPS	WS	2	3		E	*											F
14-110	Lowe's	Aquasource RF	SKU#0000187 (Foremost #AIO 250RW-LO)	800	SPS		2	2		R		*										F
14-114	Lowe's	Aquasource EL	SKU#0000184 (Foremost # AIO250EW-LO)	800	SPS		2	2		E		*										F
14-083	Lowe's	Aquasource Traditional Design RF	SKU#0000164 (Foremost#TL-6800RW-LO)	700	SPS		2	2		R		*										F
14-115	Lowe's	Aquasource HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	700	SPS		2	3		E	*											F
8-506	Mancesa/Ceralux	San Marino EL ADA	2262 bowl, 2261 tank	500	SPS		2	2		E	*	*										F
8-505	Mancesa/Ceralux	Windsor RF	2700 bowl, 2711 tank	400	SPS		2	2		R		*										F
12-071	Mansfield	705NS ONE-PIECE EL	70501002 (one-piece)	600	SPS		1	3		E		*										F
12-072	Mansfield	Alto RF	130 bowl, 161 tank	250	SPS		2	-	*	R		*										F
10-125	Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	SPS	WS	2	-		E				*								F
10-118	Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	SPS	WS	2	-		E				*							R	F
10-123	Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	SPS	WS	2	-		E	*			*								F
10-124	Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	SPS	WS	2	-		R				*								F
5-503	Mansfield	Magnum EL	722	600	SPS		1	3		E		*										F
	Mansfield	Maverick EL	101 bowl, 102 tank (NOTE: This combination also bears the model no. 645 when sold at Lowe's)	650			2	3		E		*										F
9-041	Mansfield	Maverick EL	101 bowl, 109 tank (lined tank)	1,000	SPS		2	3		E		*										F
9-040	Mansfield	Maverick EL ADA	104 bowl, 109 tank (lined tank)	1,000	SPS		2	3		E	*	*										F
6-648	Mansfield	Montclair EL ADA	107 bowl, 108 tank	550	SPS		2	3		E	*	*										F
14-033	Mansfield	Maverick	111 bowl, 112 tank	700	WS	WS	2	3														F
14-001	Mansfield	Maverick	114 bowl, 112 tank	1,000	SPS		2	3		E	*											F
14-034	Mansfield	None RF	113 bowl, 112 tank	700	SPS		2	3		R												F
11-068	Mansfield	EcoQuantum - EL	144 bowl, 119 tank	1,000	SPS	WS	2	-		E	*			*								R W
11-069	Mansfield	None - EL	144 bowl, 123 tank	1,000	SPS		2	-		E	*			*								R W
11-070	Mansfield	Quantum EL	144 bowl, 153 tank	900	SPS	WS	2	-		E	*											R W
9-042	Mansfield	None - RF	103 bowl, 109 tank	400	SPS		2	3		R		*										F
12-027	Mansfield	Prestigio 4 EL	704 (one-piece)	950	WS	WS	1	-		E												F
6-647	Mansfield	Quantum EL (rear discharge)	149 bowl, 123 tank	550	SPS		2	-		E				*								R F
10-121	Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	SPS	WS	2	-		E												F
10-119	Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	SPS	WS	2	-		E												R F
10-120	Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	SPS	WS	2	-		E	*											F
10-122	Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	SPS	WS	2	-		R												F
14-024	Mansfield/Colceramica	Enso EL ADA	177 bowl, 178 tank	800	SPS		2	2.5		E	*	*										F
12-007	Mansfield/Colceramica	Essence EL ADA	184 bowl, 185 tank	750	SPS		2	3		E	*	*										F
12-008	Mansfield/Colceramica	Reo EL ADA	186 bowl, 187 tank	600	SPS		2	3		E	*	*										F
9-039	Mansfield/Colceramica	Stafford EL	105 bowl, 106 tank	800	SPS		2	3		E		*										F
14-004	Mirabelle (by Ferguson)	St. Augustine EL	MIRSA240 bowl, MIRSA200 tank	1,000	SPS		2	3		E		*										F
14-005	Mirabelle (by Ferguson)	Boca Raton EL	MIRBR240 bowl, MIRBR200 tank	1,000	SPS		2	3		E		*										F
14-006	Mirabelle (by Ferguson)	Cordoba EL ADA (one-piece)	MIRCO241 (one-piece)	1,000	SPS		1	3		E	*	*										F
14-007	Mirabelle (by Ferguson)	Key West EL ADA (one piece)	MIRKW241 (one-piece)	1,000	SPS		1	3		E	*	*										F
12-067, 12-070, & 13-009	Niagara	All-In-One RF ADA	Home Depot SKUs: 303-635 bowl, 140-911 tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291338240)	1,000	SPS		2	-		R	*	*										F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	500 grams and more												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)		
		Type/technology of toilet fixture																		
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																		
Model Name	Model Number																			
13-064	Niagara	Claremont EL ADA (Flapperless)	N4417 bowl, N4415T tank	800	SPS		2	-	*	E	*									F
11-046	Niagara	Claremont One-Piece EL	N4418 (one piece)	500	SPS		1	-	*	E										F
13-060	Niagara	Cottage Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	1,000	WS	WS	2	-	*	E	*									F
14-043	Niagara	Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold at Home Depot in a Combination All-In-One package as HD SKU 215-583 - UPC Bar Code 732291231619)	1,000	SPS	WS	2	2.5		E	*	*								F
14-105	Niagara	Dual Flush EL ADA	N2328: N2328B bowl, N2328T tank	1,000	SPS	WS	2	2.5		E	*	*								F
10-023	Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank.	800	SPS	WS	2	-	*	E	*									F
12-038	Niagara	Ecologic RF ADA	N2225R: N2225RB bowl, N2225T tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291222549) (NOTE: This model previously listed as Model N2225R-165)	1,000	SPS		2	-	*	R										F
10-024	Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (NOTE: model replaced by N2225R Ecologic RF ADA HET below - Report No. 12-038)	500	SPS	WS	2	-	*	R										F
6-644	Niagara	Flapperless Muskoka EL ADA	N2217: 2217 bowl, 2217 tank	600	SPS		2	-	*	E	*	*								F
6-646	Niagara	Flapperless Muskoka RF ADA	N2217R: 2217R bowl, 2217 tank	600	SPS		2	-	*	R	*									F
13-028	Niagara	Flapperless RF	N2216: 2216BC bowl, 2216LPT tank	800	SPS		2	-	*	R	*	*								F
6-645	Niagara	Flapperless Superior EL (one-piece)	N2218 (one-piece)	600	SPS		1	-	*	E	*	*								F
12-129	Niagara	Glacier Bay EL ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT SKU 331-725 - UPC Bar Code 732291222518) (Fluidmaster fill valve)	600	SPS	WS	2	3		E	*									F
14-002	Niagara	None - EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	500	SPS	WS	2	2		E	*	0.8g 3L								F
14-003	Niagara	None - RF ADA	N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	400	SPS	WS	2	2		R	*	0.8g 3L								F
14-042	Niagara	None EL ADA	331-725: 331-725B bowl, 331-725T tank (R&T fill valve)	650	SPS		2	3		E	*									F
11-091	Niagara	None EL ADA	N2226: 2226B bowl, 2216T tank	400	SPS		2	-	*	E	*	*								F
12-036	Niagara	Power One EL	N2310: 2310B bowl, 2310T tank	1,000	SPS	WS	2	-	*	E										F
13-008	Niagara	Simcoe RF	N4416: N4416 bowl, N4415T tank	1,000	SPS		2	-	*	R										F
WS-13	OPS - Original Pacific Supply	None EL	T/X-6688E: T-6688E bowl, X-6688 tank	NM	WS	WS	2			E		*								F
WS-13	OPS - Original Pacific Supply	None EL ADA	T/X-6688H: T-6688H bowl, X-6688 tank	NM	WS	WS	2			E	*	*								F
WS-13	OPS - Original Pacific Supply	None RF	T/X-6688: T-6688 bowl, X-6688 tank	NM	WS	WS	2			R		*								F
WS-12	Orion	Green Sense EL	50320 bowl, 51299 tank	NM	SPS	WS	2			E										F
WS-12	Orion	Green Sense RF	50299 bowl, 51299 tank	NM	SPS	WS	2			R										F
5-514	Peerless Pottery (by Capizzi)	Predator EL ADA	608 bowl, 1 tank	500	SPS		2	-		E	*									F
5-512	Peerless Pottery (by Capizzi)	Predator Low Profile EL	606 bowl, 1 tank	400	SPS		2	-		E										F
12-110	Porcher (American Standard)	EPIC EL (one-piece)	97720 (one-piece)	500	SPS		1	3		E		*								F
14-135	Porcher (American Standard)	Archive EL (one-piece)	97920-60 (one-piece)	1,000	SPS		1	3		E		*								F
13-072	Porcher (American Standard)	L'Expression II (one-piece)	97520 (one-piece)	600	SPS		1	2		E		*								F
10-137	Porcher (American Standard)	Veneto II EL (one-piece)	97220 (one-piece)	800	SPS		1	3		E		*								F
13-004	PreCon Solutions	None	1003 EL (one-piece)	800	SPS		1	2		E		*								F
13-005	PreCon Solutions	None	C0-1011 EL (one-piece)	250			1	2		E		*								F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
		500 grams and more																			
		Type/technology of toilet fixture																			
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
		4-L (1.1-gal) Pressure-assist (HET)																			
		Gravity-fed & Vacuum-assist																			
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																			
		Model Name	Model Number																		
13-062	Price Pfister	None EL ADA	VTP-E21: C-1003 bowl, S-1004 tank	1,000	SPS		2	3		E	*	*					HET				F
13-115	Price Pfister	None EL	VTP-E51: C-5518 bowl, S-5518 tank	1,000	SPS		2	3		E	*	*					HET				F
13-061	Price Pfister	None EL ADA	VTP-E31: C-1003 bowl, S-1003 tank	1,000	SPS		2	3		E	*	*					HET				F
13-048	PROFLO	Altima EL	PF1201 bowl; PF3312 tank	400	SPS		2	2		E			*								F
13-050	PROFLO	Altima EL ADA	PF1203 bowl; PF3312 tank	550	SPS		2	2		E	*		*								F
8-511	PROFLO	Altima III RF	PF1200 bowl; PF3112 tank	600	SPS		2	2		R		*									F
13-046	PROFLO	Altima RF	PF1200 bowl; PF3312 tank	500	SPS		2	2		R			*								F
11-066	PROFLO	Cascade EL	PF9301 bowl; PF9312 tank	400	SPS	WS	2	2		E		*					HET				F
11-065	PROFLO	Cascade EL ADA	PF9303 bowl; PF9312 tank	450	SPS	WS	2	2		E	*	*					HET				F
11-067	PROFLO	Cascade RF	PF9300 bowl; PF9312 tank	500	SPS	WS	2	2		R		*					HET				F
13-109	PROFLO	Foyle EL ADA	PF6101 bowl, PF6112HE tank (Fluidmaster fill valve)	800	WS	WS	2	3		E	*							HET			F
11-114	PROFLO	MacLair EL	PF9401 bowl; PF9412 tank	850	SPS	WS	2	3		E								HET			F
11-112	PROFLO	MacLair RF	PF9400 bowl; PF9412 tank	900	SPS	WS	2	3		R								HET			F
7-536	PROFLO	Maelstrom EL	PF8200 bowl; PF8212 tank	600	SPS		2	3		E		*									F
7-537	PROFLO	Maelstrom EL ADA	PF8201 bowl; PF8212 tank	600	SPS		2	3		E	*	*									F
7-538	PROFLO	Maelstrom RF	PF8203 bowl; PF8212 tank	400	SPS		2	3		R		*									F
14-040	PROFLO	None EL	PF1601 bowl, PF1612 tank	900	SPS	WS	2	-		E							HET				F
WS-12	PROFLO	None EL	PF9201 bowl; PF9212 tank	NM	WS	WS	2	-		E		*					HET				F
13-104	PROFLO	None EL	PF6101 bowl; PF6112HE tank (R&T fill valve)	900	WS	WS	2	-		E								HET			F
14-041	PROFLO	None EL ADA	PF1603 bowl, PF1612 tank	900	SPS	WS	2	-		E	*						HET				F
13-106	PROFLO	None EL ADA	PF6101 bowl, PF6112 tank	900	SPS		2	3		E	*	*									F
13-113	PROFLO	None EL ADA	PF6201 bowl; PF6212HE tank	900	WS	WS	2	-		E	*							HET			F
13-100	PROFLO	None EL ADA	PF8503 bowl, PF8512 tank	950	SPS		2	3		E	*	*									F
13-111	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)	950	WS	WS	2	3		E	*							HET			F
13-098	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (R&T fill valve)	950	WS	WS	2	-		E								HET			F
WS-12	PROFLO	None RF	PF9200 bowl; PF9212 tank	NM	WS	WS	2	-		R		*					HET				F
	PROFLO	Vacuity EL	PF3201 bowl; PF3612 tank	375			2	2		E			*								F
12-015	Quality Craft	Alexis HET Dual Flush Toilet in Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	SPS	WS	2	3		E	*	*					HET				F
12-014	Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	SPS	WS	2	3		E	*							HET			F
12-013	Quality Craft	Alexis ULF Toilet in a Box - EL ADA	30012K: 3001 bowl, 3002 tank (insulated)	950	SPS		2	3		E	*	*									F
10-093	Quality Craft	None	2301 bowl, 2302 tank (lined) with pilot-type fill valve	300	SPS		2	2		R		*									F
12-010	Quality Craft	None - EL ADA	3001/3002 (insulated tank)	950	SPS		2	3		E	*	*									F
12-009	Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900	SPS		2	3		E	*							HET			F
12-011	Quality Craft	None - EL ADA	3001/3004 (insulated tank)	900	SPS		2	3		E	*	*					HET				F
7-529	Quality Craft	Sylvia RF	2301 bowl, 2302 tank with ballcock fill valve	400	SPS		2	2		R		*									F
5-556	RAK Ceramics	Compact Syphonic EL ADA	CT30 bowl, CT65 tank	650	SPS		2	3		E	*	*									F
9-003	RAK Ceramics	Venice EL	VN03 bowl, VN10 tank	500	SPS		2	2		E		*					HET				F
6-601	RAK Ceramics	Washington Syphonic EL	171 bowl, WT20 tank	600	SPS		2	3		E		*									F
9-002	RAK Ceramics	Windsor EL	WE20 bowl, W120 tank	1,000	SPS		2	3		E		*									F
14-045	Roca	Johnson Suisse, Cottage EL ADA (one-piece)	No number	400	SPS		1	2.5		E	*	1.25g 4.7L					HET				F
9-045	Rona	Chateau EL	SKU#7369130 (Foremost #TL-5300E-WL)	1,000	SPS		1	2		E	*	*									F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)				
															Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)						
																					KEY:			
																					Flush performance (MaP column & score)			
				250 grams to 475 grams		500 grams and more		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.																
				Type/technology of toilet fixture																				
				6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																				
				4-L (1.1-gal) Pressure-assist (HET)																				
				Gravity-fed & Vacuum-assist																				
				NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																				
14-RN	Toto	Carusoe RF	CST715: C715 bowl, ST706 tank	650			2	2		R		*							F					
14-RN	Toto	Clayton EL ADA (formerly Baldwin)	CST784SF: C784SF bowl, ST784S tank	675			2	3		E	*	*							F					
14-RN	Toto	Dalton EL ADA	CST734F: C734F bowl, ST733 tank	650			2	2		E	*	*							F					
14-RN	Toto	Drake EL	CST744S: C744S or C744E bowl, ST743S tank	900	SPS		2	3		E	*	*							F					
12-083	Toto	Drake II EL ADA (Formerly Gwyneth Two-Piece)	CST454CEF(G): C454CEF(G) bowl, ST454E tank	800	WS	WS	2	3		E	*							HET	F					
11-122	Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	SPS	WS	2	3		E	*							HET	F					
11-125	Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	SPS	WS	2	3		E	*							HET	F					
11-061	Toto	EcoDrake EL	CST744E(G): C744E(G) bowl, ST743E tank	600	SPS	WS	2	3		E								HET	F					
11-062	Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	SPS	WS	2	3		E	*							HET	F					
11-060	Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	SPS	WS	2	3		R								HET	F					
13-144	Toto	EcoGuinevere EL ADA	CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G)	550	SPS	WS	1	3		E	*							HET	F					
14-106	Toto	EcoLloyd EL ADA (one-piece)	CST934EF OR MS934214EF OR MS934304EF OR MW934***EF (one-piece)	600	WS	WS	1	3		E	*							HET	F					
11-121	Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	SPS	WS	2	3		E	*							HET	F					
12-081	Toto	EcoPromenade EL ADA	CST424EF(G): C424EF(G) bowl, ST423E tank	400	WS	WS	2	3		E	*							HET	F					
13-146	Toto	EcoPromenade RF	CST423EF(G): C423EF(G) bowl, ST423E tank	550	WS	WS	2	3		R								HET	F					
14-112	Toto	EcoSoiree EL ADA (one-piece)	CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece)	600	WS	WS	1	3		E	*							HET	F					
11-120	Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	SPS	WS	1	3		E								HET	F					
WS-13	Toto	EcoSupreme RF	CST863E OR MS863113E OR MW863***E	NM	WS	WS	1	3		E								HET	F					
11-118	Toto	EcoUltramax EL	CST854E(G) OR MS854114E(G) OR MW854***E(G)	500	SPS	WS	1	3		E								HET	F					
11-119	Toto	EcoUltramax EL ADA	CST854EL(G) OR MS854114EL(G) OR MW854***EL(G)	500	SPS	WS	1	3		E	*							HET	F					
11-117	Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	SPS	WS	1	3		R								HET	F					
11-124	Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	SPS	WS	2	3		E	*							HET	F					
7-515	Toto	Neorest EL	600	700	SPS		1	-	*	E				*					F					
13-143	Toto	Neorest EL	550	800	SPS		1	-	*	E				*				HET	F					
14-RN	Toto	Ultimate EL	CST854 OR MS854114 OR MW854***	325	SPS		1	3		E		*							F					
14-RN	Toto	Ultimate RF	CST853 OR MS853113 OR MW853***	400	SPS		1	3		R		*							F					
14-RN	Toto	Ultramax EL	CST854S OR MS854114S OR MW854***S	700	SPS		1	3		E		*							F					
11-123	Toto	Ultramax II EL ADA (Formerly Gwyneth One-Piece)	CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G)	500	SPS	WS	1	3		E	*							HET	F					
14-RN	Toto	Willingham EL (formerly Plymouth)	CST924F OR MS924154F OR MW924***F	675	SPS		1	3		E		*							F					
13-101	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (R&T fill valve)	900	WS	WS	2	3		E	*							HET	F					
13-102	Tynan Plumbing	Avoca EL ADA	4301: 0320 bowl, 1331 tank	900	SPS		2	3		E	*	*							F					
13-107	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (Fluidmaster fill valve)	900	WS	WS	2	3		E	*							HET	F					
11-066	Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	WS	2	2		E		*						HET	F					
11-065	Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	WS	2	2		E	*	*						HET	F					
11-067	Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	WS	2	2		R		*						HET	F					
13-103	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (R&T fill valve)	900	WS	WS	2	3		E	*							HET	F					
13-105	Tynan Plumbing	Foyle EL ADA	4332: 0321 bowl, 1332 tank	900	SPS		2	3		E	*	*							F					

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
		250 grams to 475 grams	500 grams and more												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)				
		Type/technology of toilet fixture																				
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																				
		4-L (1.1-gal) Pressure-assist (HET)																				
		Gravity-fed & Vacuum-assist																				
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in Appendix B and instead may be found listed in Appendix D.																				
		Model Name	Model Number																			
13-108	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (Fluidmaster fill valve)	800	WS	WS	2	3		E	*											F
11-110	Tynan Plumbing	MacLair EL	4313: 0313 bowl, 1330FET3 tank	1,000	SPS		2	3		E		*										F
11-113	Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	WS	2	3		E												F
13-097	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (R&T fill valve)	950	WS	WS	2	3		E	*											F
13-099	Tynan Plumbing	MacLair EL ADA	4314: 0314 bowl, 1330 tank	950	SPS		2	3		E	*	*										F
13-110	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (Fluidmaster fill valve)	950	WS	WS	2	3		E	*											F
11-109	Tynan Plumbing	MacLair RF	4312: 0312 bowl, 1330FET3 tank	1,000	SPS		2	3		R		*										F
11-111	Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	WS	2	3		R												F
14-031	Tynan Plumbing	Louth EL	4510: 7510 bowl, 1712 tank	900	SPS	WS	2	-		E												F
14-032	Tynan Plumbing	Louth EL ADA	4512: 7512 bowl, 1712 tank	900	SPS	WS	2	-		E	*											F
13-112	Tynan Plumbing	Nore EL ADA	4346: 0346 bowl, 1346 tank	900	WS	WS	2	3		E	*											F
13-053	Villeroy & Boch	Aveo Dual-Flush EL	6614.10 bowl, 7724-U1 tank	700	WS	WS	2	3		E		*										F
14-027	Villeroy & Boch	Elody EL	5W01-01: 5C01-01 bowl, 5D01-U1 tank	900	SPS		2	3		E	*	*										F
12-035	Villeroy & Boch	Strada EL	5W00-01: 5C00-01 bowl, 5D01-U1 tank	1,000	SPS		2	3		E		*										F
WS-14	Villeroy & Boch	Subway EL	6610.10 bowl, 7723-U1 tank	NM	WS	WS	2			E		*										F
14-028	Villeroy & Boch	Twist EL ADA	5W05-01: 5C05-01 bowl, 5D02-U1 tank	600	SPS		2	3		E	*	*										F
14-022	VitrA	Atlantis EL ADA	5052 bowl, 6853 tank	400	SPS		2	2		E	*	*										F
	VitrA	Altantis EL	5051 bowl, 6853 tank	750	SPS		2	2		E		*										F
	VitrA	Altantis RF	5050 bowl, 6853 tank	800	SPS		2	2		R		*										F
	VitrA	Corina EL	5069 bowl, 5070 tank	850	SPS		2	3		E		*										F
	VitrA	Corina RF	5068 bowl, 5070 tank	825	SPS		2	3		R		*										F
14-023	VitrA	Corina EL ADA	5032 bowl, 5070 tank	800	SPS		2	3		E	*	*										F
6-609	VitrA	Corina Comfort EL ADA	5232 bowl, 5070 tank	1,000	SPS		2	3		E	*	*										F
5-551	VitrA	Corina EL (one-piece)	5178	750	SPS		1	3		E		*										F
5-550	VitrA	Corina RF (one-piece)	5209	850	SPS		1	3		R		*										F
6-627	VitrA	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	SPS	WS	2	-	*	E	*											F
6-607	VitrA	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	SPS	WS	2	2		E	*	*										F
10-108	VitrA	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	SPS	WS	2	-	*	R		*										F
9-048	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5402 tank	600	WS	WS	2	2		E	*											F
9-047	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5402 tank	800	WS	WS	2	2		R	*											F
5-536 & 5-548	VitrA	Mona EL	4117 bowl, 4015 tank	800	SPS		2	3		E		*										F
5-537 & 5-549	VitrA	Riva EL	4117 bowl, 6952 tank	700	SPS		2	3		E		*										F
8-503	VitrA	Serenada EL ADA	4219-003-5265	800	SPS		1	3		E	*	*										F
	Vortens-Lamosa	Dali EL	5101 bowl, 5201 tank	NM	WS	WS	2			E		*										F
	Vortens-Lamosa	Delfos	3130	NM	WS	WS	1					*										F
WS-14	Vortens-Lamosa	Dominic EL ADA	3123 bowl, 3472 tank	NM	WS	WS	2			E	*	*										F
WS-14	Vortens-Lamosa	Dominic EL	3113 bowl, 3472 tank	NM	WS	WS	2			E		*										F
WS-14	Vortens-Lamosa	Dominic RF	3208 bowl, 3472 tank	NM	WS	WS	2			R		*										F
WS-14	Vortens-Lamosa	Dominic Victory RF	3209 bowl, 3472 tank	NM	WS	WS	2			R		*										F
12-128	Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	WS	WS	2	3		E	*											F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
															Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)			
13-031	Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	WS	WS	2	3		E								HET			F
13-036	Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	600	WS	WS	2	3		R								HET			F
13-033	Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	1,000	WS	WS	2	3		E	*							HET			F
13-034	Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	WS	WS	2	3		E								HET			F
13-029	Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	800	WS	WS	2	3		R								HET			F
	Vortens-Lamosa	Palermo EL	3126	350			1	2		E		*									F
5-534	Vortens-Lamosa	Pegasus Tulip EL (Home Depot brand)	3107 bowl, 3427 tank (HD SKU 477-546)	400	SPS		2	-	*	E		*						HET			F
10-049	Vortens-Lamosa	Rhodas EL ADA	3123V bowl, 3436SPS tank	600	SPS		2	2		E	*	*						HET			F
10-050	Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	SPS	WS	2	-	*	E	*	*						HET			F
5-521	Vortens-Lamosa	Taza Vienna RF (Lined)	3208 bowl, 3464-S tank (lined)	550	SPS		2	2		R		*									F
5-520	Vortens-Lamosa	Taza Vienna RF (Unlined)	3208 bowl, 3464-R tank (unlined)	600	SPS		2	2		R		*									F
5-504	Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	700	SPS	WS	2	-		E								HET			F
8-553	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	SPS	WS	2	-		E	*							HET			F
WS-14	Vortens-Lamosa	Tornado EL	3138 bowl, 3471 tank	NM	WS	WS	2			E	*							HET			F
WS-14	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3471 tank	NM	WS	WS	2			E								HET			F
13-035	Vortens-Lamosa	Vienna ELX	3113 bowl, 3436 tank	600	SPS	WS	2	2	*	E		*						HET			F
WS-12	Vortens-Lamosa	Vienna ELX	3113 bowl, 3420 tank	NM	WS	WS	2		*	E								HET			F
	Vortens-Lamosa	Vienna II RF	3208 bowl, 3412 tank	550			2	2		R		*									F
9-053	Vortens-Lamosa	Vienna L EL (ballcock-float arm fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464V)	800			2	2		E		*									F
9-052	Vortens-Lamosa	Vienna L EL (pilot fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464R)	800	SPS		2	2		E		*									F
11-063	Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	SPS	WS	2	2	*	R		*						HET			F
10-053	Vortens-Lamosa	Vienna RF	3208 bowl, 3436SPS tank	500	SPS		2	2		R		*									F
	Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	375	SPS	WS	2		*	R		*						HET			F
	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3412 tank	550			2	2		R		*									F
10-052	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	SPS	WS	2	2	*	R		*						HET			F
WS-12	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3420 tank	NM	WS	WS	2		*	R		*						HET			F
8-552	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464 tank	800	SPS		2	2		R		*									F
9-001	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464-C tank	500	SPS		2	2		R		*									F
12-037	WaterRidge-Milim G&G Ceramics	WaterRidge Grace EL	C22055C (one-piece) Sold as Costco Item No. 386082	500	SPS	WS	1	2		E		*						HET			F
WS-14	WaterRidge-Milim G&G Ceramics	None EL	C21075C: C531082 bowl, C600137 tank	NM	SPS	WS	2			E		*						HET			F
12-040	Western Pottery	Environmental Dual Flush EL	B812 DF bowl, T8-ULF-DF tank	550	SPS		2	2		E		*						HET			F
5-528	Western Pottery	Hi-Boy Challenger EL	872 bowl, ULF-8 tank	1,000			2	2		E		*									F
10-138	Western Pottery	Typhoon 820 RF	820: B820 bowl, T8ULF-HP tank	1,000			2	3		R		*									F
10-139	Western Pottery	Typhoon 830 EL	830: B830 bowl, T8ULF-HP tank	800			2	3		E		*									F
10-140	Western Pottery	Typhoon 870 EL ADA	870: B870 bowl, T8ULF-HP tank	1,000			2	3		E	*	*									F
10-142	Western Pottery	Wangler EL	432PF: B432PF bowl, T4ULF-PF tank	1,000	SPS		2	-		E				*							F
10-141	Western Pottery	Wangler EL ADA	472PF: B472PF bowl, T4ULF-PF tank	1,000	SPS		2	-		E	*			*							F
10-117 & 12-120	Western Pottery	Wangler One EL	B432PF-1: 432 PF bowl, ULF-T4 tank	1,000	SPS		2	-		E								HET			F
WS-13	Xiamen Lota International Co.	None EL	CT-123: CF-123 bowl, TA-123 tank	NM	WS	WS	2			E								HET			F
WS-14	Xiamen Lota International Co.	None EL	582601 bowl, 582602 tank	NM	WS	WS	2			E								HET			F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)				Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
		250 grams to 475 grams	500 grams and more												Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Flushometer Valve (commercial)				
		Type/technology of toilet fixture		Model Name		Model Number																
WS-14	Xiamen Lota International Co.	None EL	582603 bowl, 582604 tank	NM	WS	WS	2			E								HET				
WS-13	Xiamen Lota International Co.	None EL	CT-113: CF-113 bowl, TA-113 tank	NM	WS	WS	2			E								HET				F
6-637	Zurn	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	SPS	WS	2	-	*	E				*				HET				F
6-639	Zurn	EcoVantage Dual Flush EL ADA	Z5562: Z5560 bowl, Z5562 tank	1,000	SPS	WS	2	-	*	E	*			*				HET				F
6-635	Zurn	EcoVantage EL	Z5570	800	SPS		2	-	*	E				*								F
WS-12	Zurn	EcoVantage RF	Z5576: Z5575 bowl, Z5561 tank	NM	WS	WS	2	-	*	R								HET				F
WS-12	Zurn	EcoVantage Dual Flush RF	Z5577: Z5575 bowl, Z5562 tank	NM	WS	WS	2			R				*				HET				F
6-634	Zurn	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	800	SPS	WS	2	-	*	E								HET				F
7-506	Zurn	EcoVantage EL ADA	Z5551: Z5551 bowl, Z5551 tank	900	SPS		2	3		E	*	*										F
6-640	Zurn	EcoVantage EL ADA	Z5560	1,000	SPS		2	-	*	E	*			*								F
6-638	Zurn	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	1,000	SPS	WS	2	-	*	E	*							HET				F
8-509	Zurn	EL	Z5530: Z5510/30 bowl; Z5530/40/50 tank	350			2	2		E		*										F
8-510	Zurn	EL	Z-HPT/Z5552: Z5552 bowl; Z5551 tank	1,000	SPS		2	3		E		*										F
8-507	Zurn	EL ADA	Z5550: Z5550 bowl; Z5530/40/50 tank	400			2	2		E	*	*										F
8-508	Zurn	RF	Z5540: Z5520/40 bowl; Z5530/40/50 tank	400			2	2		R		*										F

Notes: RF – Round-front toilet bowl
EL – Elongated-front toilet bowl
S - Special bowl design
ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.
NM - Not measured: WaterSense-certified fixtures that were not Maximum Performance (MaP) tested; these fixtures meet the minimum 350 gram waste removal threshold
WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense
SPS - Qualified to the Los Angeles Supplementary Purchase Specification for adjustability
G - Gallons per Flush
L - Litres per Flush
RN - Renewed Listing