

Maximum Performance (MaP) of SINGLE-FLUSH, GRAVITY-FED, UNAR-Compliant High-Efficiency Toilet Fixtures (HETs)

Sorted by Manufacturer

June 2009 listing

Note: Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency and the California Urban Water Conservation Council. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA's WaterSense Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	KEY: Flush performance (MaP score)
												350 grams to 475 grams
12-108	American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	WS	2	3	E			F	
14-052	American Standard	Cadet 3 Flowise EL (lined tank)	2832.513: 3014.128 bowl, 4021.513 tank(lined)	1,000		2	3	E			F	
12-107 & 12-114	American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	WS	2	3	E	*		F	
14-054	American Standard	Cadet 3 Flowise EL ADA (lined tank)	2835.513: 3016.128 bowl, 4021.513 tank(lined)	1,000		2	3	E	*		F	
14-055	American Standard	Cadet 3 Flowise EL ADA (one-piece; lined tank)	2403.513 (one piece; lined tank)	1,000		1	3	E	*		F	
12-101	American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	WS	2	3	R			F	
14-053	American Standard	Cadet 3 Flowise RF (lined tank)	2829.513: 3011.128 bowl, 4021.513 tank(lined)	1,000		2	3	R			F	
14-130	American Standard	Cadet 3 Flowise RF ADA	2758.128: 3005.128 bowl, 4021.128 tank	1,000	WS	2	3	R	*		F	
10-127	American Standard	Compact Cadet 3 FloWise EL ADA	SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)	1,000	WS	1	3	E	*		F	
10-021	American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	WS	2	3	E			F	
13-089	American Standard	Mainstream FloWise RF	3468.128: 3061.428 bowl, 4061.428 tank	800	WS	2	2	R			F	
14-076	AquaSource (Lowe's)	HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	WS	2	3	E	*		F	
14-115	AquaSource (Lowe's)	HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	700		2	3	E	*		F	
WS-12	Axent-Regatta Water Co.	None EL ADA	AT1203-xx	NM	WS	2		E	*		F	
14-049	Cascadian	Regal/Toscano EL ADA	C930 bowl, T901 tank	1,000	WS	2	3	E	*		F	
WS-13	CE Union International	None	6810H-S: X-6810HS bowl, T-6810HS tank	NM	WS	2		R				

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams									
		500 grams and more									
		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									
Model Name	Model Number										
WS-13	CE Union International	None	6811H-S: X-6811HS bowl, T-6810HS tank	NM	WS	2		E			
WS-13	Ceramica Industrial De Taubate Ltd	Nina EL	111: bowl model unknown, 815 tank	NM	WS	2		E			F
WS-13	Ceramica Industrial De Taubate Ltd	Twister EL	151: 151 bowl, 855 tank	NM	WS	2		E			F
WS-13	Ceramica Industrial De Taubate Ltd	Twister RF	150: 150 bowl, 855 tank	NM	WS	2		R			F
WS-14	Cerapure Industries	None EL	CT-3008	NM	WS	2		E			F
WS-14	Cerapure Industries	None RF	CT-3007	NM	WS	2		R			F
14-046	Chelini	Bournelli RF	B1415R bowl, T14248 tank (lined tank)	500		2	2	R			F
14-020	Chelini	Cabot EL ADA	B1516E bowl, T10348 tank (lined tank)	1,000		2	3	E	*		F
14-079	Chelini	Cabot RF ADA	B1516R bowl, T10348 tank (lined tank)	800		2	3	R	*		F
14-065	Contrac	Cain EL (lined tank)	5720BEV: B5720BEV bowl, T5720BEV tank (lined)	800	WS	2	3	E			F
14-066	Contrac	Calum RF (lined tank)	5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	WS	2	3	R			F
13-126	Contrac	Captiva EL ADA	4710BIV	800	WS	1	3	E	*		F
13-127	Contrac	Carter EL ADA	4720BIV: bowl and tank nos. not provided	550	WS	2	3	E	*		F
14-071	Contrac	None EL ADA (lined tank)	5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	WS	2	3	E	*		F
11-004	Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	2	3	R			F
WS-11	Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	NM	WS	2	3	R			F
14-093	Danze	Cirtangular EL ADA	DC023330 bowl, DC022321 tank	800	WS	2		E	*		F
WS-14	Danze	Orrington EL ADA	DC013330 bowl, DC012323 tank	NM	WS	2		E	*		F
14-021	DKDC	Total Flush EL ADA	TF1000: B1000 bowl, T1000 tank	1,000		2	3	E	*		F
WS-13	Duravit	D-Code	011701 bowl, 092720 tank	NM	WS	2					F
14-115	Foremost	AIO (All-In-One) EL ADA	AIO 7800HET-LO: AIO B7800HET-LO bowl, AIO T7800HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0061042)	700		2	3	E	*		F
14-072	Foremost	Astoria EL ADA(lined tank)	TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined)	700	WS	2	3	E	*		F
13-135	Foremost	HET EL (one-piece)	TL-6100-E*N (one-piece)	500	WS	1	3	E			F
14-064	Foremost	HET EL ADA	TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank)	600	WS	2	3	E	*		F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams									
		500 grams and more									
		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									
Model Name	Model Number										
11-086 & 13-149	Foremost	HET EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank	1,000	WS	2	3	E	*		F
14-077	Foremost	HET EL ADA	TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T- 7600HC-HET-*1 tank	600	WS	2	3	E	*		F
13-130	Foremost	HET EL ADA	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T- 7600HC-HET-*L tank (lined tank) (ALSO SOLD as TL- 8295-WL when offered as the All-In-One version)	900	WS	2	3	E	*		F
14-075	Foremost	HET EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim)	900		2	3	E	*		F
14-076	Foremost	HET EL ADA	TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600- HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0005905)	400	WS	2	3	E	*		F
13-130	Foremost	HET EL ADA	TT-8295-*L: LL-7600-HET bowl, T-7600-HET-*L tank (NOTE: This the All-In-One version of the TL-7600HC-HET-*L fixture shown above)	900	WS	2	3	E	*		F
13-138 & 14-108	Foremost	HET EL ADA (one-piece)	TL-10PA-HET-E (one-piece)	600	WS	1	3	E	*		F
13-137 & 14-109	Foremost	HET EL ADA (one-piece)	TL-10PB-HET-E (one-piece)	600	WS	1	3	E	*		F
13-131	Foremost	HET RF ADA	TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (insulated tank)	1,000	WS	2	3	R	*		F
13-132	Foremost	HET RF ADA	TL-7600HC-HETR: LL-7600HC-HETR bowl, T- 7600HC-HET tank (Fluidmaster tank trim)	900	WS	2	3	R	*		F
14-081	Foremost	HET RF ADA	TL-7605HC-*L: LL-7605HC bowl, T-7605-*L tank (lined tank)	550		2	3	R	*		F
14-082	Foremost	HET RF ADA (lined tank)	TL-7637HC-*L: LL-7637HC bowl, T-7637-*L tank (lined tank)	600		2	3	R	*		F
14-118	Foremost	None EL ADA	AIO 400E*-HET: AIO B400E bowl, AIO T400 tank	400	WS	2	3	E	*		
13-139 & 14-107	Foremost	None EL ADA	TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank	500	WS	2	3	E	*		F
14-062	Foremost	None EL ADA (lined tank)	TL-10PA-HET-E (one-piece- lined tank)	600		1	3	E	*		F
14-063	Foremost	None EL ADA (lined tank)	TL-10PB-HET-E (one-piece- lined tank)	600	WS	1	3	E	*		F
14-113	Foremost	None RF (lined tank)	TL-5207-*L2:	600		2	3	R			F
14-111	Foremost	None RF (lined tank)	TL-8207-*L4:	800		2	3	R			F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:
												Flush performance (MaP score)
												350 grams to 475 grams
												500 grams and more
NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												
13-133	Foremost	Home Depot - Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036)	800	WS	2	3	E	*		F	
14-117	Foremost	None RF ADA	AIO 400R*-HET: AIO B400R bowl, AIO T400 tank	500	WS	2	3	R	*			
14-089	Gerber	Avalanche EL ADA	HE-21-818: HE-21-828 bowl, HE-28-890 tank	800	WS	2	3	E	*		F	
14-002	Hennessy & Hinchcliffe	None - EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	500	WS	2	2	E	*		F	
14-003	Hennessy & Hinchcliffe	None - RF ADA	N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	400	WS	2	2	R	*		F	
WS-14	Home Depot - Glacier Bay	Pegasus RF	Home Depot SKUs 779-923: 779-923B bowl, 779-923T tank	NM	WS	2		R			F	
11-086	Home Depot - Glacier Bay (by Foremost)	Glacier Bay EL ADA	TL-7600HC-HET-Y: LL-7600HC-HET bowl, T-7600-HET tank - Sold combined as Home Depot SKU 331-725 (Foremost Model BT6001)	1,000	WS	2		E	*		F	
WS-14	Home Depot - Glacier Bay (by Foremost)	Glacier Bay RF	HD SKU: 535-904: LL-7600-HETR bowl, T-7600-HET-YL tank	NM	WS	2		R			F	
12-038	Home Depot - Glacier Bay (by Niagara)	Glacier Bay Ecologic RF ADA	N2225R: N2225RB bowl, N2225T tank (ALSO SOLD AS ALL-IN-ONE PACKAGE BY HOME DEPOT UPC CODE 732291222549)	1,000		2	-	R	*		F	
14-011	Home Depot - Glacier Bay (by Niagara)	Glacier Bay Ecologic RF ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 779-923	1,000	WS	2	-	R	*		F	
12-129	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (All-In-One package)	Home Depot SKU 331-725 UPC Bar Code: 732291222518	600	WS	2	3	E	*		F	
13-133	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (Sold combined as Home Depot SKU 780-036)	800	WS	2	3	E	*		F	
13-068	Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless - All-In-One package)	N2228: N2228B bowl, N2228T tank. (Also sold in Combination All-In-One package as Home Depot SKU 840-565 - UPC Code 732291222822)	1,000	WS	2	-	E	*		F	
13-067	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 780-036 & UPC Code 732291344685	1,000	WS	2	3	E	*		F	
11-106	Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. (Also sold in All-In-One combination package as Home Depot SKU 331-725 --- Replaced by another product: Glacier Bay All-In-One with UPC Code 732291222518)	800	WS	2	-	E	*		F	

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush) Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams								
		500 grams and more								
		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.								
Model Name	Model Number									
13-037	Jacuzzi	Espree EL ADA	Sold as complete toilet set. Jacuzzi SKU EZ36959 (Also sold as Lowe's SKU 48624)	1,000	WS	2	3	E	*	F
14-057	Jacuzzi	Perfecta EL ADA	Sold as complete toilet set. Jacuzzi SKU GU04959: BN30 bowl, BN31 tank (Also sold as Lowe's SKU 312978)	1,000	WS	2	3	E	*	F
13-032	Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451 when included as part of the "COMPLETE SOLUTION" package	1,000	WS	2	3	E	*	F
12-074	Kohler	Kelston EL ADA	K-11453: F4306 bowl, F4469 tank	1,000	WS	2		E	*	F
14-076	Lowe's	Aquasource HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	WS	2	3	E	*	F
14-115	Lowe's	Aquasource HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	700		2	3	E	*	F
WS-13	Luoyang Meidiya	None	6810H-S: (individual tank and bowl nos. not avail)	NM	WS	2		R		
WS-13	Luoyang Meidiya	None	6811H-S: (individual tank and bowl nos. not avail)	NM	WS	2		E		
14-033	Mansfield	Maverick	111 bowl, 112 tank	700	WS	2	3			F
14-001	Mansfield	Maverick	114 bowl, 112 tank	1,000		2	3	E	*	F
14-034	Mansfield	None RF	113 bowl, 112 tank	700		2	3	R		F
13-068	Niagara	Cottage EL ADA (Flapperless - All-In-One package)	N2228: N2228B bowl, N2228T tank. (Also sold in All-In-One combination package as Home Depot SKU 840-565 - UPC Code 732291222822)	1,000	WS	2	-	E	*	F
10-023	Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank.	800	WS	2	-	E	*	F
12-038	Niagara	Ecologic RF ADA	N2225R: N2225RB bowl, N2225T tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291222549) (NOTE: This model previously listed as Model	1,000		2	-	R		F
10-024	Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (NOTE: model replaced by N2225R Ecologic RF ADA HET below - Report No. 12-038)	500	WS	2	-	R		F
13-064	Niagara	Flapperless EL ADA	N4417 bowl, N4415T tank	800		2	-	E	*	F
13-060	Niagara	Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	1,000	WS	2	-	E	*	F
12-129	Niagara	Glacier Bay EL ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT SKU 331-725 - UPC Bar Code 732291222518) (Fluidmaster fill valve)	600	WS	2	3	E	*	F
11-046	Niagara	None EL	N4418 (one piece)	500		1	-	E		F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams									
		500 grams and more									
		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									
Model Name	Model Number										
14-042	Niagara	None EL ADA	331-725: 331-725B bowl, 331-725T tank (R&T fill valve)	650		2	3	E	*		F
13-008	Niagara	None RF	N4416: N4416 bowl, N4415T tank	1,000		2	-	R			F
WS-12	Orion	Green Sense EL	50320 bowl, 51299 tank	NM	WS	2		E			F
WS-12	Orion	Green Sense RF	50299 bowl, 51299 tank	NM	WS	2		R			F
13-109	Pro-Flo (by Tynan for Ferguson)	Foyle EL ADA	PF6101 bowl, PF6112HE tank (Fluidmaster fill valve)	800	WS	2	3	E	*		F
11-114	Pro-Flo (by Tynan for Ferguson)	MacLair EL	PF9401 bowl; PF9412 tank	850	WS	2	3	E			F
11-112	Pro-Flo (by Tynan for Ferguson)	MacLair RF	PF9400 bowl; PF9412 tank	900	WS	2	3	R			F
13-104	Pro-Flo (by Tynan for Ferguson)	None EL	PF6101 bowl; PF6112HE tank (R&T fill valve)	900	WS	2		E			F
13-113	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF6201 bowl; PF6212HE tank	900	WS	2		E			F
13-111	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)	950	WS	2	3	E	*		F
13-098	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF9403 bowl; PF 9412 tank (R&T fill valve)	950	WS	2		E			F
12-014	Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	WS	2	3	E	*		F
12-009	Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900		2	3	E	*		F
13-131	Rona	HET TTG RF	SKU#7369128 (Foremost #TL-7600HC-HETR-*L)	1,000	WS	2	3	R	*		F
WS-13	Seasons (HD Supply)	None EL	SE10040 bowl, SE10039 tank (Same as Foremost HET 7600 elongated bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564832, respectively)	NM	WS	2		E			F
13-135	Seasons (HD Supply)	None EL (one-piece)	SE10042 (one-piece) (Foremost TL-6100-E*N) (uses Fluidmaster tank trim)	500	WS	1	3	E			F
WS-13	Seasons (HD Supply)	None RF	SE10041 bowl, SE10039 tank (Same as Foremost HET 7600 round bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564833, respectively)	NM	WS	2		R			F
12-028	Tangshan - Ayers Bath	Dofiny - EL ADA	UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank	550	WS	2	3	E	*		F
WS-13	Tangshan - Ayers Bath	None EL	UAC1303BS-AA bowl, UAT1304-AA tank	NM	WS	2		E			F
WS-13	Tangshan - Ayers Bath	None RF (one-piece)	UAC1003BS-AA (one-piece)	NM	WS	1		R			F
12-083	Toto	Drake II EL ADA (Formerly Gwyneth Two-Piece)	CST454CEF(G): C454CEF(G) bowl, ST454E tank	800	WS	2	3	E	*		F
11-122	Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	WS	2	3	E	*		F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams									
		500 grams and more									
		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									
Model Name	Model Number										
11-125	Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	WS	2	3	E	*		F
11-061	Toto	EcoDrake EL	CST744E(G): C744E(G) bowl, ST743E tank	600	WS	2	3	E			F
11-062	Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	WS	2	3	E	*		F
11-060	Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	WS	2	3	R			F
13-144	Toto	EcoGuinevere EL ADA	CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G)	550	WS	1	3	E	*		F
14-106	Toto	EcoLloyd EL ADA (one-piece)	CST934EF OR MS934214EF OR MS934304EF OR MW934***EF (one-piece)	600	WS	1	3	E	*		F
11-121	Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	WS	2	3	E	*		F
12-081	Toto	EcoPromenade EL ADA	CST424EF(G): C424EF(G) bowl, ST423E tank	400	WS	2	3	E	*		F
13-146	Toto	EcoPromenade RF	CST423EF(G): C423EF(G) bowl, ST423E tank	550	WS	2	3	R			F
14-112	Toto	EcoSoiree EL ADA (one-piece)	CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece)	600	WS	1	3	E	*		F
11-120	Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	WS	1	3	E			F
WS-13	Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	NM	WS	1	3	E			F
11-118	Toto	EcoUltramax EL	CST854E(G) OR MS854114E(G) OR MW854***E(G)	500	WS	1	3	E			F
11-119	Toto	EcoUltramax EL ADA	CST854EL(G) OR MS854114EL(G) OR MW854***EL(G)	500	WS	1	3	E	*		F
11-117	Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	WS	1	3	R			F
11-124	Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	WS	2	3	E	*		F
11-123	Toto	Ultramax II EL ADA (Formerly Gwyneth One-Piece)	CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G)	500	WS	1	3	E	*		F
13-107	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (Fluidmaster fill valve)	900	WS	2	3	E	*		F
13-101	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (R&T fill valve)	900	WS	2	3	E	*		F
13-108	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (Fluidmaster fill valve)	800	WS	2	3	E	*		F
13-103	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (R&T fill valve)	900	WS	2	3	E	*		F
11-113	Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	2	3	E			F
13-110	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (Fluidmaster fill valve)	950	WS	2	3	E	*		F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	KEY: Flush performance (MaP score)							MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
				350 grams to 475 grams														
				500 grams and more														
				NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.														
13-097	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (R&T fill valve)	950	WS	2	3	E	*			F						
11-111	Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	2	3	R				F						
13-112	Tynan Plumbing	Nore EL ADA	4346: 0346 bowl, 1346 tank	900	WS	2	3	E	*			F						
9-048	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5402 tank	600	WS	2	2	E	*			F						
9-047	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5402 tank	800	WS	2	2	R	*			F						
13-031	Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	WS	2	3	E				F						
13-036	Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	600	WS	2	3	R				F						
12-128	Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	WS	2	3	E	*			F						
13-034	Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	WS	2	3	E				F						
13-033	Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	1,000	WS	2	3	E	*			F						
13-029	Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	800	WS	2	3	R				F						
WS-14	Vortens-Lamosa	Tornado EL	3138 bowl, 3471 tank	NM	WS	2		E	*			F						
WS-14	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3471 tank	NM	WS	2		E				F						
WS-14	Xiamen Lota International Co.	None EL	582601 bowl, 582602 tank	NM	WS	2		E										
WS-14	Xiamen Lota International Co.	None EL	582603 bowl, 582604 tank	NM	WS	2		E										
WS-13	Xiamen Lota International Co.	None EL	CT-113: CF-113 bowl, TA-113 tank	NM	WS	2		E				F						
WS-13	Xiamen Lota International Co.	None EL	CT-123: CF-123 bowl, TA-123 tank	NM	WS	2		E				F						

Notes: RF – Round-front toilet bowl

EL – Elongated-front toilet bowl

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements

NM - Not measured: WaterSense-certified fixtures that were not Maximum Performance (MaP) tested; these fixtures meet the minimum 350 gram waste removal threshold

WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense

G - Gallons per Flush

L - Litres per Flush