

# Maximum Performance (MaP) of WaterSense High-Efficiency Toilet Fixtures (HETs)

Sorted by Manufacturer

June 2009 listing

**NOTE:** Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency (AWE) and the California Urban Water Conservation Council (CUWCC). All of the fixtures on this list are certified by an independent laboratory to meet the requirements of the U.S. EPA WaterSense specification for HETs. Information for this listing has been obtained from the WaterSense website and from test reports provided by recognized laboratories participating in the WaterSense program. **NOTE:** This listing is NOT the official list of the U.S. EPA's WaterSense Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

**NOTE:** Some of the WaterSense-certified fixtures on this list have NOT been fully MaP tested to their "maximum performance", but rather have been tested only to the 350 gram threshold as required by the WaterSense test specification for HETs. It is likely that those fixtures would perform at a threshold above 350 grams if they were subjected to full MaP testing. Those fixtures are denoted with a "NM" in the MaP column. At such time as the fixtures are subjected to MaP testing, the performance results will be included in this listing.

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model		Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
					Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist						Single-Flush Max 1.28 G (4.8 L) Gravity or powered				
	<b>KEY:</b> <b>Flush performance (MaP column &amp; score)</b> 350 grams to 475 grams      NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. 500 grams and more <b>Type of toilet fixture</b> 6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system) 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed															
10-021	American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	2	3	E							HET		F
WS-14	American Standard	Cadet Flowise EL	2462.100: 3481.100 bowl, 4142.100 tank	NM	2	-	E							HET		F
WS-14	American Standard	Cadet Flowise EL ADA	2467.100: 3483.100 bowl, 4142.100 tank	NM	2	-	E	*						HET		F
10-126	American Standard	FloWise Dual Flush EL	2479.216 (this combination also sold as 2476.216 when with a slow-close seat): 3067 bowl, 4035.216 tank	900	2	2	E			*				HET		F
14-130	American Standard	Cadet 3 Flowise RF ADA	2758.128: 3005.128 bowl, 4021.128 tank	1,000	2	3	R	*		*				HET		F
12-101	American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	2	3	R							HET		F
12-108	American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	2	3	E							HET		F
12-107 & 12-114	American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3	E	*						HET		F
WS-14	American Standard	Yorkville EL	2876.100: 3701.100 bowl, 4142.100 tank	NM	2	-	E							HET		R W
WS-14	American Standard	Yorkville EL ADA	2878.100: 3703.100 bowl, 4142.100 tank	NM	2	-	E	*						HET		R W
14-131	American Standard	H2Option Siphonic Dual Flush EL ADA	2886.216: 3705.216 bowl, 4339.216 tank	1,000	2	2	E	*		*				HET		F
14-132	American Standard	H2Option Siphonic Dual Flush EL	2887.216: 3706.216 bowl, 4339.216 tank	1,000	2	2	E			*				HET		F
14-133	American Standard	H2Option Siphonic Dual Flush RF	2889.216: 3708.216 bowl, 4339.216 tank	1,000	2	2	R			*				HET		F
13-089	American Standard	Mainstream FloWise RF	3468.128: 3061.428 bowl, 4061.428 tank	800	2	2	R							HET		F
12-112	American Standard	FloWise Dual Flush EL (insulated tank)	SOLD IN 3 COMBINATIONS - 2479.516, 2779.516 and 2476.516: each combination with 3067 bowl, 4035.516 tank(lined)	800	2	2	E			*				HET		F

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)			
	Make	Model Name	Model Number								350 grams to 475 grams	500 grams and more	Type of toilet fixture			Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered
12-111 & 12-115	American Standard	FloWise Dual Flush EL ADA (insulated tank)	<b>SOLD IN 3 COMBINATIONS - 2480.516, 2484.516 and 2566.516:</b> each combination with 3073 bowl, 4035.516 tank (lined)	500	2	2	E	*	*		HET			F				
10-127	American Standard	Compact Cadet 3 FloWise EL ADA	<b>SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)</b>	1,000	1	3	E	*				HET		F				
12-113 & 12-116	American Standard	FloWise Dual Flush EL ADA	<b>SOLD IN 4 COMBINATIONS - 2480.216, 2484.216, 2566.216 and 2778.516:</b> each combination with 3073 bowl, 4035 tank.	600	2		E	*	*		HET			F				
14-030	Aquasenses - Chongqing Swell Holding	Aquasenses RF	ES22114: ES2214 bowl, ES3214 tank	350	2		R				HET			F				
14-076	AquaSource (Lowe's)	HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	2	3	E	*				HET		F				
WS-12	Axent-Regatta Water Co.	None EL ADA	AT1203-xx	NM	2		E	*				HET		F				
WS-12	Briggs	None RF	4207: 4370 bowl, 4484 tank	NM	2		R		*		HET			F				
WS-12	Briggs	None EL	4208: 4375 bowl, 4484 tank	NM	2		E		*		HET			F				
8-536	Caroma	Adelaide 270 CC Cube RF	834000 bowl, 814790 tank	700	2	-	R		*		HET			F				
8-537	Caroma	Adelaide 270 CC Standard RF	834000 bowl, 814328 tank	700	2	-	R		*		HET			F				
12-006	Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	2	-	R	*	*		HET			F				
12-005	Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	2	-	R	*	*		HET			F				
10-113	Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	2	-	R		*		HET			F				
11-050	Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	2	-	E		*		HET			F				
10-112	Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	2	-	E	*	*		HET			F				
11-049	Caroma	Bondi 270 RF ADA	609177 bowl, 726350 tank	550	2	-	E	*	*		HET			F				
10-110	Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	2	-	R		*		HET			F				
13-069	Caroma	Bondi 305 EL	609130 bowl, 726350 tank	700	2	-	E		*		HET			F				
12-002	Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	2	-	R		*		HET			F				
9-032	Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	2	-	E		*		HET			F				
7-525	Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	2	-	E	*	*		HET			F				
	Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	500	2	-	R		*		HET			F				
5-509	Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	800	2	-	R	*	*		HET			F				
7-526	Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	2	-	E		*		HET			F				
5-508	Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	650	2	-	R		*		HET			F				
14-025	Caroma	Caravelle One-Piece RF	989646	700	1	-	R		*		HET			F				
8-538	Caroma	Caravelle One-Piece RF ADA	989668	800	1	-	R	*	*		HET			F				
7-513	Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	2	-	R		*		HET			F				
12-004	Caroma	Colonial 270 RF ADA	605320 bowl, 625070 tank	700	2	-	R	*	*		HET			F				

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET				
											Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		<b>KEY:</b>													
		<b>Flush performance (MaP column &amp; score)</b>													
		350 grams to 475 grams		NM - Not measured for <b>Maximum Performance</b> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.											
		500 grams and more													
		<b>Type of toilet fixture</b>													
		6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)													
		4-L (1.1-gal) Pressure-assist (HET)													
		Gravity-fed													
14-035	Caroma	Profile Smart 305 RF (NOTE: 1.2g/4.5L for the full flush - 0.8g/3.0L for reduced flush)	609151A bowl, 840420 tank	800	2	-	R		1.2g 4.5L		HET				F
11-052	Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	2	-	E		*		HET				F
7-514	Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	800	2	-	E	*	*		HET				F
7-528	Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	2	-	R		*		HET				F
11-051	Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	2	-	E	*	*		HET				F
5-519	Caroma	Royale 305 EL	609130 bowl, 629530 tank	800	2	-	E		*		HET				F
	Caroma	Royale 305 RF	609151 bowl, 624530 tank	600	2	-	R		*		HET				F
11-055	Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	2	-	E		*		HET				F
8-533	Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	2	-	E	*	*		HET				F
11-053	Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	2	-	E		*		HET				F
11-054	Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	2	-	E	*	*		HET				F
10-115	Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	2	-	E		*		HET				F
10-114	Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	2	-	R		*		HET				F
12-093	Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	2	-	E	*	*		HET				F
13-125	Caroma	Sydney Low Profile 270 EL	609100 bowl, 622330 tank	550	2	-	E		*		HET				F
13-123	Caroma	Sydney Low Profile 270 RF	609159 bowl, 622330 tank	550	2	-	R		*		HET				F
13-122	Caroma	Sydney Low Profile 270 RF ADA	609177 bowl, 622330 tank	650	2	-	R	*	*		HET				F
13-124	Caroma	Sydney Low Profile 305 EL	609130 bowl, 622330 tank	550	2	-	E		*		HET				F
12-068	Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	2	-	R		*		HET				F
14-037	Caroma	Sydney Smart 270 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609100 bowl, 622322 tank	800	2	-	E		1.3g 4.9L		HET				F
13-121	Caroma	Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	800	2	-	E	*	1.3g 4.9L		HET				F
14-039	Caroma	Sydney Smart 270 RF (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609159 bowl, 622322 tank	800	2	-	R		1.3g 4.9L		HET				F
14-038	Caroma	Sydney Smart 270 RF ADA (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609177 bowl, 622322 tank	800	2	-	R	*	1.3g 4.9L		HET				F
14-036	Caroma	Sydney Smart 305 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609130 bowl, 622322 tank	900	2	-	E		1.3g 4.9L		HET				F
11-116 & 12-003	Caroma	Sydney Smart 305 RF (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	2	-	R		1.3g 4.9L		HET				F
14-026	Caroma	Sydney Smart Rear Outlet (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609450 bowl, 622322 tank	900	2	-			1.3g 4.9L		HET		R		F

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP column & score)										Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered		
	350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
	500 grams and more														
Type of toilet fixture															
6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)															
4-L (1.1-gal) Pressure-assist (HET)															
Gravity-fed															
Make	Model Name	Model Number													
14-049	Cascadian	Regal/Toscano EL ADA	C930 bowl, T901 tank	1,000	2	3	E	*				HET		F	
WS-13	CE Union International	None	6810H: X-6810H bowl, T-6810H tank	NM	2		R					HET			
WS-13	CE Union International	None	6810H-S: X-6810HS bowl, T-6810HS tank	NM	2		R					HET			
WS-13	CE Union International	None	6811H: X-6811H bowl, T-6811H tank	NM	2		E					HET			
WS-13	CE Union International	None	6811H-S: X-6811HS bowl, T-6810HS tank	NM	2		E					HET			
WS-13	Ceramica Industrial De Taubate Ltd	Nina EL	111: bowl model unknown, 815 tank	NM	2		E					HET		F	
WS-13	Ceramica Industrial De Taubate Ltd	Twister RF	150: 150 bowl, 855 tank	NM	2		R					HET		F	
WS-13	Ceramica Industrial De Taubate Ltd	Twister EL	151: 151 bowl, 855 tank	NM	2		E					HET		F	
WS-12	Cerapure Industries	None EL ADA (one-piece)	C-3432D	NM	1		E	*	*			HET		F	
WS-14	Cerapure Industries	None RF	CT-3007	NM	2		R					HET		F	
WS-14	Cerapure Industries	None EL	CT-3008	NM	2		E					HET		F	
WS-14	Cerapure Industries	None EL ADA	CT-6008D	NM	2		E	*				HET		F	
13-126	Contrac	Captiva EL ADA	4710BIV	800	1	3	E	*				HET		F	
13-127	Contrac	Carter EL ADA	4720BIV: bowl and tank nos. not provided	550	2	3	E	*				HET		F	
14-070	Contrac	Clint EL (1 piece - lined tank)	5710BEZ (one-piece - lined tank)	1,000	1	2	E		*			HET		F	
14-069	Contrac	Clara (1 piece - lined tank)	5710BLT (one-piece - lined tank)	1,000	1	2	S		*			HET		F	
14-065	Contrac	Cain EL (lined tank)	5720BEV: B5720BEV bowl, T5720BEV tank (lined)	800	2	3	E					HET		F	
14-061	Contrac	Colin EL (lined tank)	5720BEZ: B5720BEZ bowl, T5720BEZ tank (lined)	700	2	2	E		*			HET		F	
14-066	Contrac	Calum RF (lined tank)	5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	2	3	R					HET		F	
14-060	Contrac	None RF (lined tank)	5720BFZ: B5720BFZ bowl, T5720BFZ tank (lined)	600	2	2	R		*			HET		F	
14-068	Contrac	Colten EL ADA (lined tank)	5720BIZ: B5720BIZ bowl, T5720BIZ tank (lined)	800	2	2	E	*	*			HET		F	
14-071	Contrac	None EL ADA (lined tank)	5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	2	3	E	*				HET		F	
WS	Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	2	-	R		*			HET		F	
WS	Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	2	-	E		*			HET		F	
WS	Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	2	-	R		*			HET		F	
11-004	Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	2	3	R					HET		F	
WS-11	Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	NM	2	3	R					HET		F	
11-026	Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	2	-	R					HET		F	
11-025	Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	2	-	E					HET		F	
WS-11	Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	2	-	E	*				HET		F	
WS	Crane	Eco Saratoga Dual RF	31970: 3352 bowl, 31960 tank	NM	2		R					HET		F	



MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)			
	Make	Model Name	Model Number								Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered					
																Flush performance (MaP column & score)		
																Type of toilet fixture		
			350 grams to 475 grams															
			500 grams and more															
			NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.															
			6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)															
			4-L (1.1-gal) Pressure-assist (HET)															
			Gravity-fed															
13-138 & 14-108	Foremost	HET EL ADA (one-piece)	TL-10PA-HET-E (one-piece)	600	1	3	E	*					HET		F			
14-063	Foremost	None EL ADA (lined tank)	TL-10PB-HET-E (one-piece- lined tank)	600	1	3	E	*					HET		F			
13-137 & 14-109	Foremost	HET EL ADA (one-piece)	TL-10PB-HET-E (one-piece)	600	1	3	E	*					HET		F			
14-072	Foremost	Astoria EL ADA(lined tank)	TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined)	700	2	3	E	*					HET		F			
14-064	Foremost	HET EL ADA	TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank)	600	2	3	E	*					HET		F			
13-139 & 14-107	Foremost	None EL ADA	TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank	500	2	3	E	*					HET		F			
9-044 & 13-147	Foremost	Gemini Dual-Flush ADA	TL-2100-*L (one-piece)	1,000	1	2	S	*	*			HET			F			
13-135	Foremost	HET EL (one-piece)	TL-6100-E*N (one-piece)	500	1	3	E						HET		F			
11-001	Foremost	Plaza	TL-7107-*L: LL-7107 bowl, T-7107 tank	500	2	2.5	S		*			HET			F			
11-086 & 13-149	Foremost	HET EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank	1,000	2	3	E	*					HET		F			
14-077	Foremost	HET EL ADA	TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T-7600HC-HET-*1 tank	600	2	3	E	*					HET		F			
13-130	Foremost	HET EL ADA	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (lined tank) (ALSO SOLD as TL-8295-WL when offered as the All-In-One version)	900	2	3	E	*					HET		F			
14-076	Foremost	HET EL ADA	TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600-HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0005905)	400	2	3	E	*					HET		F			
13-131	Foremost	HET RF ADA	TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (insulated tank)	1,000	2	3	R	*					HET		F			
13-132	Foremost	HET RF ADA	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET tank (Fluidmaster tank trim)	900	2	3	R	*					HET		F			
14-074	Foremost	Odessa RF (one-piece with lined tank)	TL-8260-*L (one-piece with lined tank)	800	1	2	S		*			HET			F			
11-073	Foremost	Total - RF	TT-2010-*L: LL-2010 bowl, T-2010 tank (lined)	600	2	2.5	R		*			HET			F			
13-130	Foremost	HET EL ADA	TT-8295-*L: LL-7600-HET bowl, T-7600-HET-*L tank (NOTE: This is the All-In-One version of the TL-7600HC-HET-*L fixture shown above)	900	2	3	E	*					HET		F			
14-117	Foremost	None RF ADA	AIO 400R*-HET: AIO B400R bowl, AIO T400 tank	500	2	3	R	*					HET					
13-133	Foremost	Home Depot - Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036)	800	2	3	E	*					HET		F			
13-134	Foremost	Total Advantage EL (one-piece with lined tank)	TT-2000E-*L (one piece with lined tank)	1,000	1	2	E						HET		F			



MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP column & score)										Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered		
	350 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
	500 grams and more														
Type of toilet fixture															
6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)															
4-L (1.1-gal) Pressure-assist (HET)															
Gravity-fed															
Make	Model Name	Model Number													
WS-14	Home Depot - Glacier Bay (by Foremost)	Glacier Bay RF	HD SKU: 535-904: LL-7600-HETR bowl, T-7600-HET-YL tank	NM	2		R							HET	F
13-133	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (Sold combined as Home Depot SKU 780-036)	800	2	3	E	*						HET	F
WS-14	Home Depot - Glacier Bay	Pegasus RF	Home Depot SKUs 779-923: 779-923B bowl, 779-923T tank	NM	2		R							HET	F
12-036	Home Depot (by Niagara)	Power One EL	Home Depot SKU 385-195 - UPC Bar Code 732291231015 (Also available as Niagara N2310: 2310B bowl, 2310T tank)	1,000	2	-	E						HET		F
13-067	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 780-036 & UPC Code 732291344685	1,000	2	3	E	*						HET	F
13-037	Jacuzzi	Espreo EL ADA	Sold as complete toilet set. Jacuzzi SKU E236959 (Also sold as Lowe's SKU 48624)	1,000	2	3	E	*						HET	F
14-057	Jacuzzi	Perfecta EL ADA	Sold as complete toilet set. Jacuzzi SKU GU04959: BN30 bowl, BN31 tank (Also sold as Lowe's SKU 312978)	1,000	2	3	E	*						HET	F
12-018	Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	2	-	E						HET		R F
13-032	Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451 when included as part of the "COMPLETE SOLUTION" package	1,000	2	3	E	*						HET	F
12-076	Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	2		E		*				HET		F
WS-12	Kohler	Fountainhead Power Lite EL ADA	K-3524 (one piece)	NM	1		E	*		*			HET		F
7-509	Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	2	-	E	*					HET		F
12-074	Kohler	Kelston EL ADA	K-11453: F4306 bowl, F4469 tank	1,000	2		E	*					HET		F
13-063	Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	600	2	2.5	E		*				HET		F
12-094	Kohler	Saile EL	K-3564 (one piece)	500	1		E		*				HET		F
7-545	Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	1	-	E	*		*-at 1.4-g			HET		F
12-024	Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	1	-	E	*					HET		F
9-051	Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	2	2	E		*				HET		F
8-550	Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	2	2	R		*				HET		F
6-622	Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	2	-	E		*				HET		F
WS	Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	NM	2	-	R		*				HET		F
WS	Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	NM	2	-	E		*				HET		F
7-508	Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	2	-	E						HET		F
14-076	Lowe's	Aquasource HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	2	3	E	*						HET	F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	Map Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
											Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered		
		<b>KEY:</b>													
		Flush performance (MaP column & score)													
		350 grams to 475 grams		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.											
		500 grams and more													
		Type of toilet fixture													
		6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)													
		4-L (1.1-gal) Pressure-assist (HET)													
		Gravity-fed													
WS-13	Luoyang Meidiya	None	6810H: (individual tank and bowl nos. not avail)	NM	2		R					HET			
WS-13	Luoyang Meidiya	None	6810H-S: (individual tank and bowl nos. not avail)	NM	2		R						HET		
WS-13	Luoyang Meidiya	None	6811H: (individual tank and bowl nos. not avail)	NM	2		E					HET			
WS-13	Luoyang Meidiya	None	6811H-S: (individual tank and bowl nos. not avail)	NM	2		E						HET		
14-033	Mansfield	Maverick	111 bowl, 112 tank	700	2	3									F
11-068	Mansfield	EcoQuantum - EL	144 bowl, 119 tank	1,000	2	-	E	*		*		HET		R	W
11-070	Mansfield	Quantum EL	144 bowl, 153 tank	900	2	-	E	*				HET		R	W
10-124	Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	2	-	R			*		HET			F
10-122	Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	2	-	R					HET			F
10-125	Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	2	-	E			*		HET			F
10-121	Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	2	-	E					HET			F
10-123	Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	2	-	E	*		*		HET			F
10-120	Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	2	-	E	*				HET			F
10-118	Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	2	-	E			*		HET		R	F
10-119	Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	2	-	E					HET		R	F
12-027	Mansfield	Prestigio 4 EL	704 (one-piece)	950	1	-	E					HET			F
WS-14	Milim G&G Ceramics	None EL	C21075C: C531082 bowl, C600137 tank	NM	2		E		*			HET			F
12-037	Milim G&G Ceramics	WaterRidge Grace EL	C22055C (one-piece) Sold as Costco Item No. 386082	500	1	2	E		*			HET			F
10-023	Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank.	800	2	-	E	*					HET		F
12-129	Niagara	Glacier Bay EL ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT SKU 331-725 - UPC Bar Code 732291222518) (Fluidmaster fill valve)	600	2	3	E	*					HET		F
10-024	Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (NOTE: model replaced by N2225R Ecologic RF ADA HET below - Report No. 12-038)	500	2	-	R						HET		F
13-068	Niagara	Cottage EL ADA (Flapperless - All-In-One package)	N2228: N2228B bowl, N2228T tank. (Also sold in All-In-One combination package as Home Depot SKU 840-565 - UPC Code 732291222822)	1,000	2	-	E	*					HET		F
13-060	Niagara	Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	1,000	2	-	E	*					HET		F
12-036	Niagara	Power One EL	N2310: 2310B bowl, 2310T tank	1,000	2	-	E					HET			F
WS-13	Original Pacific Supply	None RF	T/X-6688: T-6688 bowl, X-6688 tank	NM	2		R		*			HET			F
WS-13	Original Pacific Supply	None EL	T/X-6688E: T-6688E bowl, X-6688 tank	NM	2		E		*			HET			F
WS-13	Original Pacific Supply	None EL ADA	T/X-6688H: T-6688H bowl, X-6688 tank	NM	2		E	*	*			HET			F

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP column & score)										Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered		
	350 grams to 475 grams	NM - Not measured for <b>Maximum Performance</b> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
	500 grams and more														
Type of toilet fixture															
6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)															
4-L (1.1-gal) Pressure-assist (HET)															
Gravity-fed															
Make	Model Name	Model Number													
WS-12	Orion	Green Sense RF	50299 bowl, 51299 tank	NM	2		R						HET	F	
WS-12	Orion	Green Sense EL	50320 bowl, 51299 tank	NM	2		E						HET	F	
WS-12	Pro-Flo (by Briggs for Ferguson)	None RF	PF9200 bowl; PF9212 tank	NM	2		R		*			HET		F	
WS-12	Pro-Flo (by Briggs for Ferguson)	None EL	PF9201 bowl; PF9212 tank	NM	2		E		*			HET		F	
13-109	Pro-Flo (by Tynan for Ferguson)	Foyle EL ADA	PF6101 bowl, PF6112HE tank (Fluidmaster fill valve)	800	2	3	E	*					HET	F	
13-104	Pro-Flo (by Tynan for Ferguson)	None EL	PF6101 bowl; PF6112HE tank (R&T fill valve)	900	2		E						HET	F	
13-113	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF6201 bowl; PF6212HE tank	900	2		E						HET	F	
11-067	Pro-Flo (by Tynan for Ferguson)	Cascade RF	PF9300 bowl; PF9312 tank	500	2	2	R		*			HET		F	
11-066	Pro-Flo (by Tynan for Ferguson)	Cascade EL	PF9301 bowl; PF9312 tank	400	2	2	E		*			HET		F	
11-065	Pro-Flo (by Tynan for Ferguson)	Cascade EL ADA	PF9303 bowl; PF9312 tank	450	2	2	E	*	*			HET		F	
11-112	Pro-Flo (by Tynan for Ferguson)	MacLair RF	PF9400 bowl; PF9412 tank	900	2	3	R						HET	F	
11-114	Pro-Flo (by Tynan for Ferguson)	MacLair EL	PF9401 bowl; PF9412 tank	850	2	3	E						HET	F	
13-111	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)	950	2	3	E	*					HET	F	
13-098	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF9403 bowl; PF 9412 tank (R&T fill valve)	950	2		E						HET	F	
12-014	Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	2	3	E	*					HET	F	
12-015	Quality Craft	Alexis HET Dual Flush Toilet in Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	2	3	E	*	*			HET		F	
9-044 & 13-147	Rona	Gemini Dual Flush ADA	SKU#7369068 (Foremost # TL-2100-*L)	1,000	1	2	S	*	*			HET		F	
13-131	Rona	HET TTG RF	SKU#7369128 (Foremost #TL-7600HC-HETR-*L)	1,000	2	3	R	*					HET	F	
12-017	Seasons (HD Supply)	Dual Flush EL ADA	SE 10056 bowl, SE10055 tank (Same as Foremost AIOB1000-E bowl, AIOT1000 tank; also HD Supply Facilities Maint Nos. 564852 and 564851, respectively)	1,000	2		E	*		*		HET		F	
WS-13	Seasons (HD Supply)	None EL	SE10040 bowl, SE10039 tank (Same as Foremost HET 7600 elongated bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564832, respectively )	NM	2		E						HET	F	
WS-13	Seasons (HD Supply)	None RF	SE10041 bowl, SE10039 tank (Same as Foremost HET 7600 round bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564833, respectively )	NM	2		R						HET	F	
13-135	Seasons (HD Supply)	None EL (one-piece)	SE10042 (one-piece) (Foremost TL-6100-E*N) (uses Fluidmaster tank trim)	500	1	3	E						HET	F	
14-030	Swell Holding	Aquasenses RF	ES22114: ES2214 bowl, ES3214 tank	350	2		R						HET	F	

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP column & score)										Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered		
	350 grams to 475 grams	NM - Not measured for <b>Maximum Performance</b> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
	500 grams and more														
Type of toilet fixture															
6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)															
4-L (1.1-gal) Pressure-assist (HET)															
Gravity-fed															
Make	Model Name	Model Number													
WS-13	Tangshan - Ayers Bath	None RF (one-piece)	UAC1003BS-AA (one-piece)	NM	1		R							HET	F
WS-13	Tangshan - Ayers Bath	None EL	UAC1303BS-AA bowl, UAT1304-AA tank	NM	2		E							HET	F
12-028	Tangshan - Ayers Bath	Dofiny - EL ADA	UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank	550	2	3	E	*						HET	F
5-516	Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	2	2	E		*				HET		F
12-082	Toto	Aquia II EL	CST416M: CT416 bowl, ST416M tank	500	2	2.5	E						HET		F
13-146	Toto	EcoPromenade RF	CST423EF(G): C423EF(G) bowl, ST423E tank	550	2	3	R							HET	F
12-081	Toto	EcoPromenade EL ADA	CST424EF(G): C424EF(G) bowl, ST423E tank	400	2	3	E	*						HET	F
12-083	Toto	Drake II EL ADA (Formerly Gwyneth Two-Piece)	CST454CEF(G): C454CEF(G) bowl, ST454E tank	800	2	3	E	*						HET	F
12-084	Toto	Aquia III EL	CST464M: CT464 bowl, ST464M tank	500	2	2.5	E						HET		F
12-080	Toto	Aquia IIIUH EL ADA	CST464MF: CT464F bowl, ST464M tank	500	2	2.5	E	*					HET		F
11-123	Toto	Ultramax II EL ADA (Formerly Gwyneth One-Piece)	CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G)	500	1	3	E	*						HET	F
11-060	Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	2	3	R							HET	F
11-061	Toto	EcoDrake EL	CST744E(G): C744E(G) bowl, ST743E tank	600	2	3	E							HET	F
11-062	Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	2	3	E	*						HET	F
11-125	Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	2	3	E	*						HET	F
11-124	Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	2	3	E	*						HET	F
11-122	Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	2	3	E	*						HET	F
11-121	Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	2	3	E	*						HET	F
11-117	Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	1	3	R							HET	F
11-118	Toto	EcoUltramax EL	CST854E(G) OR MS854114E(G) OR MW854***E(G)	500	1	3	E							HET	F
11-119	Toto	EcoUltramax EL ADA	CST854EL(G) OR MS854114EL(G) OR MW854***EL(G)	500	1	3	E	*						HET	F
WS-13	Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	NM	1	3	E							HET	F
11-120	Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	1	3	E							HET	F
14-106	Toto	EcoLloyd EL ADA (one-piece)	CST934EF OR MS934214EF OR MS934304EF OR MW934***EF (one-piece)	600	1	3	E	*						HET	F
14-112	Toto	EcoSoiree EL ADA (one-piece)	CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece)	600	1	3	E	*						HET	F
13-144	Toto	EcoGuinevere EL ADA	CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G)	550	1	3	E	*						HET	F
11-111	Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	2	3	R							HET	F
11-113	Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	2	3	E							HET	F

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP column & score)										Dual-Flush	Single-Flush Max 1.2-G (4.5L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity or powered		
	350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
	500 grams and more														
Type of toilet fixture															
6-L (1.6-gal) Pressure- or power-assist (full flush on a dual-flush system)															
4-L (1.1-gal) Pressure-assist (HET)															
Gravity-fed															
Make	Model Name	Model Number													
13-107	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (Fluidmaster fill valve)	900	2	3	E	*				HET		F	
13-101	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (R&T fill valve)	900	2	3	E	*				HET		F	
13-108	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (Fluidmaster fill valve)	800	2	3	E	*				HET		F	
13-103	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (R&T fill valve)	900	2	3	E	*				HET		F	
13-112	Tynan Plumbing	Nore EL ADA	4346: 0346 bowl, 1346 tank	900	2	3	E	*				HET		F	
13-110	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (Fluidmaster fill valve)	950	2	3	E	*				HET		F	
13-097	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (R&T fill valve)	950	2	3	E	*				HET		F	
11-067	Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	2	2	R		*		HET			F	
11-066	Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	2	2	E		*		HET			F	
11-065	Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	2	2	E	*	*		HET			F	
WS-14	Villeroy & Boch	Subway EL	6610.10 bowl, 7723-U1 tank	NM	2		E		*		HET				
13-053	Villeroy & Boch	Aveo Dual-Flush EL	6614.10 bowl, 7724-U1 tank	700	2	2.5	E		*		HET			F	
6-627	VitrA	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	2	-	E	*				HET		F	
6-607	VitrA	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	2	2	E	*	*		HET			F	
10-108	VitrA	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	2	-	R		*		HET			F	
9-048	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5402 tank	600	2	2	E	*				HET		F	
9-047	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5402 tank	800	2	2	R	*				HET		F	
	Vortens-Lamosa	Delfos	3130	NM	1				*		HET			F	
WS-12	Vortens-Lamosa	Vienna ELX	3113 bowl, 3420 tank	NM	2		E				HET			F	
13-035	Vortens-Lamosa	Vienna ELX	3113 bowl, 3436 tank	600	2	2	E		*		HET			F	
WS-14	Vortens-Lamosa	Dominic EL	3113 bowl, 3472 tank	NM	2		E		*		HET			F	
10-050	Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	2	-	E	*	*		HET			F	
WS-14	Vortens-Lamosa	Dominic EL ADA	3123 bowl, 3472 tank	NM	2		E	*	*		HET			F	
8-553	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	2	-	E	*				HET		F	
WS-14	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3471 tank	NM	2		E					HET		F	
13-031	Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	2	3	E					HET		F	
13-034	Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	2	3	E					HET		F	
5-504	Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	700	2	-	E					HET		F	

