

Maximum Performance (MaP) of Toilet Fixtures

Appendix C - Sorted by Performance

Revisions to the previous 14th Edition listing are noted below with a blue block on the right margin →

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		Flush performance (MaP column & score)													Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered			
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.																	
		500 grams and more																		
		Type/technology of toilet fixture																		
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																		
		4-L (1.1-gal) Pressure-assist (HET)																		
		Gravity-fed & Vacuum-assist																		
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																		
	Model Name	Model Number																		
10-090	American Standard	Renaissance EL	2446: 3344 bowl, 4037 tank	250			2	2		E		*								F
13-001	Aquadis	None	AKDE627 RF	250	SPS		2	2		R		*								F
8-532	Cascadian	None EL	C5000 bowl; T5000 tank	250			2	3		E		*								F
11-017	Crane	Baby Bowl (NOTE: 10" child's bowl height)	3811: 3210 bowl, 3227 tank	250	SPS		2	3		R		*								F
11-016	Crane	Flormont EL	3186: 3184 bowl, 3546 tank (lined)	250	SPS		2	2		E		*								F
11-021	Crane	Flormont EL	3921: 3184 bowl, 3742 tank	250	SPS		2	3		E		*								F
11-005	Crane	Galaxy Cranada EL ADA	31149: 3815 bowl, 3740 tank	250	SPS		2	3		E	*	*								F
13-136	Foremost	Benton EL (one-piece)	TL-7100-WL (one Piece)	250	SPS		1	2	*	E		*					HET			F
10-072	Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, EH28-495 tank (pedestal flush valve)	250	SPS		2	2		E	*	*								F
12-051	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-492 tank (insulated)(pedestal flush valve)	250	SPS		2	2		E	*	*								F
10-075	Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, 28-494 tank	250			2	2		E	*	*								F
10-076	Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, EH28-494 tank (pedestal flush valve)	250	SPS		2	2		E	*	*								F
7-532	Home Depot - Glacier Bay (by Foremost)	Westminster EL ADA	TL-6800-E: LL-6800-E bowl (HD SKU 160-753), T-6800 tank (HD SKU 164-146)	250	SPS		2	3		E	*	*								F
12-095	Jameco	Aquacer RF	1700B bowl, 1700T tank. Sold as Lowe's SKUs 160-696 and 160-695, respectively.	250			2	2		R		*								F
12-096	Jameco	V5000 RF	Bowl & Tank sold as Lowe's SKU 60691	250			2	2		R		*								F
10-092	Kohler	Sterling Riverton RF	402502: 404015 bowl, 404522 tank	250			2	2		R		*								F
12-072	Mansfield	Alto RF	130 bowl, 161 tank	250	SPS		2	-	*	R		*								F
13-005	ProCon Solutions	None	CO-1011 EL (one-piece)	250			1	2		E		*					HET			F
7-535	Aquadis	CT-A1200 RF	CT-A1200 (bowl & tank models nos. not identified)	300	SPS		2	2		R		*					HET			F
8-531	Cascadian	None RF	C1101 bowl; T1102 tank	300			2	2		R		*								F
15-003	Ceralux	None RF	221 bowl, 321 tank	300			2	2		R		*					HET			F
13-011	Crane	Artesian EL	31108: 3406 bowl, 3544 tank	300	SPS		2	2		E		*								F
13-012	Crane	Artesian EL	31110: 3406 bowl, 3546 tank (insulated)	300	SPS		2	2		E		*								F
8-529	Duravit	Phillipe Starck RF (one piece)	016301.02 (one-piece)	300	SPS		1	3		R	*	*							R	W
15-113	Foremost	None RF	AO1-001004R: LL-004R bowl, T1-001 tank	300	SPS		2	2		R		*								F
15-120	Foremost	None RF (lined tank)	AO1-001004R*L: LL-004R bowl, T1-001*L tank (lined)	300	SPS		2	2		R		*								F
10-103	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, 28-495 tank	300			2	2		E		*								F
10-101	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH 28-490 tank	300	SPS		2	2		E		*								F
10-099	Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, EH 28-494 tank (pedestal flush valve)	300	SPS		2	2		E		*								F
10-071	Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, 28-495 tank	300			2	2		E	*	*								F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)		4-L (1.1-gal) Pressure-assist (HET)		Gravity-fed & Vacuum-assist		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name		Model Number									
10-073	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, 28-490 tank	300			2	2		E	*	*							F
10-074	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-490 tank (pedestal flush valve)	300	SPS		2	2		E	*	*							F
12-092	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, 28-492 tank (insulated)	300			2	2		E	*	*							F
10-067	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, 28-490 tank	300			2	2		R		*							F
10-070	Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, EH28-494 tank (pedestal flush valve)	300	SPS		2	2		R		*							F
6-612	Home Depot - Glacier Bay	All-In-One RF	TG-4200-WL Home Depot SKU 170-263	300	SPS		2	2		R		*							F
10-085	Home Depot - Westminster	Westminster RF	HD SKUs: 455-684 bowl, 455-685 tank (lined)	300			2	2		R		*							F
10-093	Quality Craft	None	2301 bowl, 2302 tank (lined) with pilot-type fill valve	300	SPS		2	2		R		*							F
11-047	Svena Int'l	Eago EL	TB109M	300	SPS		1	2.5		E		*							F
14-RN	Toto	Ultimate EL	CST854 OR MS854114 OR MW854***	325	SPS		1	3		E		*							F
NOTE: Fixtures listed above this line do NOT meet the minimum (350 grams) waste removal performance requirements specified by UNAR and by the U.S. Environmental Protection Agency for their WaterSense Program																			
14-050	American Standard	Chinalux EL	1000EL: 1100EL bowl, 120012 tank	350	SPS		2	2		E		*							F
10-055	Aquadis	Tytane EL	TY350 (one piece)	350	SPS		1	2		E		*					HET		F
14-030	Aquasenses - Chongqing Swell Holding	Aquasenses RF	ES22114: ES22114 bowl, ES3214 tank	350	WS	WS	2			R							HET		F
15-164	Copperfit	None EL ADA	T3612: TB3612 bowl, TK3612 tank	350	SPS		2	3		E	*	*							F
15-165	Copperfit	None RF	T3613: TB3613 bowl, TK3613 tank	350	SPS		2	3		R		*							F
12-030	Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*					HET		R W
12-032	Duravit	Caro (ADA optional)	015609 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*					HET		R W
8-544	Duravit	Darling	020709 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		R	*	*					HET		R W
12-031	Duravit	Foster (ADA optional)	017509 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*					HET		R W
12-033	Duravit	Starck 2 (ADA optional)	016009 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*					HET		R W
6-602	Duravit	Starck 2 EL (one piece)	016301 (one-piece)	350	SPS	WS	1	3		E	*	*							R W
8-543	Duravit	Starck 3 RF	220009 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		R	*	*					HET		R W
12-034	Duravit	Vero (ADA optional)	221709 bowl, 111.335 in-wall tank (Geberit)	350	SPS	WS	2	2		S	*	*					HET		R W
11-072	Foremost	Dietrich EL (lined tank)	TL-7237-*L: LL-7237 bowl, T-7237-*L tank (lined)	350	SPS		2	3		E		*							F
10-102	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, 28-490 tank	350			2	2		E		*							F
12-049	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-492 tank (insulated) (pedestal flush valve)	350	SPS		2	2		R		*							F
12-090	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, 28-492 tank (insulated)	350			2	2		R		*							F
11-048	Globe Union Canada	StoneHouse EL	C220672 (one-piece)	350	SPS		1	2		E		*							F
8-548	HCG	King EL	CS1003 King: C1003 bowl, S352 tank	350			2	3		E		*							F
8-545	HCG	None - RF	CS9002DF: C9002 bowl, S9002DF tank	350	SPS		2	2		R		*					HET		F
6-622	Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	SPS	WS	2	-	*	E		*					HET		F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
14-030	Swell Holding	Aquasenses RF	ES22114: ES2214 bowl, ES3214 tank	350	WS	WS	2			R							HET		F
8-509	Zurn	EL	Z5530: Z5510/30 bowl; Z5530/40/50 tank	350			2	2		E		*							F
14-051	American Standard	Chinalux RF	1000RF: 1100RF bowl, 120012 tank	400	SPS		2	2		R		*							F
13-081	American Standard	Gateway EL	2885.000: 3070.016 bowl, 4211.016 tank	400			2	2		E		*							F
14-076	AquaSource (Lowe's)	HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	SPS	WS	2	3		E	*						HET		F
11-087	Bolina	Italiana EL	3031: 3031 bowl, 3031 tank	400	SPS		2	2		E		*					HET		F
13-047	Briggs	Altima EL	4325 bowl, 4438 tank	400	SPS		2	2		E		*							F
7-538	Briggs	Maelstrom RF	4390 bowl, 4490 tank	400	SPS		2	3		R		*							F
8-505	Ceralux/Mancesa	Windsor RF	2700 bowl, 2711 tank	400	SPS		2	2		R		*							F
14-080	Chelini	Marriot EL	B1215E bowl, TDF1246 tank (lined tank)	400	SPS	WS	2	2.5	*	E		*					HET		F
WS-15	Cobban Enterprises	None	B1215E bowl, TDF1246 tank (lined tank)	400	SPS	WS	2	2.5	*	E		*					HET		F
15-163	Copperfit	None EL ADA	T3512: TB3512 bowl, TK3512 tank	400	SPS	WS	2	3		E	*						HET		F
11-037	Crane	Atlas/Atlanta RF	31012N: 31047N bowl, 31742N tank	400	SPS		2	2		R		*							F
11-022	Crane	Flormont EL ADA	3922: 3191 bowl, 3742 tank	400	SPS		2	3		E	*	*							F
11-024	Crane	Shiloh EL	31731 (one piece)	400	SPS		1			E		*							F
10-026	Eljer	Patriot EL	091-2125: 131-2125 bowl, 141-2120 tank	400			2	2		E		*							F
10-028	Eljer	Patriot RF (replaces earlier version of Patriot RF)	091-2120: 131-2120 bowl, 141-2120 tank	400			2	2		R		*							F
9-005	Eljer	Toronto Patriot RF	091-2020: 131-2120 bowl; 141-2020 tank	400			2	2		R		*							F
7-505	Eljer	Toronto Savoy EL	091-0265: 131-2125 bowl, 141-0260 tank	400			2	2		E		*							F
14-076	Foremost	HET EL ADA	TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600-HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0005905)	400	SPS	WS	2	3		E	*						HET		F
14-118	Foremost	None EL ADA	AIO 400E*-HET: AIO B400E bowl, AIO T400 tank	400	WS	WS	2	3		E	*						HET		F
14-016	Foremost	Regent RF	TL-5207-*L: LL-5207 bowl, T-5207-*L tank (lined tank)	400	SPS		2	2		R		*							F
14-097	Gerber	Lynx RF (10-inch rough-in)	21-600: 21-650 bowl, 28-690 tank	400			2	2		R		*							F
10-106	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, EH 28-495 tank (pedestal flush valve)	400	SPS		2	2		E		*							F
12-050	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH28-492 tank (insulated) (pedestal flush valve)	400	SPS		2	2		E		*							F
12-091	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, 28-492 tank (insulated)	400			2	2		E		*							F
10-100	Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, 28-494 tank	400			2	2		E		*							F
14-100	Gerber	Maxwell LX RF ADA	21-102: 21-152 bowl, 28-190 tank	400			2	2		R	*	*							F
10-065	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, 28-495 tank	400			2	2		R		*							F
10-066	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, EH28-495 tank (pedestal flush valve)	400	SPS		2	2		R		*							F
10-068	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-490 tank (insulated) (pedestal flush valve)	400	SPS		2	2		R		*							F
10-098	Gerber	Maxwell RF (12-inch rough-in)	RF21-017 (one piece)	400			1	2		R		*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																			
	Model Name	Model Number																	
8-546	HCG	None - EL	CS9001DF: C9001 bowl, S9002DF tank	400	SPS		2	2		E	*	*					HET		F
8-547	HCG	None - EL ADA	CS1001: C1001 bowl, S1001 tank	400			2	3		E	*	*							F
8-549	HCG	Queen EL	CS1003 Queen: C1003 bowl, S353 tank	400			2	3		E	*	*							F
14-003	Hennessy & Hinchcliffe	Proficiency - RF ADA	N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number)	400	SPS	WS	2	2		R	*	0.8g 3L					HET		F
14-076	Home Depot - Glacier Bay (by Foremost)	Glacier Bay EL ADA	Home Depot SKU 331-725-UPC bar code 721015348887 - Foremost Model TL-7600HC-HET: LL-7600HC-HET bowl, T-7600-HET tank (R&T tank trim)	400	SPS	WS	2	3		E	*	*					HET		F
11-108	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (Flapperless)	Home Depot SKUs: 382-298 bowl, 382-438 tank UPC Code: 732291222617 (bowl) UPC Code: 732291222624 (tank)	400	SPS		2	-		E	*	*							F
7-530	Home Depot - Pegasus	Colonade EL ADA	Home Depot SKUs 160-406 bowl, 152-143 tank	400			2	3		E	*	*							F
9-051	Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	SPS	WS	2	2	*	E	*	*					HET		F
14-076	Lowe's	Aquasource HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	SPS	WS	2	3		E	*	*					HET		F
8-505	Mancesa/Ceralux	Windsor RF	2700 bowl, 2711 tank	400	SPS		2	2		R	*	*							F
9-042	Mansfield	None - RF	103 bowl, 109 tank	400	SPS		2	3		R	*	*							F
14-003	Niagara	None - RF ADA	N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	400	SPS	WS	2	2		R	*	0.8g 3L					HET		F
11-091	Niagara	None EL ADA	N2226: 2226B bowl, 2216T tank	400	SPS		2	-	*	E	*	*							F
15-002	Orion	Forte EL ADA	50315 bowl, 51315 tank	400	SPS		2	3		E	*	*							F
15-001	Orion	Forte EL ADA (lined tank)	50315 bowl, 51315 tank (lined)	400	SPS		2	3		E	*	*							F
13-048	PROFLO	Altima EL	PF1201 bowl; PF3312 tank	400	SPS		2	2		E	*	*							F
11-066	PROFLO	Cascade EL	PF9301 bowl; PF9312 tank	400	SPS	WS	2	2		E	*	*					HET		F
7-538	PROFLO	Maelstrom RF	PF8203 bowl; PF8212 tank	400	SPS		2	3		R	*	*							F
7-529	Quality Craft	Sylvia RF	2301 bowl, 2302 tank with ballcock fill valve	400	SPS		2	2		R	*	*							F
14-045	Roca	Johnson Suisse, Cottage EL ADA (one-piece)	No number	400	SPS		1	2.5		E	*	1.25g 4.7L					HET		F
12-081	Toto	EcoPromenade EL ADA	CST424EF(G): C424EF(G) bowl, ST423E tank	400	WS	WS	2	3		E	*	*					HET		F
14-RN	Toto	Ultimate RF	CST853 OR MS853113 OR MW853***	400	SPS		1	3		R	*	*							F
11-066	Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	WS	2	2		E	*	*					HET		F
14-022	VitrA	Atlantis EL ADA	5052 bowl, 6853 tank	400	SPS		2	2		E	*	*							F
8-507	Zurn	EL ADA	Z5550: Z5550 bowl; Z5530/40/50 tank	400			2	2		E	*	*							F
8-508	Zurn	RF	Z5540: Z5520/40 bowl; Z5530/40/50 tank	400			2	2		R	*	*							F
10-027	Eljer	Patriot Savoy EL ADA	091-0285: 131-2175 bowl, 141-0220 tank	425			2	2		E	*	*							F
10-110	Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	SPS	WS	2	-	*	R	*	*					HET		F
15-162	Copperfit	None EL ADA	T3511: TB3511 bowl, TK3511 tank	450	SPS	WS	2	3		E	*	*						HET	F
15-161	Copperfit	None RF	T3513: TB3513 bowl, TK3513 tank	450	SPS	WS	2	3		R	*	*						HET	F
15-018	Foremost	None RF	TG-4200-*1: LL-4200-*1 bowl, T-4200-*1 tank	450	SPS		2	2		R	*	*							F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	Map Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
															Flush performance (MaP column & score)		Dual-Flush			Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered
															250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.					
															Type/technology of toilet fixture						
		KEY:																			
		Flush performance (MaP column & score)																			
		250 grams to 475 grams		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.																	
		500 grams and more																			
		Type/technology of toilet fixture																			
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
		4-L (1.1-gal) Pressure-assist (HET)																			
		Gravity-fed & Vacuum-assist																			
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																			
11-065	PROFLO	Cascade EL ADA	PF9303 bowl; PF9312 tank	450	SPS	WS	2	2		E	*	*			HET			F			
11-065	Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	WS	2	2		E	*	*			HET			F			
12-111 & 12-115	American Standard	FloWise Dual Flush EL ADA (insulated tank)	SOLD IN 3 COMBINATIONS - 2480.516, 2484.516 and 2566.516; each combination with 3073 bowl, 4035.516 tank (lined)	500	WS	WS	2	2		E	*	*			HET			F			
10-056	Aquadis	DecoKit RF	TI 627 bowl, FL 610 tank	500	SPS		2	2		R		*						F			
13-045	Briggs	Altima RF	4320 bowl, 4438 tank	500	SPS		2	2		R		*						F			
9-032	Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	SPS	WS	2	-	*	E		*			HET			F			
7-526	Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	SPS	WS	2	-	*	E		*			HET			F			
7-527	Caroma	Reflections 270 EL	609100 bowl, 629530 tank	500	SPS		2	-	*	E		*			HET			F			
11-055	Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	WS	WS	2	-	*	E		*			HET			F			
10-115	Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	SPS	WS	2	-	*	E		*			HET			F			
12-068	Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	SPS	WS	2	-	*	R		*			HET			F			
10-116	Caroma	Walvit EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500	SPS		2	-	*	E	*	*			HET		R	W			
8-506	Ceralux/Mancesa	San Marino EL ADA	2262 bowl, 2261 tank	500	SPS		2	2		E	*	*						F			
14-046	Chelini	Bournelli RF	B1415R bowl, T14248 tank (lined tank)	500	SPS	WS	2	2		R						HET		F			
WS-15	Cobban Enterprises	None	B1415R bowl, T14248 tank (lined tank)	500	SPS	WS	2	2		R						HET		F			
11-084	Conrac	None RF	4710BFZ (one piece with insulated tank)	500	SPS		1	2.5		R		*			HET			F			
WS-11	Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	WS	2	-		E		*			HET			F			
WS-11	Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	WS	2	-		R		*			HET			F			
WS-11	Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	WS	2			E		*			HET			F			
11-007	Crane	Galaxy Cranada EL	31514: 3372 bowl, 31744 tank	500	SPS		2	3		E		*						F			
11-006	Crane	Galaxy Cranada EL	3790: 3372 bowl, 3740 tank	500	SPS		2	3		E		*						F			
10-042	Crane	Galaxy Cranada EL	3792: 3372 bowl, 3742 tank	500	SPS		2	2		E		*						F			
10-043	Crane	Galaxy Cranada EL	3793: 3372 bowl, 3743 tank	500	SPS		2	2		E		*						F			
11-008	Crane	Galaxy Cranada RF	31504: 3352 bowl, 31744 tank	500	SPS		2	3		R		*						F			
10-029	Crane	Galaxy Cranada RF	3782: 3352 bowl, 3742 tank	500	SPS		2	2		R		*						F			
10-041	Crane	Galaxy Cranada RF	3783: 3352 bowl, 3743 tank	500	SPS		2	2		R		*						F			
13-070	Duravit	D-Code	220909 bowl, used with in-wall tank	500	WS	WS	2			S	*	*			HET		R	W			
15-RN	Eljer	Patriot EL ADA	091-2175: 131-2175 bowl, 141-2120 tank	500			2	2		E	*	*						F			
15-RN	Eljer	Patriot Savoy EL	091-0225: 131-2125 bowl, 141-0220 tank	500			2	2		E		*						F			
10-080	Foremost	Colonade - EL ADA	TL-6010E-*L: LL-6010-E bowl, T-6010-*L tank (lined)	500	SPS		2	3		E	*	*						F			
13-135	Foremost	HET EL (one-piece)	TL-6100-E*N (one-piece)	500	WS	WS	1	3		E						HET		F			
13-139 & 14-107	Foremost	None EL ADA	TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank	500	SPS	WS	2	3		E	*					HET		F			
15-052	Foremost	None RF	TG-4200-*L1: LL-4200-*1 bowl, T-4200-*L1 tank	500	SPS		2	2		R		*						F			

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	KEY: Flush performance (MaP column & score)											High-Efficiency Toilets (HETs)			
				250 grams to 475 grams		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									Dual-Flush			
				500 grams and more		Type/technology of toilet fixture									Single-Flush Max 1.28-G (4.8L) Pressure-Assist			
						6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)									Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered			
		4-L (1.1-gal) Pressure-assist (HET)									Rear Discharge (Back Outlet)							
		Gravity-fed & Vacuum-assist									Floor-Mounted (F) OR Wall-Mounted (W)							
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																
		Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)																
		Certified to meet U.S. EPA WaterSense Specification																
		1-piece or 2-piece model																
		Flush Valve-Flapper size (in.)																
		No flapper / Non-traditional flapper																
		Round Front (R) or Elongated (E) bowl																
		ADA-Comfort Height-Right Height Bowl																
		1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)																
		1.6G (6L) Vacuum-Assist																
		Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)																
11-001	Foremost	Plaza	TL-7107*-L: LL-7107 bowl, T-7107 tank	500	WS	WS	2	2.5	*	G					HET			F
14-117	Foremost	None RF ADA	AIO 400R*-HET: AIO B400R bowl, AIO T400 tank	500	WS	WS	2	3		R	*					HET		F
10-096	Gerber	Allerton EL (14-inch rough-in)	20-006: 21-572 bowl, 28-584 tank	500			2	2		E		*						F
12-061	Gerber	Avalanche EL ADA (12-inch rough-in)	21-818: 21-828 bowl, 28-892 tank	500	SPS		2	3		E	*	*						F
14-095	Gerber	Logan Square EL (12-inch rough-in - lined tank)	20-016: 21-532 bowl, LT28-530 tank (lined tank)	500	SPS		2	3		E		*						F
14-098	Gerber	Lynx EL (10-inch rough-in)	21-610: 21-660 bowl, 28-690 tank	500			2	2		E		*						F
12-121	Gerber	Lynx EL (12-inch rough-in)	21-612: 21-662 bowl, 28-690 tank	500			2	2		E		*						F
12-122	Gerber	Lynx EL ADA (12-inch rough-in)	21-618: 21-628 bowl, 28-690 tank	500			2	2		E	*	*						F
12-089	Gerber	Lynx RF (12-inch rough-in)	21-602: 21-652 bowl, 28-690 tank	500			2	2		R		*						F
10-064	Gerber	Maurice EL	20-012 (one-piece)	500	SPS		1	-	*	E			*					F
15-150	Gerber	Maxwell Dual-Flush EL (12" rough-in)	DF-21-112: 21-162 bowl, DF-28-190 tank	500	SPS		2	2		E		*			HET			F
14-099	Gerber	Maxwell Dual-Flush EL ADA	DF-21-118: 21-128 bowl, DF-28-190 tank	500	SPS	WS	2	2		E	*	*			HET			F
12-048	Gerber	Maxwell EL (12-inch rough-in)	21-017 (one piece)	500			1	2		E		*						F
12-054	Gerber	Viper EL	21-512: 21-562 bowl, EH28-592 tank (pedestal flush valve)(insulated)	500	SPS		2	2		E		*						F
9-022	Gerber	Viper EL	21-514: 21-562 bowl, EH28-594 tank (pedestal flush valve)	500	SPS		2	2		E		*						F
12-045	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-592 tank (insulated) (pedestal flush valve)	500	SPS		2	2		E	*	*						F
9-012	Gerber	Viper RF	21-500: 21-552 bowl, EH28-595 tank (pedestal flush valve)	500	SPS		2	2		R		*						F
9-016	Gerber	Viper RF	21-504: 21-552 bowl, EH28-594 tank (pedestal flush valve)	500	SPS		2	2		R		*						F
14-002	Hennessy & Hinchcliffe	Proficiency - EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number)	500	SPS	WS	2	2		E	*	0.8g 3L			HET			F
10-081	Home Depot - Pegasus	Colonade EL ADA	HD SKUs: 146-548 bowl, 146-283 tank (lined)	500	SPS		2	3		E	*	*						F
12-076	Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	WS	WS	2			E		*			HET			F
12-094	Kohler	Saile EL	K-3564 (one piece)	500	SPS	WS	1			E		*			HET			F
8-506	Mancesa/Ceralux	San Marino EL ADA	2262 bowl, 2261 tank	500	SPS		2	2		E	*	*						F
15-008	Mansfield	None RF	380 bowl, 386 tank	500			2	3		R		*						F
11-046	Niagara	Claremont One-Piece EL	N4418 (one piece)	500	SPS		1	-	*	E						HET		F
10-024	Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (NOTE: model replaced by N2225R Ecologic RF ADA HET - Report No. 12-038)	500	SPS	WS	2	-	*	R						HET		F
14-002	Niagara	None - EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush	500	SPS	WS	2	2		E	*	0.8g 3L			HET			F
15-006	Orion	Green Sense EL ADA	50320 bowl, 51299 tank	500	SPS	WS	2	3		E	*				HET			F
12-110	Porcher (American Standard)	EPIC EL (one-piece)	97720 (one-piece)	500	SPS		1	3		E		*						F
13-046	PROFLO	Altima RF	PF1200 bowl; PF3312 tank	500	SPS		2	2		R			*					F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
11-067	PROFLO	Cascade RF	PF9300 bowl; PF9312 tank	500	SPS	WS	2	2		R		*				HET			F
9-003	RAK Ceramics	Venice EL	VN03 bowl, VN10 tank	500	SPS		2	2		E		*				HET			F
13-135	Seasons (HD Supply)	None EL (one-piece)	SE10042 (one-piece) (Foremost TL-6100-E*N) (uses Fluidmaster tank trim)	500	WS	WS	1	3		E							HET		F
12-082	Toto	Aquia II EL	CST416M: CT416 bowl, ST416M tank	500	WS	WS	2	2.5		E						HET			F
12-084	Toto	Aquia III EL	CST464M: CT464 bowl, ST464M tank	500	WS	WS	2	2.5		E						HET			F
12-080	Toto	Aquia IIIUH EL ADA	CST464MF: CT464F bowl, ST464M tank	500	WS	WS	2	2.5		E	*					HET			F
11-122	Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	SPS	WS	2	3		E	*						HET		F
11-060	Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	SPS	WS	2	3		R							HET		F
11-121	Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	SPS	WS	2	3		E	*						HET		F
11-120	Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	SPS	WS	1	3		E							HET		F
11-118	Toto	EcoUltramax EL	CST854E(G) OR MS854114E(G) OR MW854***E(G)	500	SPS	WS	1	3		E							HET		F
11-119	Toto	EcoUltramax EL ADA	CST854EL(G) OR MS854114EL(G) OR MW854***EL(G)	500	SPS	WS	1	3		E	*						HET		F
11-123	Toto	Ultramax II EL ADA (Formerly Gwyneth One-Piece)	CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G)	500	SPS	WS	1	3		E	*						HET		F
11-067	Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	WS	2	2		R		*				HET			F
6-627	VitrA	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	SPS	WS	2	-	*	E	*						HET		F
10-108	VitrA	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	SPS	WS	2	-	*	R		*				HET			F
10-053	Vortens-Lamosa	Vienna RF	3208 bowl, 3436SPS tank	500	SPS		2	2		R		*							F
9-001	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464-C tank	500	SPS		2	2		R		*							F
12-037	WaterRidge-Milim G&G Ceramics	WaterRidge Grace EL	C22055C (one-piece) Sold as Costco Item No. 386082	500	SPS	WS	1	2		E		*				HET			F
13-049	Briggs	Altima EL ADA	4328 bowl, 4438 tank	550	SPS		2	2		E	*	*							F
11-050	Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	WS	WS	2	-	*	E		*				HET			F
11-049	Caroma	Bondi 270 RF ADA	609177 bowl, 726350 tank	550	WS	WS	2	-	*	E	*	*				HET			F
12-093	Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	SPS	WS	2	-	*	E	*	*				HET			F
13-125	Caroma	Sydney Low Profile 270 EL	609100 bowl, 622330 tank	550	WS	WS	2	-	*	E		*				HET			F
13-123	Caroma	Sydney Low Profile 270 RF	609159 bowl, 622330 tank	550	WS	WS	2	-	*	R		*				HET			F
13-124	Caroma	Sydney Low Profile 305 EL	609130 bowl, 622330 tank	550	WS	WS	2	-	*	E		*				HET			F
13-127	Conrac	Carter EL ADA	4720BIV: bowl and tank nos. not provided	550	SPS	WS	2	3		E	*						HET		F
11-083	Conrac	None RF	4710BFTU (one piece)	550	SPS		1	2.5		R		*							F
11-081	Conrac	None RF	4720BFZU combination	550	SPS		2	2		R		*				HET			F
11-075	Conrac	None RF	4722BFT bowl, 4721BFTU tank	550	SPS		2	2		R		*							F
14-081	Foremost	HET RF ADA (lined tank)	TL-7605HC-*L: LL-7605HC bowl, T-7605-*L tank (lined tank)	550	SPS	WS	2	3		R	*						HET		F
10-118	Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	SPS	WS	2	-		E			*			HET		R	F
6-648	Mansfield	Montclair EL ADA	107 bowl, 108 tank	550	SPS		2	3		E	*	*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)		4-L (1.1-gal) Pressure-assist (HET)		Gravity-fed & Vacuum-assist		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.													
Model Name	Model Number																		
6-647	Mansfield	Quantum EL (rear discharge)	149 bowl, 123 tank	550	SPS		2	-		E				*				R	F
13-050	PROFLO	Altima EL ADA	PF1203 bowl; PF3312 tank	550	SPS		2	2		E	*			*					F
12-028	Tangshan - Ayers Bath	Dofiny - EL ADA	UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank	550	SPS	WS	2	3		E	*								F
13-144	Toto	EcoGuinevere EL ADA	CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G)	550	SPS	WS	1	3		E	*								F
13-146	Toto	EcoPromenade RF	CST423EF(G): C423EF(G) bowl, ST423E tank	550	WS	WS	2	3		R									F
11-117	Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	SPS	WS	1	3		R									F
12-040	Western Pottery	Environmental Dual Flush EL	B812 DF bowl, T8-ULF-DF tank	550	SPS	WS	2	2		E		*							F
13-074	American Standard	Colony FitRight EL	2435.012: 3189.016 bowl, 4003.016 tank; NOTE: this combination is also sold as 2453.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	SPS		2	2		E		*							F
13-082	American Standard	Colony FitRight EL (10-inch rough-in)	2485.010: 3189.016 bowl, 4006.016 tank	600	SPS		2	2		E		*							F
13-076	American Standard	Colony FitRight EL (lined tank)	3189.016 bowl, 4003.516 tank (lined)	600	SPS		2	2		E		*							F
13-078	American Standard	Colony FitRight EL ADA	2437.012: 3191.016 bowl, 4003.016 tank	600	SPS		2	2		E	*	*							F
13-088	American Standard	Colony FitRight EL ADA (10-inch rough-in)	2487.010: 3191.016 bowl, 4006.016 tank	600	SPS		2	2		E	*	*							F
13-083	American Standard	Colony FitRight EL ADA (lined tank)	2437.500: 3191.016 bowl, 4003.516 tank (lined)	600	SPS		2	2		E	*	*							F
13-084	American Standard	Colony FitRight RF (10-inch rough-in)	2486.010: 3190.016 bowl, 4006.016 tank	600	SPS		2	2		R		*							F
13-077	American Standard	Colony FitRight RF (lined tank)	3190 bowl, 4003.516 tank (lined)	600	SPS		2	2		R		*							F
12-113 & 12-116	American Standard	FloWise Dual Flush EL ADA	SOLD IN 4 COMBINATIONS - 2480.216, 2484.216, 2566.216 and 2778.516: each combination with 3073 bowl, 4035 tank.	600	WS	WS	2			E	*	*							F
15-135	American Standard	FloWise Dual Flush RF	2489.216: 3074.216 bowl, 4035.216 tank	600	WS	WS	2	-	*	R		*							F
15-136	American Standard	FloWise Dual Flush RF (lined tank)	2489.516: 3074.216 bowl, 4035.516 tank (lined)	600	WS	WS	2	-	*	R		*							F
13-076	American Standard	Horizon EL COMPLETE	3474.500: 3189.016 bowl, 4003.516 tank (lined) NOTE: this combination is sold as a "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	SPS		2	2		E		*							F
13-080 & 13-087	American Standard	Monarch RF	2436.012: 3190.016 bowl, 4003.016 tank; NOTE: this combination is also sold as 3510.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	SPS		2	2		R		*							F
13-077 & 13-079	American Standard	Monarch RF (lined tank)	3510.500: 3190.016 bowl, 4003.516 tank (lined); This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	SPS		2	2		R		*							F
8-511	Briggs	Altima III RF	4232: 4320 bowl, 4430 tank	600	SPS		2	2		R		*							F
11-090	Briggs	Kingsley RF	6083-130 (one piece)	600	SPS		1	3		R		*							F
7-536	Briggs	Maelstrom EL	4395 bowl, 4490 tank	600	SPS		2	3		E		*							F
7-537	Briggs	Maelstrom EL ADA	4398 bowl, 4490 tank	600	SPS		2	3		E	*	*							F
10-113	Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	SPS	WS	2	-	*	R		*							F
7-513	Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	SPS	WS	2	-	*	R		*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
7-524	Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600	SPS		2	-	*	R		*				HET			F
7-528	Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	WS	WS	2	-	*	R		*				HET			F
11-053	Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	WS	WS	2	-	*	E		*				HET			F
11-054	Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	WS	2	-	*	E	*	*				HET			F
15-054	Cerapure Industries	None RF ADA (one-piece)	102B	600	SPS		1			R	*						HET		F
13-120	Chelini	Champlain EL	B215E/T2306: B215E bowl, T2306 tank	600	SPS		2	3		E		*							F
13-119	Chelini	Champlain RF	B215R/T2306: B215R bowl, T2306 tank	600	SPS		2	3		R		*							F
13-066	Chelini	Marriot RF	B1215R/TDF1246: B1215R bowl, TDF1246 tank	600	SPS	WS	2	2.5	*	R		*				HET			F
WS-15	Cobban Enterprises	None	B1215R bowl, TDF1246 tank	600	SPS	WS	2	2.5	*	R		*				HET			F
11-079	Conrac	None EL	4722BET bowl, 4721BFTU tank	600	SPS		2	2		E		*							F
11-076	Conrac	None EL ADA	4722BIT bowl, 4721BFT tank (lined)	600	SPS		2	2		E	*	*							F
11-077	Conrac	None EL ADA	4722BIT bowl, 4721BFTU tank	600	SPS		2	2		E	*	*							F
11-082	Conrac	None RF	4710BFT (lined tank)	600	SPS		1	2.5		R		*							F
11-085	Conrac	None RF	4710BFZU (one piece)	600	SPS		1	2.5		R		*				HET			F
11-080	Conrac	None RF	4720BFZ combination (lined tank)	600	SPS		2	2		R		*				HET			F
11-074	Conrac	None RF	4722BFT bowl, 4721BFT tank (lined)	600	SPS		2	2		R		*							F
14-060	Conrac	None RF (lined tank)	5720BFZ: B5720BFZ bowl, T5720BFZ tank (lined)	600	SPS	WS	2	2		R		*				HET			F
WS-11	Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	WS	2	-		R		*				HET			F
11-004	Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	WS	2	3		R		*					HET		F
13-016	Crane	Eco Saratoga EL ADA	31983: 3815 bowl, 31964 tank	600	SPS	WS	2	2		E	*	*				HET			F
13-015	Crane	Eco Saratoga EL ADA	31996: 3815 bowl, 31966 tank (insulated)	600	SPS	WS	2	2		E	*	*				HET			F
WS-11	Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	WS	2			R		*				HET			F
14-119	Crane	Economiser EL	3837: 3827 bowl, 3612NS tank	600	SPS		2	-	*	E							HET		R F
14-120	Crane	Economiser RF	3836: 3826 bowl, 3612NS tank	600	SPS		2	-	*	R							HET		R F
6-605	Duravit	Happy D RF	017009 bowl, 091000-05 tank	600	SPS		2	2		R	*	*				HET			R W
6-604	Duravit	Happy D Wallmount RF	017109 bowl, 111.335 in-wall tank (Geberit)	600	SPS	WS	2	2		R	*	*				HET			R W
13-078	Eljer	Calloway EL ADA	091-2775: 3191.416 bowl, 4003.416 tank	600	SPS		2	2		E	*	*							F
13-083D	Eljer	Calloway EL ADA (lined tank)	091-2775: 3191.416 bowl, 4003.456 tank (lined)	600	SPS		2	2		E	*	*							F
13-080	Eljer	Calloway RF	091-2760: 3190.416 bowl, 4003.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	600	SPS		2	2		R		*							F
13-077 & 13-079D	Eljer	Calloway RF (12" rough-in)	091-2760: 3190.416 bowl, 4003.456 tank	600	SPS		2	2		R		*							F
9-007	Eljer	Canterbury EL (one piece)	081-3025 (one-piece)	600	SPS		1	3		E		*							F
9-006	Eljer	Toronto Patriot EL	091-2025: 131-2125 bowl; 141-2020 tank	600			2	2		E		*							F
10-078	Foremost	Colonade - EL ADA	TL-6010E: LL-6010-E bowl, T-6010 tank	600			2	3		E	*	*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
14-064	Foremost	HET EL ADA	TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank)	600	SPS	WS	2	3		E	*						HET		F
14-077	Foremost	HET EL ADA	TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T-7600HC-HET-*1 tank	600	SPS	WS	2	3		E	*						HET		F
13-138 & 14-108	Foremost	HET EL ADA (one-piece)	TL-10PA-HET-E (one-piece)	600	SPS	WS	1	3		E	*						HET		F
13-137 & 14-109	Foremost	HET EL ADA (one-piece)	TL-10PB-HET-E (one-piece)	600	SPS	WS	1	3		E	*						HET		F
14-082	Foremost	HET RF ADA (lined tank)	TL-7637HC-*L: LL-7637HC bowl, T-7637-*L tank (lined tank)	600	SPS	WS	2	3		R	*						HET		F
14-062	Foremost	None EL ADA (lined tank)	TL-10PA-HET-E (one-piece- lined tank)	600	SPS		1	3		E	*						HET		F
14-063	Foremost	None EL ADA (lined tank)	TL-10PB-HET-E (one-piece- lined tank)	600	SPS	WS	1	3		E	*						HET		F
14-113	Foremost	None RF (lined tank)	TL-5207-*L2: LL-5207-*2 bowl, T-5207-*L2 tank (lined)	600	SPS	WS	2	3		R							HET		F
11-073	Foremost	Total - RF	TT-2010-*L: LL-2010 bowl, T-2010 tank (lined)	600	WS	WS	2	2.5	*	R		*					HET		F
10-059	Gerber	Allerton EL (12-inch rough-in)	20-004: 21-572 bowl, 28-580 tank	600			2	2		E		*							F
12-058	Gerber	Avalanche EL (10-inch rough-in)	21-810: 21-862 bowl, 28-895 tank	600	SPS		2	3		E		*							F
12-060	Gerber	Avalanche EL (14-inch rough-in)	21-814: 21-862 bowl, 28-894 tank	600	SPS		2	3		E		*							F
15-160	Gerber	Avalanche EL ADA (12-inch rough-in - lined tank)	HE-21-818: HE-21-828 bowl, HE-28-892 tank (lined)	600	SPS		2	3		E	*						HET		F
10-063	Gerber	Brianne EL	21-013 (one-piece)	600	SPS		1	-		E			*						F
15-151	Gerber	Maxwell Dual-Flush EL (12" r.i.-insulated tank)	DF-21-112: 21-162 bowl, DF-28-192 tank (insulated)	600	SPS		2	2		E		*					HET		F
15-152	Gerber	Maxwell Dual-Flush EL ADA (12' rough-in - insulated tank)	DF-21-118: 21-128 bowl, DF-28-192 tank (insulated)	600	SPS		2	2		E	*	*					HET		F
15-148	Gerber	Maxwell Dual-Flush RF (12" rough-in - insulated tank)	DF-21-102: 21-152 bowl, DF-28-192 tank (insulated)	600	SPS		2	2		R		*					HET		F
15-149	Gerber	Maxwell Dual-Flush RF (12" rough-in)	DF-21-102: 21-152 bowl, DF-28-190 tank	600	SPS		2	2		R		*					HET		F
15-154	Gerber	Maxwell LX EL (12" rough-in - insulated tank)	21-112: 21-162 bowl, 28-192 tank (insulated)	600	SPS		2	2		E		*							F
14-101	Gerber	Maxwell LX EL ADA	21-118: 21-128 bowl, 28-190 tank	600			2	2		E	*	*							F
15-155	Gerber	Maxwell LX EL ADA (12" r.i.-insulated tank)	21-118: 21-128 bowl, 28-192 tank (insulated)	600	SPS		2	2		E	*	*							F
15-153	Gerber	Maxwell LX RF (12" rough-in - insulated tank)	21-102: 21-152 bowl, 28-192 tank (insulated)	600	SPS		2	2		R		*							F
10-069	Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, 28-494 tank	600			2	2		R		*							F
15-159RN	Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-390 tank	600	SPS		2	-		E	*						HET		F
9-023	Gerber	Viper EL ADA	21-517: 21-528 bowl, 28-595 tank	600			2	2		E	*	*							F
12-086	Gerber	Viper EL ADA	21-518: 21-528 bowl, 28-592 tank (insulated)	600			2	2		E	*	*							F
9-027	Gerber	Viper EL ADA	21-524: 21-528 bowl, 28-594 tank	600			2	2		E	*	*							F
9-028	Gerber	Viper EL ADA	21-524: 21-528 bowl, EH28-594 tank (pedestal flush valve)	600	SPS		2	2		E	*	*							F
9-011	Gerber	Viper RF	21-500: 21-552 bowl, 28-595 tank	600			2	2		R		*							F
9-013	Gerber	Viper RF	21-502: 21-552 bowl, 28-590 tank	600			2	2		R		*							F
9-014	Gerber	Viper RF	21-502: 21-552 bowl, EH28-590 tank (pedestal flush valve)	600	SPS		2	2		R		*							F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
															KEY:		Dual-Flush			Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered
															Flush performance (MaP column & score)						
															250 grams to 475 grams		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.				
															500 grams and more						
Type/technology of toilet fixture																					
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																					
4-L (1.1-gal) Pressure-assist (HET)																					
Gravity-fed & Vacuum-assist																					
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																					
12-053	Gerber	Viper RF	21-502: 21-552 bowl, EH28-592 tank (insulated) (pedestal flush valve)	600	SPS		2	2		R		*							F		
9-015	Gerber	Viper RF	21-504: 21-552 bowl, 28-594 tank	600			2	2		R		*							F		
12-129	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (All-In-One package)	Home Depot SKU 331-725 UPC Bar Code: 732291222518	600	SPS	WS	2	3		E	*						HET		F		
10-079	Home Depot - Pegasus (by Foremost)	Colonade EL ADA	Home Depot SKUs: 160-406 bowl, 152-143 tank	600			2	3		E	*	*							F		
12-023	Home Depot - Pegasus (by Niagara)	Westminster EL ADA	Home Depot SKUs 160-753 bowl, 164-146 tank (Also sold in All-In-One combination package as Home Depot SKU 266-868 and UPC Code 732291344678)	600	SPS		2	3		E	*	*							F		
14-010	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 266-868	600	SPS		2	3		E	*	*							F		
15-025	Kohler	Highline EL ADA	K-3611: 4298 bowl, 4632 tank	600	SPS		2	3		E	*	*							F		
13-063	Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	600	SPS	WS	2	2.5		E		*				HET			F		
12-024	Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	WS	WS	1	-	*	E	*						HET		F		
12-071	Mansfield	705NS ONE-PIECE EL	70501002 (one-piece)	600	SPS		1	3		E		*							F		
15-010	Mansfield	None EL	382 bowl, 386 tank	600			2	3		E		*							F		
15-009	Mansfield	None EL ADA	384 bowl, 386 tank	600			2	3		E	*	*							F		
12-008	Mansfield/Colceramica	Reo EL ADA	186 bowl, 187 tank	600	SPS		2	3		E	*	*							F		
6-644	Niagara	Flapperless Muskoka EL ADA	N2217: 2217 bowl, 2217 tank	600	SPS		2	-	*	E	*	*							F		
6-646	Niagara	Flapperless Muskoka RF ADA	N2217R: 2217R bowl, 2217 tank	600	SPS		2	-	*	R	*								F		
6-645	Niagara	Flapperless Superior EL (one-piece)	N2218 (one-piece)	600	SPS		1	-	*	E	*	*							F		
12-129	Niagara	Glacier Bay EL ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT SKU 331-725 - UPC Bar Code 732291222518) (Fluidmaster fill valve)	600	SPS	WS	2	3		E	*						HET		F		
13-072	Porcher (American Standard)	L'Expression II (one-piece)	97520 (one-piece)	600	SPS		1	2		E		*							F		
15-051	Price Pfister	None EL	VTP-E20W (one-piece)	600	SPS		1	3		E		*				HET			F		
15-026	Price Pfister	None RF	VTP-E40 (one piece)	600	SPS		1	3		R		*				HET			F		
8-511	PROFLO	Altima III RF	PF1200 bowl; PF3112 tank	600	SPS		2	2		R		*							F		
7-536	PROFLO	Maelstrom EL	PF8200 bowl; PF8212 tank	600	SPS		2	3		E		*							F		
7-537	PROFLO	Maelstrom EL ADA	PF8201 bowl; PF8212 tank	600	SPS		2	3		E	*	*							F		
6-601	RAK Ceramics	Washington Syphonic EL	171 bowl, WT20 tank	600	SPS		2	3		E		*							F		
11-061	Toto	EcoDrake EL	CST744E(G): C744E(G) bowl, ST743E tank	600	SPS	WS	2	3		E							HET		F		
14-106	Toto	EcoLloyd EL ADA (one-piece)	CST934EF OR MS934214EF OR MS934304EF OR MW934***EF (one-piece)	600	WS	WS	1	3		E	*						HET		F		
14-112	Toto	EcoSoiree EL ADA (one-piece)	CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece)	600	WS	WS	1	3		E	*						HET		F		
14-028	Villeroy & Boch	Twist EL ADA	5W05-01: SC05-01 bowl, 5D02-U1 tank	600	SPS		2	3		E	*	*							F		
9-048	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5402 tank	600	WS	WS	2	2		E	*						HET		F		
13-036	Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	600	WS	WS	2	3		R							HET		F		

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																			
	Model Name	Model Number																	
10-049	Vortens-Lamosa	Rhodas EL ADA	3123V bowl, 3436SPS tank	600	SPS		2	2		E	*	*							F
13-035	Vortens-Lamosa	Vienna ELX	3113 bowl, 3436 tank	600	SPS	WS	2	2	*	E		*							F
11-063	Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	SPS	WS	2	2	*	R		*							F
10-052	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	SPS	WS	2	2	*	R		*							F
14-RN	Toto	Carlyle EL	CST874S(G) OR MS874114S(G) OR MW874***S(G)	625			1	3		E		*							F
13-122	Caroma	Sydney Low Profile 270 RF ADA	609177 bowl, 622330 tank	650	WS	WS	2	-	*	R	*	*							F
11-116 & 12-003	Caroma	Sydney Smart 305 RF (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	WS	WS	2	-	*	R		1.2g 4.5L							F
11-078	Conrac	None EL	4722BET bowl, 4721BFT tank (lined)	650	SPS		2	2		E		*							F
15-020	Foremost	None EL ADA	A01-803807-E: LL-807-E bowl, T1-803 tank	650	SPS		2	3		E	*							HET	F
15-019	Foremost	None RF ADA	A01-803807-R: LL-807-R bowl, T1-803 tank	650	SPS		2	3		R	*							HET	F
14-042	Niagara	None EL ADA	331-725: 331-725B bowl, 331-725T tank	650	SPS		2	3		E	*							HET	F
14-RN	Toto	Carusoe RF	CST715: C715 bowl, ST706 tank	650			2	2		R		*							F
14-RN	Toto	Dalton EL ADA	CST734F: C734F bowl, ST733 tank	650			2	2		E	*	*							F
14-RN	Toto	Clayton EL ADA (formerly Baldwin)	CST784SF: C784SF bowl, ST784S tank	675			2	3		E	*	*							F
14-RN	Toto	Willingham EL (formerly Plymouth)	CST924F OR MS924154F OR MW924***F	675	SPS		1	3		E		*							F
14-115	AquaSource (Lowe's)	HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	700	SPS		2	3		E	*							HET	F
14-083	AquaSource (Lowe's)	Traditional Design RF	SKU#0000164 (Foremost#TL-6800RW-LO)	700	SPS		2	2		R		*							F
8-536	Caroma	Adelaide 270 CC Cube RF	834000 bowl, 814790 tank	700	SPS	WS	2	-	*	R		*						HET	F
8-537	Caroma	Adelaide 270 CC Standard RF	834000 bowl, 814328 tank	700	SPS	WS	2	-	*	R		*						HET	F
12-006	Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	SPS	WS	2	-	*	R	*	*						HET	F
12-005	Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	SPS	WS	2	-	*	R	*	*						HET	F
13-069	Caroma	Bondi 305 EL	609130 bowl, 726350 tank	700	WS	WS	2	-	*	E		*						HET	F
12-002	Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	WS	WS	2	-	*	R		*						HET	F
14-025	Caroma	Caravelle One-Piece RF	989646	700	SPS	WS	1	-	*	R		*						HET	F
12-004	Caroma	Colonial 270 RF ADA	605320 bowl, 625070 tank	700	SPS	WS	2	-	*	R	*	*						HET	F
14-067	Conrac	Chloe RF (1 piece - lined tank)	5710BFT (one-piece - lined tank)	700	SPS		1	2		R		*							F
14-061	Conrac	Colin EL (lined tank)	5720BEZ: B5720BEZ bowl, T5720BEZ tank (lined)	700	SPS	WS	2	2	*	E		*						HET	F
14-115	Foremost	AIO (All-In-One) EL ADA	AIO 7800HET-LO: AIO B7800HET-LO bowl, AIO T7800HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0061042)	700	SPS	WS	2	3		E	*							HET	F
14-072	Foremost	Astoria EL ADA(lined tank)	TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined)	700	SPS	WS	2	3		E	*							HET	F
13-140	Foremost	Genie EL (lined tank)	TL-2010E-*L, LL-2010E bowl, T-2010-*L tank (lined)	700	SPS		2	2	*	E		*						HET	F
8-530	Foremost	Moline EL	TL-8267-*L: LL-8267 bowl, T-8267 tank (lined)	700	SPS	WS	2	2.5	*	S		*						HET	F
15-050	Foremost	None EL ADA (lined tank)	TL-5207HC-*L2: (lined tank)	700	SPS		2	3		E	*							HET	F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
14-083	Foremost	None RF	TL-6800R*-LO: LL-6800-R*-MI bowl, T-6800-*-S tank (Combination also sold as AquaSource-Lowe's SKU#0000164)	700	SPS		2	2		R		*							F
11-092	Foremost	Regent RF	TL-5200-*L (one piece with lined tank)	700	SPS		1	2		R		*							F
15-110	Foremost	None RF (lined tank)	TL-1207-*L2: LL-1207-*2 bowl, T-1207-*L2 tank (lined tank)	700	SPS		2	3		R								HET	F
14-085	Foremost	Rona Toilet-to-Go (TTG) RF	TL-8257-*L1-TTG: LL-8257-*1 bowl, T-8257-*L1 tank (lined tank)	700	SPS		2	2		R		*							F
14-115	Lowe's	Aquasource HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	700	SPS		2	3		E	*							HET	F
14-083	Lowe's	Aquasource Traditional Design RF	SKU#0000164 (Foremost#TL-6800RW-LO)	700	SPS		2	2		R		*							F
14-033	Mansfield	Maverick	111 bowl, 112 tank	700	WS	WS	2	3		R								HET	F
14-034	Mansfield	None RF	113 bowl, 112 tank	700	SPS	WS	2	3		R								HET	F
8-530	Rona	Rona Collection	SKU#2003354 (Foremost #TL-8267-WL)	700	SPS		2	2.5	*	S		*						HET	F
14-085	Rona	Rona TTG (Toilet-to-Go) RF	SKU#2003388 (Foremost#TL-8257-WL1)	700	SPS		2	2		R		*							F
11-125	Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	SPS	WS	2	3		E	*							HET	F
11-124	Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	SPS	WS	2	3		E	*							HET	F
7-515	Toto	Neorest EL	600	700	SPS		1	-	*	E				*					F
14-RN	Toto	Ultramax EL	CST854S OR MS854114S OR MW854***S	700	SPS		1	3		E		*							F
13-053	Villeroy & Boch	Aveo Dual-Flush EL	6614.10 bowl, 7724-U1 tank	700	WS	WS	2	2.5		E		*						HET	F
14-RN	American Standard	Cadet EL	2333: 4098 tank, 3099 bowl	750	SPS		2	-	*	E				*					F
10-021	American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	SPS	WS	2	3	*	E								HET	F
15-166	Copperfit	None EL ADA	T3611: TB3611 bowl, TK3611 tank	750	SPS		2	3		E	*	*							F
15-099	Foremost	None RF	A01-681685R: LL-685R bowl, T1-681 tank	750	SPS		2	2		R		*							F
11-093	Foremost	Premier EL	TL-5100-*L (one piece with lined tank)	750	SPS		1	2		E		*							F
14-078	Foremost	Premier/Lilas RF (one-piece)	TL-5101-*L1 (one-piece)	750	SPS		1	2		R		*							F
13-142	Foremost	Regent RF	TL-5210-*L (one piece - lined tank)	750	SPS	WS	1	2	*	R								HET	F
12-007	Mansfield/Colceramica	Essence EL ADA	184 bowl, 185 tank	750	SPS		2	3		E	*	*							F
15-012	Saniflo	Saniflush RF ADA (lined tank)	SF03B bowl, SF01T tank (lined)	750	SPS	WS	2	2		R	*	*							R F
15-091RN	VitrA	Altantis EL	5051 bowl, 6853 tank	750	SPS		2	2		E		*							F
15-086RN	VitrA	Corina EL (one-piece)	5178	750	SPS		1	3		E		*							F
7-521	American Standard	Cadet 3 EL (10" rough-in)	2383.010: 3014 bowl, 4019 tank	800	SPS		2	3		E		*							F
7-541	American Standard	Cadet 3 EL (12" rough-in)	2383.500: 3014 bowl, 4021.500 (lined tank)	800	SPS		2	3		E		*							F
12-101	American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	WS	WS	2	3		R								HET	F
13-085	American Standard	Cadet EL	2462.016: 3481.016 bowl, 4142.016 tank	800	SPS		2	-	*	E				*					F
13-086	American Standard	Cadet EL ADA	2467.016: 3483.016 bowl, 4142.016 tank	800	SPS		2	-	*	E	*			*					F
12-102	American Standard	Champion 4 EL (one-piece)	2004 (one-piece)	800	SPS		1	3		E		*							F
11-097	American Standard	Champion 4 EL ADA (one-piece)	2034.314 (one-piece); NOTE: this one-piece fixture is also sold as 2034.014, which is the same fixture but with a seat.	800	SPS		1	3		E	*	*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered			
		500 grams and more																		
		Type/technology of toilet fixture																		
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)		4-L (1.1-gal) Pressure-assist (HET)		Gravity-fed & Vacuum-assist		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.														
Model Name	Model Number																			
12-099	American Standard	Evolution 2 RF (insulated tank)	2425.500: 3061.016 bowl, 4061.500 tank (lined)	800	SPS		2	2		R		*								F
12-103	American Standard	Evolution 2 EL	2427.012: 3063.016 bowl, 4061.016 tank	800	SPS		2	2		R		*								F
12-100	American Standard	Evolution 2 RF	2426.012: 3061.016 bowl, 4061.016 tank	800	SPS		2	2		R		*								F
12-112	American Standard	FloWise Dual Flush EL (insulated tank)	SOLD IN 3 COMBINATIONS - 2479.516, 2779.516 and 2476.516: each combination with 3067 bowl, 4035.516 tank(lined)	800	WS	WS	2	2		E		*					HET			F
14-RN	American Standard	Glenwall EL (wall mount-ADA possible)	3402 bowl, 4098 tank	800	SPS		2	-	*	E	*			*					R	W
13-089	American Standard	Mainstream FloWise RF	3468.128: sold as a COMPLETE package, which includes bowl, tank, seat, & installation mat'ls as one item or SKU. Includes 3061.428 bowl, 4061.428 tank	800	SPS	WS	2	2		R								HET		F
10-054	Aquadis	Liverpool EL ADA	FI 629 bowl, FL 610 tank	800	SPS		2	2		E	*	*								F
14-114	AquaSource (Lowe's)	None EL	SKU#0000184 (Foremost # AIO250EW-LO)	800	SPS		2	2		E		*								F
14-110	AquaSource (Lowe's)	None RF	SKU#0000187 (Foremost #AIO 250RW-LO)	800	SPS		2	2		R		*								F
11-089	Briggs	Kingsley EL	6087 (one piece)	800	SPS		1	3		E		*								F
7-525	Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	SPS	WS	2	-	*	E	*	*					HET			F
8-538	Caroma	Caravelle One-Piece RF ADA	989668	800	SPS	WS	1	-	*	R	*	*					HET			F
14-035	Caroma	Profile Smart 305 RF (NOTE: 1.2g/4.5L for the full flush - 0.8g/3.0L for reduced flush)	609151A bowl, 840420 tank	800	WS	WS	2	-	*	R		1.2g 4.5L					HET			F
11-052	Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	WS	WS	2	-	*	E		*					HET			F
7-514	Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	800	SPS	WS	2	-	*	E	*	*					HET			F
14-037	Caroma	Sydney Smart 270 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609100 bowl, 622322 tank	800	WS	WS	2	-	*	E		1.2g 4.5L					HET			F
13-121	Caroma	Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	800	WS	WS	2	-	*	E	*	1.2g 4.5L					HET			F
14-039	Caroma	Sydney Smart 270 RF (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609159 bowl, 622322 tank	800	WS	WS	2	-	*	R		1.2g 4.5L					HET			F
14-038	Caroma	Sydney Smart 270 RF ADA (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609177 bowl, 622322 tank	800	WS	WS	2	-	*	R	*	1.2g 4.5L					HET			F
15-053	Cerapure Industries	None EL ADA (one-piece)	C8813/PF2001HEWH	800	SPS		1			E	*	*								F
13-007	Chelini	Bournelli RF	B1415R/T14206: 1415 R bowl, 14206 tank	800	SPS		2	2		R		*								F
14-079	Chelini	Cabot RF ADA	B1516R bowl, T10348 tank (lined tank)	800	SPS	WS	2	3		R	*							HET		F
14-047	Chelini	Marriot EL ADA	B1216E bowl, TDF1246 tank (lined tank)	800	SPS	WS	2	2	*	E	*	*					HET			F
13-117	Chelini	Verrazano RF ADA	B1118R/T11206: B1118R bowl, T11206 tank	800	SPS		2	2		R	*	*								F
WS-15	Cobban Enterprises	None	B1216E bowl, TDF1246 tank (lined tank)	800	SPS	WS	2	2	*	E	*	*					HET			F
WS-15	Cobban Enterprises	None	B1516R bowl, T10348 tank (lined tank)	800	SPS	WS	2	3		R	*							HET		F
14-065	Contrac	Cain EL (lined tank)	5720BEV: B5720BEV bowl, T5720BEV tank (lined)	800	SPS	WS	2	3		E									HET	F
14-066	Contrac	Calum RF (lined tank)	5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	SPS	WS	2	3		R									HET	F
13-126	Contrac	Captiva EL ADA	4710BIV	800	SPS	WS	1	3		E	*								HET	F
14-068	Contrac	Colten EL ADA (lined tank)	5720BIZ: B5720BIZ bowl, T5720BIZ tank (lined)	800	SPS	WS	2	2	*	E	*	*					HET			F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
15-108	Contrac	None EL ADA	5720BOY: B5720BOY bowl, T5720BOY tank	800	SPS		2	-		E	*						HET		F
11-023	Crane	Classic III EL ADA	31512: 31852 bowl, 31822 tank	800	SPS		2	3		E	*	*							F
13-014	Crane	Eco Galaxy/Cranada EL ADA	31009: 3815 bowl, 31590 tank	800	SPS	WS	2	2		E	*	*					HET		F
13-013	Crane	Eco Galaxy/Cranada EL ADA	31069: 3815 bowl, 31593 tank (insulated)	800	SPS	WS	2	2		E	*	*					HET		F
12-101D	Crane	Eco Opus III RF	2384328: 3011.328 bowl, 4021.328 tank	800	WS	WS	2	3		R							HET		F
11-015	Crane	Opus III EL	31672: 31572 bowl, 31552 tank	800	SPS		2	3		E									F
11-003	Crane	Opus III EL ADA	31682: 31582 bowl, 31552 tank	800	SPS		2	3		E	*	*							F
11-013	Crane	SureFlush EL	31362: 31202 bowl, 31242 tank	800	SPS		2	3		E		*							F
11-012	Crane	Sureflush EL	31363: 31202 bowl, 31243 tank	800	SPS		2	3		E		*							F
11-010	Crane	Sureflush RF	31353: 31192 bowl, 31243 tank	800	SPS		2	3		R		*							F
14-093	Danze	Cirtangular EL ADA	DC023330 bowl, DC022321 tank	800	WS	WS	2	3		E	*						HET		F
15-145	Danze	Orrington EL ADA (12" rough-in - one-piece)	DC011323 (one-piece)	800	SPS		1	3		E	*						HET		F
15-146	Danze	Orrington EL ADA (12" rough-in)	DC013330 bowl, DC012323 tank	800	SPS	WS	2	3		E	*						HET		F
15-147	Danze	Ziga Zaga EL ADA (12" rough-in - one-piece)	DC031321 (one-piece)	800	SPS		1	3		E	*						HET		F
13-089D	Eljer	Belmont RF COMPLETE	091-0800: 3061.428 bowl, 4061.428 tank	800	SPS		2	2		R							HET		F
9-009	Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800	SPS		2	-		E							HET		F
9-010	Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800	SPS		2	-		E	*						HET		F
12-026	Eljer	Sanborn EL	091-0425: 131-0425 bowl, 141-0420 tank	800			2	2		E		*							F
12-025	Eljer	Sanborn RF	091-0420: 131-0420 bowl, 141-0420 tank	800			2	2		R		*							F
9-004	Eljer	Toronto Patriot EL ADA	091-2075: 131-2175 bowl; 141-2020 tank	800			2	2		E	*	*							F
14-114	Foremost	AIO (All-In-One) EL	AIO250EW-LO: AIO B250EW-LO bowl, AIO T250EW-LO tank (Combination also sold as AquaSource-Lowe's SKU#0000184)	800	SPS		2	2		E		*							F
14-110	Foremost	AIO (All-In-One) RF	AIO250RW-LO: AIO B250RW-LO bowl, AIO T250RW-LO tank (Combination also sold as AquaSource-Lowe's SKU#0000187)	800	SPS		2	2		R		*							F
13-141	Foremost	Europa EL (one-piece with lined tank)	TL-8271E-*L (one-piece with lined tank)	800	SPS	WS	1	2	*	E							HET		F
8-539	Foremost	Gemini Dual-Flush RF (lined tank)	TL-2005-*L: LL-2005 bowl, T-2005-*L tank (lined)	800	SPS	WS	2	2	*	R		*					HET		F
15-103	Foremost	None EL ADA	A04-035177E: LL-177E bowl, T4-035 tank	800	SPS		2	-		E	*						HET		F
15-104	Foremost	None EL ADA	A04-045177E: LL-177E bowl, T4-045 tank	800	SPS		2	-		E	*						HET		F
15-102	Foremost	None EL ADA	A04-425177E: LL-177E bowl, T4-425 tank	800	SPS		2	-		E	*						HET		F
15-101	Foremost	None EL ADA	A04-825177E: LL-177E bowl, T4-825 tank	800	SPS		2	-		E	*						HET		F
15-100	Foremost	None EL ADA	A04-215177E: LL-177E bowl, T4-215 tank	800	SPS		2	-		E	*						HET		F
15-114	Foremost	None EL ADA	A02-058777E: LL-777E bowl, T2-058 tank	800	SPS		2	3		E	*	*					HET		F
15-117	Foremost	None EL ADA	A01-054777E: LL777E bowl, T1-054 tank	800	SPS		2	3		E	*						HET		F
15-112	Foremost	None RF	TT-8207-*L2: LL-8207-*2 bowl; T-8207-*L2 tank (lined)	800	SPS		2	2		R		*							F
15-115	Foremost	None RF	A01-203824R: LL-824R bowl, T1-203 tank	800	SPS		2	3		R							HET		F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered			
		500 grams and more																		
		Type/technology of toilet fixture																		
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																		
4-L (1.1-gal) Pressure-assist (HET)																				
Gravity-fed & Vacuum-assist																				
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																				
Model Name	Model Number																			
14-111	Foremost	None RF (lined tank)	TL-8207-*L4: LL-8207-*4 bowl, T-8207-*L4 tank (lined)	800	SPS	WS	2	3		R								HET		F
15-118	Foremost	None RF ADA	A02-058777R: LL-777R bowl, T2-058 tank	800	SPS		2	3		R	*	*						HET		F
15-121	Foremost	None RF ADA	A01-054777R: LL-777R bowl, T1-054 tank	800	SPS		2	3		R	*							HET		F
14-074	Foremost	Odessa RF (one-piece with lined tank)	TL-8260-*L (one-piece with lined tank)	800	SPS	WS	1	2	*	S		*						HET		F
10-084 & 13-148	Foremost	Westminster - RF	TL-6800-*L: T-6800-*L bowl, LL-6800 tank (lined)	800	SPS		2	2		R		*								F
13-133	Foremost	Home Depot - Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036)	800	SPS	WS	2	3		E	*							HET		F
15-109	Foremost	None EL ADA	A04-045167E: LL-167E bowl, T4-045 tank	800	SPS		2	-		E	*							HET		F
12-046	Gerber	Allerton EL	21-010 (one-piece)	800			2	2		E		*								F
10-061	Gerber	Allerton EL ADA (10-inch rough-in)	20-008: 21-577 bowl, 28-585 tank	800			2	2		E	*	*								F
14-088	Gerber	Allerton EL ADA (12-in rough - lined tank)	20-007: 21-577 bowl, LT28-580 tank (lined tank)	800			2	2		E	*	*								F
10-060	Gerber	Allerton EL ADA (12-inch rough-in)	20-002: 21-577 bowl, 28-580 tank	800			2	2		E	*	*								F
10-097	Gerber	Allerton EL ADA (14-inch rough-in)	20-009: 21-577 bowl, 28-584 tank	800			2	2		E		*								F
10-058	Gerber	Allerton RF (10-inch rough-in)	20-002: 21-542 bowl, 28-585 tank	800			2	2		R		*								F
14-089	Gerber	Avalanche 1.28 EL ADA	HE-21-818: HE-21-828 bowl, HE-28-890 tank	800	WS	WS	2	3		E	*							HET		F
12-059	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-890 tank	800	SPS		2	3		E		*								F
12-063	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-892 tank (insulated)	800	SPS		2	3		E		*								F
15-144	Gerber	Avalanche EL ADA (10-inch rough-in)	HE-21-817: HE-21-828 bowl, HE-28-895 tank	800	SPS		2	3		R								HET		F
15-141	Gerber	Avalanche RF (10-inch rough-in)	HE-21-800: HE-21-852 bowl, HE-28-895 tank	800	SPS		2	3		R								HET		F
12-055	Gerber	Avalanche RF (10-inch rough-in)	21-800: 21-852 bowl, 28-895 tank	800	SPS		2	3		R		*								F
15-143	Gerber	Avalanche RF (12-inch rough-in - lined tank)	HE-21-802: HE-21-852 bowl, HE-28-892 tank (lined)	800	SPS		2	3		R								HET		F
15-142	Gerber	Avalanche RF (12-inch rough-in)	HE-21-802: HE-21-852 bowl, HE-28-890 tank	800	SPS		2	3		R								HET		F
12-056	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-890	800	SPS		2	3		R		*								F
12-062	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-892 (insulated)	800	SPS		2	3		R		*								F
12-057	Gerber	Avalanche RF (14-inch rough-in)	21-804: 21-852 bowl, 28-894 tank	800	SPS		2	3		R		*								F
10-104	Gerber	Brianne EL ADA (12-inch rough-in)	20-013: 21-183 bowl, 28-183 tank	800	SPS		2	3		E	*	*								F
14-091	Gerber	Brianne RF (lined tank)	20-014: 21-184 bowl, LT28-183 tank (lined tank)	800	SPS		2	3		R		*								F
12-125	Gerber	Logan Square EL (12-inch rough-in)	20-016: 21-532 bowl, 28-530 tank	800	SPS		2	3		E		*								F
14-104	Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	800	WS	WS	2			E								HET		R F
15-156	Gerber	Ultra Flush EL (rear discharge)	21-310: 21-374 bowl, 28-380 tank	800	SPS		2	-		E		*								R F
15-RN	Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*							HET		F
15-RN	Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*							HET		F
15-RN	Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	SPS	WS	2	-		E	*							HET		F
15-RN	Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	SPS	WS	2	-		E	*							HET		F
15-RN	Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	SPS	WS	2	-		E	*							HET		R F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
15-157	Gerber	Ultra Flush EL ADA (w/bedpan lugs)	21-319: 21-329 bowl, 28-380 tank	800	SPS		2	-		E	*	*							F
9-017	Gerber	Viper EL	21-510: 21-562 bowl, 28-595 tank	800			2	2		E		*							F
9-018	Gerber	Viper EL	21-510: 21-562 bowl, EH28-595 tank (pedestal flush valve)	800	SPS		2	2		E		*							F
9-019	Gerber	Viper EL	21-512: 21-562 bowl, 28-590 tank	800			2	2		E		*							F
12-087	Gerber	Viper EL	21-512: 21-562 bowl, 28-592 tank	800			2	2		E		*							F
9-020	Gerber	Viper EL	21-512: 21-562 bowl, EH28-590 tank (pedestal flush valve)	800	SPS		2	2		E		*							F
9-021	Gerber	Viper EL	21-514: 21-562 bowl, 28-594 tank	800			2	2		E		*							F
9-024	Gerber	Viper EL ADA	21-517: 21-528 bowl, EH28-595 tank (pedestal flush valve)	800	SPS		2	2		E	*	*							F
9-025	Gerber	Viper EL ADA	21-518: 21-528 bowl, 28-590 tank	800			2	2		E	*	*							F
9-026	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-590 tank (pedestal flush valve)	800	SPS		2	2		E	*	*							F
12-088	Gerber	Viper RF	21-502: 21-552 bowl, 28-592 tank	800			2	2		R		*							F
15-082	Globe Union	None EL ADA	C600152/C53122	800	SPS		2	3		E	*						HET		F
13-133	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (Sold combined as Home Depot SKU 780-036 - UPC code 721015350491)	800	SPS	WS	2	3		E	*						HET		F
8-540	Home Depot - Pegasus/Glacier Bay (by Foremost)	Dual-Flush RF	Home Depot SKU 131-926	800	SPS	WS	2	-		R		*				HET			F
11-106	Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. (Also sold in All-In-One combination package as Home Depot SKU 331-725 --- Replaced by another product: Glacier Bay All-In-One with UPC Code 732291222518)	800	SPS	WS	2	-	*	E	*						HET		F
10-047	Kohler	Archer EL ADA	K-3517: 4295 bowl, 4493 tank	800	SPS		2	3		E	*	*							F
15-073RN	Kohler	Bancroft Comfort Height EL ADA	K-3487: 4281 bowl, 4633 tank	800	SPS		2	3		E	*	*							F
12-018	Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	WS	WS	2	-		E						HET		R	F
15-074RN	Kohler	Cimarron Comfort Height EL ADA	K-3489	800	SPS		1	3		E	*	*							F
10-046	Kohler	Gabrielle EL ADA	K-3513 (one-piece)	800	SPS		1	3		E	*	*							F
15-077RN	Kohler	Highline Pressure Lite EL ADA	K-3493: 4304 bowl, 4645 tank	800	SPS		2	-	*	E	*			*					F
15-071RN	Kohler	Memoirs Classic EL	K-3451 (Classic tank lid)	800	SPS		1	3		E		*							F
15-072RN	Kohler	Memoirs Stately EL	K-3453 (Stately tank lid)	800	SPS		1	3		E		*							F
15-075RN	Kohler	Purist EL	K-3492 Power-Assisted	800	SPS		1	-	*	E				*					F
8-550	Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	SPS	WS	2	2	*	R		*				HET			F
14-114	Lowe's	Aquasource EL	SKU#0000184 (Foremost # AIO250EW-LO)	800	SPS		2	2		E		*							F
14-110	Lowe's	Aquasource RF	SKU#0000187 (Foremost # AIO 250RW-LO)	800	SPS		2	2		R		*							F
14-024	Mansfield/Colceramica	Enso EL ADA	177 bowl, 178 tank	800	SPS	WS	2	2.5		E	*	*				HET			F
9-039	Mansfield/Colceramica	Stafford EL	105 bowl, 106 tank	800	SPS		2	3		E		*							F
13-064	Niagara	Claremont EL ADA (Flapperless)	N4417 bowl, N4415T tank	800	SPS		2	-	*	E	*						HET		F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered			
		500 grams and more																		
		Type/technology of toilet fixture																		
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																		
		4-L (1.1-gal) Pressure-assist (HET)																		
		Gravity-fed & Vacuum-assist																		
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																		
	Model Name	Model Number																		
10-023	Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank.	800	SPS	WS	2	-	*	E	*									F
13-028	Niagara	Flapperless RF	N2216: 2216BC bowl, 2216LPT tank	800	SPS		2	-	*	R		*								F
15-076	Niagara	PowerOne RF	N2310R: N2310R bowl, N2310T tank	800	SPS	WS	2	-	*	R								HET		F
10-137	Porcher (American Standard)	Veneto II EL (one-piece)	97220 (one-piece)	800	SPS		1	3		E		*								F
13-004	PreCon Solutions	None	1003 EL (one-piece)	800	SPS		1	2		E		*								F
13-109	PROFLO	Foyle EL ADA	PF6101 bowl, PF6112HE tank (Fluidmaster fill valve)	800	WS	WS	2	3		E	*							HET		F
15-085	Roca	Dama Senso ADA	59361 bowl, 59570 tank	800	SPS			2.5		S	*	*						HET		F
15-044	Roca	Happening Dual-Flush ADA	65361 bowl, 65570 tank	800	SPS		2	2.5		S	*	*						HET		F
13-141	Rona	Europa EL	SKU# 7369129 (Foremost #TL-8271E-WL)	800	SPS		1	2	*	E								HET		F
8-539	Rona	Gemini Dual Flush RF	SKU# 7369067 (Foremost #TL-2005-*L)	800	SPS		2	2	*	R		*						HET		F
15-RN	Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	SPS	WS	2	2		E		*						HET		F
12-083	Toto	Drake II EL ADA (Formerly Gwyneth Two-Piece)	CST454CEF(G): C454CEF(G) bowl, ST454E tank	800	WS	WS	2	3		E	*							HET		F
13-143	Toto	Neorest EL	550	800	SPS		1	-	*	E				*				HET		F
13-108	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (Fluidmaster fill valve)	800	WS	WS	2	3		E	*							HET		F
15-092RN	VitrA	Altantis RF	5050 bowl, 6853 tank	800	SPS		2	2		R		*								F
14-023	VitrA	Corina EL ADA	5032 bowl, 5070 tank	800	SPS		2	3		E	*	*								F
6-607	VitrA	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	SPS	WS	2	2		E	*	*						HET		F
9-047	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5402 tank	800	WS	WS	2	2		R	*							HET		F
8-503	VitrA	Serenada EL ADA	4219-003-5265	800	SPS		1	3		E	*	*								F
13-031	Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	WS	WS	2	3		E								HET		F
13-034	Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	WS	WS	2	3		E								HET		F
13-029	Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	800	WS	WS	2	3		R								HET		F
9-053	Vortens-Lamosa	Vienna L EL (ballcock-float arm fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464V)	800			2	2		E		*								F
9-052	Vortens-Lamosa	Vienna L EL (pilot fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464R)	800	SPS		2	2		E		*								F
8-552	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464 tank	800	SPS		2	2		R		*								F
15-011	WaterRidge-Milim G&G Ceramics	WaterRidge EL ADA	C21079C, 191575 tank	800	SPS	WS	2	3		E	*	*						HET		F
15-049	Western Pottery	None EL ADA	817DF: 817 bowl, T8-DF tank	800	SPS	WS	2	2.5		E	*							HET		F
10-139	Western Pottery	Typhoon 830 EL	830: B830 bowl, T8ULF-HP tank	800			2	3		E		*								F
6-637	Zurn	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	SPS	WS	2	-	*	E				*				HET		F
6-635	Zurn	EcoVantage EL	Z5570	800	SPS		2	-	*	E				*						F
6-634	Zurn	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	800	SPS	WS	2	-	*	E								HET		F
15-094RN	VitrA	Corina RF	5068 bowl, 5070 tank	825	SPS		2	3		R		*								F
10-001	American Standard	Doral Classic Champion EL ADA	2058.014: 3225 bowl, 4281 tank	850	SPS		2	3		E	*	*								F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered				
		500 grams and more																			
		Type/technology of toilet fixture																			
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																					
4-L (1.1-gal) Pressure-assist (HET)																					
Gravity-fed & Vacuum-assist																					
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																		
15-116	Foremost	None EL ADA	AO2-158777E: LL-777E bowl, T2-158 tank	850	SPS		2	2		E	*	*					HET			F	
15-111	Foremost	None EL ADA (lined tank)	TT-8297-*L2: LL-8207HC-*2 bowl; T-8207-*L2 tank (lined)	850	SPS		2	2		E	*	*								F	
15-021	Foremost	None RF	AO2-7851-HET-R: LL-0051-R bowl, T-7800-HET tank	850	SPS	WS	2	3		R									HET	F	
11-114	PROFLO	MacLair EL	PF9401 bowl; PF9412 tank	850	SPS	WS	2	3		E									HET	F	
15-045	Roca	Hall Dual-Flush	67361 bowl, 67570 tank	850	SPS		2	2.5		S	*	*					HET			F	
15-015	Saniflo	Saniflush EL ADA (lined tank)	SF04B bowl, SF01T tank (lined)	850	SPS	WS	2	2		E	*	*							R	F	
11-113	Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	WS	2	3		E									HET	F	
15-093RN	Vitra	Corina EL	5069 bowl, 5070 tank	850	SPS		2	3		E		*								F	
15-014	Xiamen Lota International Co.	None RF ADA	CT-202: CF202 bowl, TA-202 tank	850	SPS	WS	2	3		R	*								HET		
10-126	American Standard	FloWise Dual Flush EL	2479.216 (this combination also sold as 2476.216 when with a slow-close seat): 3067 bowl, 4035.216 tank	900	WS	WS	2	2	*	E		*					HET			F	
14-RN	American Standard	Titan EL ADA	2839.016: 3892.016 bowl, 4337.016 tank	900	SPS		2	3		E	*	*								F	
10-112	Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	SPS	WS	2	-	*	E	*	*					HET			F	
11-051	Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	WS	2	-	*	E	*	*					HET			F	
14-036	Caroma	Sydney Smart 305 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609130 bowl, 622322 tank	900	WS	WS	2	-	*	E		1.2g 4.5L					HET			F	
14-026	Caroma	Sydney Smart Rear Outlet (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609450 bowl, 622322 tank	900	WS	WS	2	-	*			1.2g 4.5L					HET		R	F	
14-RN	Crane	Titan EL ADA	32032: 32013 bowl, 32006 tank	900	SPS		2	3		E	*	*								F	
14-RN	Eljer	Titan EL ADA	091-0777: 131-0777 bowl, 141-0777 tank	900	SPS		2	3		E	*	*								F	
14-075	Foremost	HET EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim)	900	SPS	WS	2	3		E	*								HET	F	
13-130	Foremost	HET EL ADA (lined tank)	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	WS	WS	2	3		E	*								HET	F	
13-132	Foremost	HET RF ADA (lined tank)	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	WS	WS	2	3		R	*								HET	F	
15-119	Foremost	None RF ADA	AO2-158777R: LL-777R bowl, T2-158 tank	900	SPS		2	2		R	*	*					HET			F	
13-130	Foremost	Total Smart HET EL ADA	TT-8295-*L: LL-7600-HET bowl, T-7600-HET-*L tank (NOTE: This the All-In-One version of the TL-7600HC HET-*L fixture shown above)	900	SPS	WS	2	3		E	*								HET	F	
13-129	Foremost	Westminster EL	TL-6800E-WN, LL-6800-EWN Bowl T-6800-WN Tank	900	SPS		2	3		E		*								F	
6-617	Gerber	Ultra Flush RF	21-300: 21-342 bowl, 28-385 tank	900	SPS		2	-		R			*							F	
6-618	Gerber	Ultra Flush RF	21-304: 21-342 bowl, 28-384 tank	900	SPS		2	-		R			*							F	
14-075	Home Depot - Pegasus (by Foremost)	None EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim) Home Depot SKU 331-725	900	SPS		2	3		E	*								HET	F	
11-070	Mansfield	Quantum EL	144 bowl, 153 tank	900	SPS	WS	2	-		E	*								HET	R	W
11-112	PROFLO	MacLair RF	PF9400 bowl; PF9412 tank	900	SPS	WS	2	3		R									HET	F	

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
14-040	PROFLO	None EL	PF1601 bowl, PF1612 tank	900	SPS	WS	2	-		E									F
13-104	PROFLO	None EL	PF6101 bowl; PF6112HE tank (R&T fill valve)	900	WS	WS	2			E									F
14-041	PROFLO	None EL ADA	PF1603 bowl, PF1612 tank	900	SPS	WS	2	-		E	*								F
13-106	PROFLO	None EL ADA	PF6101 bowl, PF6112 tank	900	SPS		2	3		E	*	*							F
13-113	PROFLO	None EL ADA	PF6201 bowl; PF6212HE tank	900	WS	WS	2			E									F
12-015	Quality Craft	Alexis HET Dual Flush Toilet in a Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	SPS	WS	2	3		E	*	*							F
12-014	Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	SPS	WS	2	3		E	*								F
12-009	Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900	SPS		2	3		E	*								F
12-011	Quality Craft	None - EL ADA	3001/3004 (insulated tank)	900	SPS		2	3		E	*	*							F
13-132	Rona	HET TTG RF	SKU#7369128 (Foremost #TL-7600HC-HETR-*L (lined tank) (Fluidmaster tank trim)	900	WS	WS	2	3		R	*								F
14-RN	Toto	Drake EL	CST744S: C744S or C744E bowl, ST743S tank	900	SPS		2	3		E		*							F
11-062	Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	SPS	WS	2	3		E	*								F
13-101	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (R&T fill valve)	900	WS	WS	2	3		E	*								F
13-102	Tynan Plumbing	Avoca EL ADA	4301: 0320 bowl, 1331 tank	900	SPS		2	3		E	*	*							F
13-107	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (Fluidmaster fill valve)	900	WS	WS	2	3		E	*								F
13-103	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (R&T fill valve)	900	WS	WS	2	3		E	*								F
13-105	Tynan Plumbing	Foyle EL ADA	4332: 0321 bowl, 1332 tank	900	SPS		2	3		E	*	*							F
14-031	Tynan Plumbing	Louth EL	4510: 7510 bowl, 1712 tank	900	SPS	WS	2	-		E									F
14-032	Tynan Plumbing	Louth EL ADA	4512: 7512 bowl, 1712 tank	900	SPS	WS	2	-		E	*								F
11-111	Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	WS	2	3		R									F
13-112	Tynan Plumbing	Nore EL ADA	4346: 0346 bowl, 1346 tank	900	WS	WS	2	3		E	*								F
14-027	Villeroy & Boch	Elody EL	5W01-01: 5C01-01 bowl, 5D01-U1 tank	900	SPS		2	3		E		*							F
15-047	Western Pottery	None EL	832HET: B832 bowl, T8-HET tank	900	SPS	WS	2	2.5		E									F
15-046	Western Pottery	None RF	822HET: B822 bowl, T8-HET tank	900	SPS	WS	2	2.5		R									F
7-506	Zurn	EcoVantage EL ADA	Z5551: Z5551 bowl, Z5551 tank	900	SPS		2	3		E	*	*							F
10-005	American Standard	Skyline Champion 4 EL ADA	2067.014: 3225 bowl, 4077 tank	950	SPS		2	3		E	*	*							F
12-027	Mansfield	Prestigio 4 EL	704 (one-piece)	950	WS	WS	1	-		E									F
13-100	PROFLO	None EL ADA	PF8503 bowl, PF8512 tank	950	SPS		2	3		E	*	*							F
13-111	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)	950	WS	WS	2	3		E	*								F
13-098	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (R&T fill valve)	950	WS	WS	2			E									F
12-013	Quality Craft	Alexis ULF Toilet in a Box - EL ADA	30012K: 3001 bowl, 3002 tank (insulated)	950	SPS		2	3		E	*	*							F
12-010	Quality Craft	None - EL ADA	3001/3002 (insulated tank)	950	SPS		2	3		E	*	*							F
13-097	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (R&T fill valve)	950	WS	WS	2	3		E	*								F
13-099	Tynan Plumbing	MacLair EL ADA	4314: 0314 bowl, 1330 tank	950	SPS		2	3		E	*	*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
13-110	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (Fluidmaster fill valve)	950	WS	WS	2	3		E	*							HET	F
15-013	Xiamen Lota International Co.	None EL ADA	CT-201: CF201 bowl, TA-201 tank	950	SPS	WS	2	3		E	*							HET	F
14-134	American Standard	Antiquity Cadet 3 EL (one-piece)	2907.016 (one-piece)	1,000	SPS		1	3		E		*							F
15-039	American Standard	Boulevard EL ADA (one-piece)	2891.016 (one-piece)	1,000	SPS		1	3		E	*	*							F
15-040	American Standard	Boulevard EL ADA (one-piece)	2891.128 (one-piece)	1,000	WS	WS	1	3		E	*							HET	F
7-517	American Standard	Cadet 3 COMPLETE RF (10" rough-in)	2384.310: "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3011 bowl, 4019 tank	1,000	SPS		2	3		R		*							
6-641	American Standard	Cadet 3 EL (12" rough-in)	2383.012: 3014 bowl, 4021 tank (unlined tank)	1,000	SPS		2	3	*	E		*							F
7-520	American Standard	Cadet 3 EL (14" rough-in)	2383.014: 3014 bowl, 4027 tank	1,000	SPS		2	3		E		*							F
7-518	American Standard	Cadet 3 EL ADA (10" rough-in)	2386.010: 3016 bowl, 4019 tank	1,000	SPS		2	3		E	*	*							F
7-523	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.012: 3016 bowl, 4021 tank (unlined tank); NOTE: this combination is also sold as 3305.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		E	*	*							F
7-542	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.500: 3016 bowl, 4021.500 (lined tank)	1,000	SPS		2	3		E	*	*							F
7-516	American Standard	Cadet 3 EL ADA (14" rough-in)	2386.014: 3016 bowl, 4027 tank	1,000	SPS		2	3		E	*	*							F
12-108	American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	WS	WS	2	3		E								HET	F
WS-15	American Standard	Cadet 3 FloWise EL (10" rough-in)	2833.128: 3014.128 bowl, 4019.128 tank	1,000	WS	WS	2	3		E								HET	F
15-137	American Standard	Cadet 3 FloWise EL (10" rough-in)	3379.128: 3014.128 bowl, 4019.128 tank	1,000	WS	WS	2	3		E								HET	F
14-052	American Standard	Cadet 3 Flowise EL (lined tank)	2832.513: 3014.128 bowl, 4021.513 tank(lined)	1,000	SPS	WS	2	3		E								HET	F
12-107 & 12-114	American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	WS	WS	2	3		E	*							HET	F
15-134	American Standard	Cadet 3 FloWise EL ADA	2836.128: 3016.128 bowl, 4019.128 tank	1,000	WS	WS	2	3		E	*							HET	F
14-054	American Standard	Cadet 3 Flowise EL ADA (lined tank)	2835.513: 3016.128 bowl, 4021.513 tank(lined)	1,000	SPS	WS	2	3		E	*							HET	F
14-055	American Standard	Cadet 3 Flowise EL ADA (one-piece; lined tank)	2403.513 (one piece; lined tank)	1,000	SPS	WS	1	3		E	*							HET	F
14-053	American Standard	Cadet 3 Flowise RF (lined tank)	2829.513: 3011.128 bowl, 4021.513 tank(lined)	1,000	SPS	WS	2	3		R								HET	F
14-130	American Standard	Cadet 3 Flowise RF ADA	2758.128: 3005.128 bowl, 4021.128 tank	1,000	WS	WS	2	3		R	*	*						HET	F
15-041	American Standard	Cadet 3 FloWise RF ADA	3377.128: 3005.128 bowl, 4021.128 tank	1,000	WS	WS	2	3		R	*							HET	F
15-132	American Standard	Cadet 3 FloWise RF ADA (lined tank)	2758.513: 3005.128 bowl, 4021.513 tank (lined)	1,000	WS	WS	2	3		R	*							HET	F
7-517	American Standard	Cadet 3 RF (10" rough-in)	2384.010: 3011 bowl, 4019 tank NOTE: this combination is also sold as 2384.310, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R		*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more	Type/technology of toilet fixture																
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
Model Name		Model Number		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		4-L (1.1-gal) Pressure-assist (HET)		Gravity-fed & Vacuum-assist											
7-522	American Standard	Cadet 3 RF (12" rough-in)	2384.012: 3011 bowl, 4021 tank; NOTE: this combination is also sold as 2880.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R		*							F
7-543	American Standard	Cadet 3 RF (12" rough-in)	2384.500: 3011 bowl, 4021.500 (lined tank)	1,000	SPS		2	3		R		*							F
7-519	American Standard	Cadet 3 RF (14" rough-in)	2384.014: 3011 bowl, 4027 tank	1,000	SPS		2	3		R		*							F
12-109	American Standard	Cadet 3 RF (insulated tank)	2880.500: 3011.016 bowl, 4021.500 tank (lined); NOTE: this combination is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R		*							F
12-117	American Standard	Cadet 3 RF (insulated tank)	2882.000 Toilet in a Box (A "COMPLETE" package that includes bowl, tank, seat, and installation mat'l's as one item or SKU)	1,000	SPS		2	3		R		*							F
14-056	American Standard	Cadet 3 RF ADA	2755.016: 3005.016 bowl, 4021.016 tank	1,000	SPS		2	3		R	*	*							F
15-129	American Standard	Cadet 3 RF ADA (10" rough-in)	2756.016: 3005.016 bowl, 4019.016 tank	1,000	SPS		2	3		R	*	*							F
15-131	American Standard	Cadet 3 RF ADA (14" rough-in)	2757.016: 3005.016 bowl, 4027.016 tank	1,000	SPS		2	3		R	*	*							F
14-127	American Standard	Cadet 3 Right Height RF ADA (lined)	2755.500: 3005.016 bowl, 4021.016 tank (lined)	1,000	SPS		2	3		R	*	*							F
10-007	American Standard	Champion 4 EL	2018.214: 3121 bowl, 4266 tank	1,000	SPS		2	3		E		*							F
11-100	American Standard	Champion 4 EL	2018.504: 3121.016 bowl, 4266.504 (lined tank)	1,000	SPS		2	3		E		*							F
13-073	American Standard	Champion 4 EL ADA	2002.014: 3225 bowl, 4266 tank; NOTE: this combination is also sold as 2586.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		E	*	*							F
11-099	American Standard	Champion 4 EL ADA	2002.504: 3225.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		E	*	*							F
13-093	American Standard	Champion 4 EL ADA	2586.500: 3225.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		E	*	*							F
10-022 & 12-118	American Standard	Champion 4 RF	2023.214: 3110 bowl, 4266 tank; NOTE: this combination is also sold as 2585.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R		*							F
11-101	American Standard	Champion 4 RF	2023.504: 3110.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		R		*							F
13-091	American Standard	Champion 4 RF	2585.500: 3110.016 bowl, 4266.504 tank(lined)	1,000	SPS		2	3		R		*							F
15-RN	American Standard	Champion Right Height EL ADA	2002: 3225 bowl, 4260 tank	1,000	SPS		2	3	*	E	*	*							F
15-057RN	American Standard	Champion Select EL	2087: 3121 bowl, 4272 tank	1,000	SPS		2	3	*	E		*							F
15-058RN	American Standard	Champion Select EL ADA	2057: 3225 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*							F
15-059RN	American Standard	Champion Select RF	2035: 3110 bowl, 4272 tank	1,000	SPS		2	3	*	R		*							F
10-128	American Standard	Compact Cadet 3 EL	2431.010: 3046.016 bowl, 4019.016 tank; NOTE: this combination is also sold as 2447.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		E		*							F
13-090	American Standard	Compact Cadet 3 EL ADA (one-piece)	2403.500 (one-piece): NOTE: this fixture also sold as 2568.500 as part of the "COMPLETE" package and includes seat and installation mat'l's as one item or SKU	1,000	SPS		1	3		E	*	*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
10-127	American Standard	Compact Cadet 3 FloWise EL ADA	SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)	1,000	WS	WS	1	3		F	*							HET	F
10-011	American Standard	Compact Cadet 3 One Piece EL ADA	2403.012 (one-piece); NOTE: this combination is also sold as 2568.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		1	3		F	*	*							F
10-015	American Standard	Doral Champion 4 EL	2368.014: 3121 bowl, 4272 tank	1,000	SPS		2	3		E	*	*							F
10-003	American Standard	Doral Champion 4 EL ADA	2367.014: 3225 bowl, 4272 tank	1,000	SPS		2	3		E	*	*							F
10-020	American Standard	Doral Champion 4 RF	2369.014: 3110 bowl, 4272 tank	1,000	SPS		2	3		R	*	*							F
15-060RN	American Standard	Doral Champion EL	2368.014: 3121 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*							F
15-061RN	American Standard	Doral Champion EL ADA	2367.014: 3225 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*							F
15-062RN	American Standard	Doral Champion RF	2369.014: 3110 bowl, 4272 tank	1,000	SPS		2	3	*	R	*	*							F
10-019	American Standard	Doral Classic Champion 4 EL OR Williamsburg Champion 4 EL	2074.014: 3121 bowl, 4281 tank	1,000	SPS		2	3		E	*	*							F
10-014	American Standard	Doral Classic Champion 4 RF OR Williamsburg Champion RF	2076.014: 3110 bowl, 4281 tank	1,000	SPS		2	3		R	*	*							F
15-063RN	American Standard	Doral Classic/Williamsburg EL	2074.014: 3121 bowl, 4281.016 tank	1,000	SPS		2	3	*	E	*	*							F
15-064RN	American Standard	Doral Classic/Williamsburg EL ADA	2058.014: 3225 bowl, 4281.016 tank	1,000	SPS		2	3	*	E	*	*							F
15-065RN	American Standard	Doral Classic/Williamsburg RF	2076.014: 3110 bowl, 4281.016 tank	1,000	SPS		2	3	*	R	*	*							F
15-042	American Standard	EcoFusion EL ADA	3380.216: 3710.216 bowl, 4349.216 tank	1,000	WS	WS	2	2		E	*	*					HET		F
12-105	American Standard	Evolution 2 EL (insulated tank)	2427.500: 3063.016 bowl, 4061.500 tank (lined)	1,000	SPS		2	2		E	*	*							F
12-104	American Standard	Evolution 2 EL ADA	2428.012: 3068.016 bowl, 4061.016 tank	1,000	SPS		2	2		E	*	*							F
12-106	American Standard	Evolution 2 EL ADA (insulated tank)	2428.500: 3068.016 bowl, 4061.500 tank (lined)	1,000	SPS		2	2		E	*	*							F
15-043	American Standard	FloWise EL ADA COMPLETE	3378.128: 3016.128 bowl, 4021.128 tank	1,000	SPS	WS	2	3		E	*	*						HET	F
15-123	American Standard	Flowise RF	2880.128: 3011.128 bowl, 4021.128 tank	1,000	WS	WS	2	3		R	*	*						HET	F
14-132	American Standard	H2Option Siphonic Dual Flush EL	2887.216: 3706.216 bowl, 4339.216 tank	1,000	WS	WS	2	2	*	E	*	*					HET		F
15-125	American Standard	H2Option Siphonic Dual Flush EL (lined tank)	2887.516: 3706.216 bowl, 4339.516 tank (lined)	1,000	WS	WS	2	-	*	E	*	*					HET		F
14-131	American Standard	H2Option Siphonic Dual Flush EL ADA	2886.216: 3705.216 bowl, 4339.216 tank	1,000	WS	WS	2	2	*	E	*	*					HET		F
15-124	American Standard	H2Option Siphonic Dual Flush EL ADA (lined tank)	2886.516: 3705.216 bowl, 4339.516 tank (lined)	1,000	WS	WS	2	-	*	E	*	*					HET		F
14-133	American Standard	H2Option Siphonic Dual Flush RF	2889.216: 3708.216 bowl, 4339.216 tank	1,000	WS	WS	2	2	*	R	*	*					HET		F
15-126	American Standard	H2Option Siphonic Dual Flush RF (lined tank)	2889.516: 3708.216 bowl, 4339.516 tank (lined)	1,000	WS	WS	2	-	*	R	*	*					HET		F
12-105 & 14-084	American Standard	Mainstream Complete EL (insulated tank)	3469.500: a COMPLETE package, which includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3063.416 bowl, 4061.516 tank (lined)	1,000	SPS		2	2		E	*	*							F
15-RN	American Standard	Oakmont Champion EL ADA	2738: 3101 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*							F
10-004	American Standard	Oakmont Champion 4 EL	2625.014: 3153 bowl, 4272 tank	1,000	SPS		2	3		E	*	*							F
15-RN	American Standard	Oakmont Champion 4 EL	2625: 3153 bowl, 4272 tank	1,000	SPS		2	3	*	E	*	*							F
10-017	American Standard	Oakmont Champion 4 EL ADA	2738.014: 3101 bowl, 4272 tank	1,000	SPS		2	3		E	*	*							F
10-008	American Standard	Oakmont Champion 4 RF	2627.014: 3167 bowl, 4272 tank	1,000	SPS		2	3		R	*	*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)		4-L (1.1-gal) Pressure-assist (HET)		Gravity-fed & Vacuum-assist		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.													
Model Name	Model Number																		
15-RN	American Standard	Oakmont Champion 4 RF	2627: 3167 bowl, 4272 tank	1,000	SPS		2	3	*	R		*							F
15-122	American Standard	Savona EL (one-piece)	2097.012 (one-piece)	1,000	SPS		1	3		E		*							F
10-009	American Standard	Skyline Champion 4 EL	2219.014: 3121 bowl, 4077 tank	1,000	SPS		2	3		E		*							F
6-642	American Standard	Skyline Champion 4 EL ADA	3225 bowl, 4077 tank	1,000	SPS		2	3	*	E	*	*							F
10-006	American Standard	Skyline Champion 4 RF	2112.014: 3110 bowl, 4077 tank	1,000	SPS		2	3		R		*							F
6-643	American Standard	Skyline Champion 4 RF	3110 bowl, 4077 tank	1,000	SPS		2	3	*	R		*							F
14-125	American Standard	Studio Cadet 3 EL	2588.016: 3014.016 bowl, 4202.016 tank	1,000	SPS		2	3		E		*							F
14-126	American Standard	Studio Cadet 3 EL (lined tank)	2588.500: 3014.016 bowl, 4202.500 tank (lined)	1,000	SPS		2	3		E		*							F
14-129	American Standard	Studio Cadet 3 EL ADA	2589.016: 3016.016 bowl, 4202.016 tank	1,000	SPS		2	3		E	*	*							F
14-128	American Standard	Studio Cadet 3 EL ADA (lined tank)	2589.500: 3016.016 bowl, 4202.500 tank (lined)	1,000	SPS		2	3		E	*	*							F
14-121	American Standard	Studio Cadet 3 RF	2587.016: 3011.016 bowl, 4202.016 tank	1,000	SPS		2	3		R		*							F
14-124	American Standard	Studio Cadet 3 RF (lined tank)	2587.500: 3011.016 bowl, 4202.500 tank (lined)	1,000	SPS		2	3		R	*	*							F
14-123	American Standard	Studio Cadet 3 RF ADA	2579.016: 3005.016 bowl, 4202.016 tank	1,000	SPS		2	3		R	*	*							F
14-122	American Standard	Studio Cadet 3 RF ADA (lined tank)	2579.500: 3005.016 bowl, 4202.500 tank (lined)	1,000	SPS		2	3		R	*	*							F
10-145	American Standard	Titan EL	2841.016: 3893.016 bowl, 4337.016 tank	1,000	SPS		2	3		E		*							F
8-515	American Standard	Titan EL ADA (one piece)	2782.016 (one-piece)	1,000	SPS		1	3		E	*	*							F
10-144	American Standard	Titan RF	2845.016: 3895.016 bowl, 4337.016 tank	1,000	SPS		2	3		R		*							F
8-519	American Standard	Titan Triangle EL	2842.016: 3893.016 bowl, 4338.016 tank	1,000	SPS		2	3		E		*							F
8-520	American Standard	Titan Triangle EL ADA	2840.016: 3892.016 bowl, 4338.016 tank	1,000	SPS		2	3		E	*	*							F
8-517	American Standard	Titan Triangle RF	2846.016: 3895.016 bowl, 4338.016 tank	1,000	SPS		2	3		R		*							F
15-127	American Standard	Town Square EL ADA (one-piece)	2847.016 (one-piece)	1,000	SPS		1	3		E	*	*							F
15-128	American Standard	Town Square EL ADA (one-piece)	2847.128 (one-piece)	1,000	WS	WS	1	3		E	*							HET	F
10-010	American Standard	Townsend Champion 4 EL ADA	2733.014: 3177 bowl, 4281 tank	1,000	SPS		2	3		E	*	*							F
10-002	American Standard	Townsend Champion 4 RF ADA	2735.014: 3180 bowl, 4281 tank	1,000	SPS		2	3		R	*	*							F
10-012	American Standard	Tropic Cadet 3 Right Height EL ADA	2459.016: 3016 bowl, 4007 tank	1,000	SPS		2	3		E	*	*							F
15-130	American Standard	Tropic Cadet 3 Right Height RF ADA	2791.016: 3005.016 bowl, 4007.016 tank	1,000	SPS		2	3		R	*	*							F
15-133	American Standard	Tropic Cadet 3 Right Height RF ADA (lined tank)	2791.516: 3005.016 bowl, 4007.516 tank (lined)	1,000	SPS		2	3		R	*	*							F
13-096	American Standard	Tropic EL	2457.516: 3014 bowl, 4007.516 tank (lined tank)	1,000	SPS		2	2.5		E		*							F
13-071	American Standard	Tropic EL ADA	2459.516: 3016 bowl, 4007.516 tank (lined tank)	1,000	SPS		2	2.5		E	*	*							F
15-029	American Standard	Tropic EL ADA (one-piece)	2786.016 (one-piece)	1,000	SPS		1	3		E	*	*							F
15-030	American Standard	Tropic EL ADA (one-piece)	2786.128 (one-piece)	1,000	WS	WS	1	3		E	*							HET	F
15-028	American Standard	Tropic RF	2455.516: 3011 bowl, 4007.516 tank (lined tank)	1,000	SPS		2	2.5		R		*							F
10-018	American Standard	Tropic/Triumph Cadet 3 EL	2457.016: 3014 bowl, 4007 tank	1,000	SPS		2	3		E		*							F
15-027	American Standard	Tropic/Triumph Cadet 3 RF	2455.016: 3011 bowl, 4007 tank	1,000	SPS		2	3		R		*							F
13-075	American Standard	Yorkville EL ADA	2878.016: 3703.016 bowl, 4142.016 tank	1,000	SPS		2	-	*	E	*			*				R	F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
14-005	Axent-Regatta Water Co.	Mirabelle/Bellina EL	6002.002: 6002.012.02 bowl, 6002.024.02 tank	1,000	SPS		2	3		E		*							F
14-006	Axent-Regatta Water Co.	Mirabelle/Edgewater EL ADA (one-piece)	6001.001 (one piece)	1,000	SPS		1	3		E	*	*							F
14-007	Axent-Regatta Water Co.	Mirabelle/Peninsula EL ADA (one piece)	6003.001 (one-piece)	1,000	SPS		1	3		E	*	*							F
14-004	Axent-Regatta Water Co.	Mirabelle/Soiree EL	6004.002: 6004.012.02 bowl, 6004.024.02 tank	1,000	SPS		2	3		E		*							F
8-533	Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	SPS	WS	2	-	*	E	*	*					HET		F
10-114	Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	SPS	WS	2	-	*	R		*					HET		F
14-049	Cascadian	Regal/Toscano EL ADA	C930 bowl, T901 tank	1,000	SPS	WS	2	3		E	*						HET		F
13-024	Chelini	Cabot EL	B1015E/T10306: B1015E bowl, T10306 tank	1,000	SPS		2	3		E		*							F
14-020	Chelini	Cabot EL ADA	B1516E bowl, T10348 tank (lined tank)	1,000	SPS	WS	2	3		E	*						HET		F
13-027	Chelini	Cabot RF	B1015R/T10306: B1015R bowl, T10306 tank	1,000	SPS		2	3		R		*							F
13-118	Chelini	Champlain EL ADA	B216E/T2306: B216E bowl, T2306 tank	1,000	SPS		2	3		E	*	*							F
13-006	Chelini	Champlain EL ADA	B218E/T2306: 218E bowl, T2306 tank	1,000	SPS		2	3		E	*	*							F
14-048	Chelini	Champlain EL ADA	B216R bowl, T2306 tank (lined tank)	1,000	SPS		2	3		E	*	*							F
WS-15	Cobban Enterprises	None	B1516E bowl, T10348 tank (lined tank)	1,000	SPS	WS	2	3		E	*						HET		F
14-069	Conrac	Clara (1 piece - lined tank)	5710BLT (one-piece - lined tank)	1,000	SPS	WS	1	2	*	S		*					HET		F
14-070	Conrac	Clint EL (1 piece - lined tank)	5710BEZ (one-piece - lined tank)	1,000	SPS	WS	1	2	*	E		*					HET		F
14-071	Conrac	None EL ADA (lined tank)	5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	SPS	WS	2	3		E	*						HET		F
12-108D	Crane	Eco Opus III EL	2383328: 3014.328 bowl, 4021.328 tank	1,000	WS	WS	2	3		E							HET		F D
14-052D	Crane	Eco Opus III EL (lined tank)	2383358: 3014.328 bowl, 4021.358 tank(lined)	1,000	SPS	WS	2	3		E							HET		F D
12-107 & 12-114D	Crane	Eco Opus III EL ADA	2386328: 3016.328 bowl, 4021.328 tank;	1,000	WS	WS	2	3		E	*						HET		F D
14-054D	Crane	Eco Opus III EL ADA (lined tank)	2386358: 3016.328 bowl, 4021.358 tank (lined)	1,000	SPS	WS	2	3		E	*						HET		F D
14-053D	Crane	Eco Opus III RF (lined tank)	2384358: 3011.328 bowl, 4021.358 tank(lined)	1,000	SPS	WS	2	3		R							HET		F D
11-028	Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	SPS	WS	2	-	*	E			*				HET		F
WS-11	Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	WS	2	-	*	E	*		*				HET		F
11-038	Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000	SPS		2	-	*	E							HET		F
11-039	Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000	SPS		2	-	*	E							HET		F
11-040	Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000	SPS		2	-	*	E	*						HET		F
11-030	Crane	Ecomiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	SPS	WS	2	-	*	R			*				HET		F
11-029	Crane	Ecomiser Bigfoot EL	31135: 31125 bowl, 3612 tank	1,000	SPS		2	-	*	E			*						F
11-019	Crane	Ecomiser EL	3832: 3822 bowl, 3612 tank	1,000	SPS		2	-	*	E			*						F
10-039	Crane	Ecomiser EL	3835: 3825 bowl, 3612 tank	1,000	SPS		2	-	*	E			*						F
10-031	Crane	Ecomiser EL ADA	3838: 3828 bowl, 3612 tank	1,000	SPS		2	-	*	E	*		*						F
11-025	Crane	Ecomiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	SPS	WS	2	-	*	E							HET		F
WS-11	Crane	Ecomiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	WS	2	-	*	E	*						HET		F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
11-027	Crane	Economiser One Bigfoot RF	31134: 31124 bowl, 3612 tank	1,000	SPS		2	-	*	R				*					F
11-026	Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	SPS	WS	2	-	*	R									F
10-035	Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000	SPS		2	-	*	E									F
10-034	Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000	SPS		2	-	*	E	*								F
10-037	Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000	SPS		2	-	*	R									F
10-038	Crane	Economiser RF	3834: 3824 bowl, 3612 tank	1,000	SPS		2	-	*	R				*					F
10-036	Crane	Sureflush EL	31352: 31192 bowl, 31242 tank	1,000	SPS		2	3		E		*							F
11-011	Crane	SureFlush EL ADA	31372: 31212 bowl, 31242 tank	1,000	SPS		2	3		E	*	*							F
11-014	Crane	Sureflush EL ADA	31373: 31212 bowl, 31243 tank	1,000	SPS		2	3		E	*	*							F
11-002	Crane	SureFlush RF	31352: 31192 bowl, 31242 tank	1,000	SPS		2	3		R		*							F
10-145	Crane	Titan EL	32022: 32008 bowl, 32006 tank	1,000	SPS		2	3		E		*							F
8-514	Crane	Titan EL (one piece)	081-0755	1,000	SPS		1	3		E		*							F
8-515	Crane	Titan EL ADA (one piece)	32018	1,000	SPS		1	3		E	*	*							F
8-518	Crane	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	SPS		2	3		E		*							F
8-521	Crane	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	SPS		2	3		E	*	*							F
8-516	Crane	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	SPS		2	3		R		*							F
10-144	Crane	Titan RF	32012: 32004 bowl, 32006 tank	1,000	SPS		2	3		R		*							F
8-519	Crane	Titan Triangle EL	32062: 32008 bowl, 32026 tank	1,000	SPS		2	3		E		*							F
8-520	Crane	Titan Triangle EL ADA	32035: 32013 bowl, 32026 tank	1,000	SPS		2	3		E	*	*							F
8-517	Crane	Titan Triangle RF	32052: 32004 bowl, 32026 tank	1,000	SPS		2	3		R		*							F
12-064	Danze	Cirtangular EL ADA	DC023230 bowl, DC022221 tank	1,000	SPS		2	3		E	*	*							F
12-127	Danze	Orrington EL ADA	DC013230 bowl, DC012223 tank	1,000	SPS		2	3		E	*	*							F
12-065	Danze	Orrington EL ADA (one-piece)	DC011223 (one-piece)	1,000	SPS		1	3		E	*	*							F
14-094	Danze	Ziga Zaga EL ADA	DC031221 (one-piece)	1,000	SPS		1	3		E	*	*							F
14-021	DKDC	Total Flush EL ADA	TF1000: B1000 bowl, T1000 tank	1,000	SPS		2	3		E	*							HET	F
8-527	Duravit	Caro EL	010101 bowl; 092410 tank	1,000			2	3		E		*							F
8-526	Duravit	Duraplus EL	010201 bowl; 092510 tank	1,000			2	3		E		*							F
7-523	Eljer	Diplomat EL ADA (12" rough-in)	091-3275: 3016.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		E	*	*							F
7-522	Eljer	Diplomat RF (12" rough-in)	091-0160: 3011.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		R		*							F
10-128	Eljer	Diplomat Spacesaver EL	091-3925: 3046.416 bowl, 4019.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	SPS		2	3		E		*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
9-008	Eljer	PR Titan RF (one piece)	081-0750	1,000	SPS		1	3		R		*							F
14-133D	Eljer	Somerville Dual Flush RF (siphonic)	091-6100: 3708.416 bowl, 4339.416 tank	1,000	WS	WS	2	2	*	R		*				HET			F
10-145	Eljer	Titan EL	091-0755: 131-0755 bowl, 141-0777 tank	1,000	SPS		2	3		E		*							F
8-514	Eljer	Titan EL (one piece)	081-0755	1,000	SPS		1	3		E		*							F
8-515	Eljer	Titan EL ADA (one piece)	081-0777	1,000	SPS		1	3		E	*	*							F
8-518	Eljer	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	SPS		2	3		E		*							F
8-521	Eljer	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	SPS		2	3		E	*	*							F
8-516	Eljer	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	SPS		2	3		R		*							F
10-144	Eljer	Titan RF	091-0750: 131-0750 bowl, 141-0777 tank	1,000	SPS		2	3		R		*							F
8-519	Eljer	Titan Triangle EL	091-3755: 131-0755 bowl; 141-3777 tank	1,000	SPS		2	3		E		*							F
8-520	Eljer	Titan Triangle EL ADA	091-3777: 131-0777 bowl; 141-3777 tank	1,000	SPS		2	3		E	*	*							F
8-517	Eljer	Titan Triangle RF	091-3750: 131-0750 bowl; 141-3777 tank	1,000	SPS		2	3		R		*							F
7-534	Eljer	Toronto Savoy EL ADA	091-1265: 131-2175 bowl, 141-0260 tank	1,000			2	2		E	*	*							F
12-016	Foremost	AIO (All-In-One) RF ADA	AIO1000-R: AIOB1000-R bowl, AIOT1000 tank	1,000	WS	WS	2	-	*	R	*		*		HET				F
12-017	Foremost	AIO (All-In-One) EL ADA	AIO1000-E: AIOB1000-E bowl, AIOT1000 tank	1,000	WS	WS	2	-	*	E	*		*		HET				F
11-094	Foremost	Aragon IV - EL	TL-6300E-*LN (one-piece, lined tank)	1,000	SPS		1	2		E		*							F
9-044 & 13-147	Foremost	Gemini Dual-Flush ADA	TL-2100-*L (one-piece)	1,000	SPS	WS	1	2	*	S	*	*			HET				F
11-086 & 13-149	Foremost	HET EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank	1,000	WS	WS	2	3		E	*						HET		F
14-073	Foremost	HET EL ADA (one-piece)	HB-800-ADA (one-piece)	1,000	SPS	WS	1	3	*	E	*	*			HET				F
13-131	Foremost	HET RF ADA	TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, 7600HC-HET tank (unlined tank) (Fluidmaster tank trim)	1,000	WS	WS	2	3		R	*						HET		F
13-128	Foremost	Iris EL	TL-4000 (one piece)	1,000	SPS		1	3		E		*							F
14-014	Foremost	None EL (one piece, All-In-One package)	TL-4000-*L and TL-4310-*LM sold as All-In-One package (one-piece) (lined tank)	1,000	SPS		1	3		E		*							F
15-016	Foremost	None EL ADA	TT-8297-*L3 (NOTE: This is an all-in-one package that includes bowl, tank, and accessories)	1,000	SPS		2	2		E	*	*							F
15-017	Foremost	None RF	TT-8207-*L3 (NOTE: This is an all-in-one package that includes bowl, tank, and accessories)	1,000	SPS		2	2		R		*							F
9-045	Foremost	Tuxedo EL ADA	TL-5300E-*L (one-piece) (ALSO sold as TL-5310-*LM)	1,000	SPS		1	2		E	*	*							F
14-058	Foremost	Premier EL ADA (lined tank)	LL-8207HC-*3: LL-8207HC-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8297-*L3)	1,000	SPS		2	2		E	*	*							F
14-059	Foremost	Premier RF (lined tank)	LL-8207-*3: LL-8207-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8207-*L3)	1,000	SPS		2	2		R		*							F
13-134	Foremost	Total Advantage EL (one-piece with lined tank)	TT-2000E-*L (one piece with lined tank)	1,000	SPS	WS	1	2	*	E					HET				F
10-095	Gerber	Allerton EL (10-inch rough-in)	20-005: 21-572 bowl, 28-585 tank	1,000			2	2		E		*							F
14-087	Gerber	Allerton EL (12-inch rough-in - lined tank)	20-004: 21-572 bowl, LT28-580 tank (lined tank)	1,000			2	2		E		*							F
14-086	Gerber	Allerton RF (12-inch rough-in - lined tank)	20-001: 21-542 bowl, LT28-580 tank (lined tank)	1,000			2	2		R		*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)		
		250 grams to 475 grams	500 grams and more												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered				
		Model Name	Model Number																		
10-057	Gerber	Allerton RF (12-inch rough-in)	20-001: 21-542 bowl, 28-580 tank	1,000			2	2		R		*									F
10-094	Gerber	Allerton RF (14-inch rough-in)	20-003: 21-542 bowl, 28-584 tank	1,000			2	2		R		*									F
9-029	Gerber	Avalanche EL ADA	21-817: 21-828 bowl, 28-895 tank	1,000	SPS		2	3		E	*	*									F
9-030	Gerber	Avalanche EL ADA	21-818: 21-828 bowl, 28-890 tank	1,000	SPS		2	3		E	*	*									F
9-031	Gerber	Avalanche EL ADA	21-824: 21-828 bowl, 28-894 tank	1,000	SPS		2	3		E	*	*									F
12-047	Gerber	Brianne EL	21-011 (one-piece)	1,000	SPS		2	3		E		*									F
14-092	Gerber	Brianne EL (12-inch rough-in - lined tank)	20-015: 21-185 bowl, LT28-183 tank (lined tank)	1,000	SPS		2	3		E		*									F
10-105	Gerber	Brianne EL (12-inch rough-in)	20-015: 21-185 bowl, 28-183 tank	1,000	SPS		2	3		E		*									F
14-090	Gerber	Brianne EL ADA (12-inch rough-in - lined tank)	20-013: 21-183 bowl, LT28-183 tank (lined tank)	1,000	SPS		2	3		E	*	*									F
10-062	Gerber	Brianne RF	20-014: 21-184 bowl, 28-183 tank	1,000	SPS		2	3		R		*									F
12-126	Gerber	Logan Square EL (10-inch rough-in)	20-017: 21-532 bowl, 28-535 tank	1,000	SPS		2	3		E		*									F
12-124	Gerber	Logan Square EL ADA (10-inch rough-in)	20-019: 21-538 bowl, 28-535 tank	1,000	SPS		2	3		E	*	*									F
14-096	Gerber	Logan Square EL ADA (12-inch rough-in - lined tank)	20-018: 21-538 bowl, LT28-530 tank (lined tank)	1,000	SPS		2	3		E	*	*									F
12-123	Gerber	Logan Square EL ADA (12-inch rough-in)	20-018: 21-538 bowl, 28-530 tank	1,000	SPS		2	3		E	*	*									F
14-102	Gerber	Picturesque EL ADA (12-inch rough-in - lined tank)	20-010: 21-180 bowl, LT28-180 tank (lined tank)	1,000	SPS		2	3		E	*	*									F
12-052	Gerber	Picturesque EL ADA (12-inch rough-in)	20-010: 21-180 bowl, 28-180 tank	1,000	SPS		2	3		E	*	*									F
14-103	Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	1,000	WS	WS	2	-		E			*							R	F
15-RN	Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E			*								F
15-RN	Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		E			*								F
15-RN	Gerber	Ultra Dual Flush EL ADA	DF-21-318: 21-377 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E	*		*								F
15-RN	Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		E	*		*								F
15-RN	Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		E	*		*							R	F
15-158RN	Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF-21-319: 21-329 bowl, DF-28-380 tank	1,000	SPS		2	-		E	*		*								F
6-616	Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	SPS	WS	2	-		R			*								F
6-620	Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	SPS	WS	2	-		R			*								F
15-RN	Gerber	Ultra Flush EL	21-312: 21-372 bowl , 28-380 tank	1,000	SPS		2	-		E			*								F
15-RN	Gerber	Ultra Flush EL	21-314: 21-372 bowl , 28-384 tank	1,000	SPS		2	-		E			*								F
15-RN	Gerber	Ultra Flush EL ADA	21-311: 21-372 bowl, 28-385 tank	1,000	SPS		2	-		E	*		*								F
15-RN	Gerber	Ultra Flush EL ADA	21-317: 21-377 bowl, 28-385 tank	1,000	SPS		2	-		E	*		*								F
15-RN	Gerber	Ultra Flush EL ADA	21-318: 21-377 bowl, 28-380 tank	1,000	SPS		2	-		E	*		*								F
15-RN	Gerber	Ultra Flush EL ADA	21-324: 21-377 bowl, 28-384 tank	1,000	SPS		2	-		E	*		*								F
15-RN	Gerber	Ultra Flush EL ADA (rear discharge)	21-325: 21-375 bowl, 28-380 tank	1,000	SPS		2	-		E	*		*							R	F
6-615	Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	SPS	WS	2	-		R											F
6-619	Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	SPS	WS	2	-		R											F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)						
															250 grams to 475 grams	500 grams and more	Type/technology of toilet fixture			Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered			
																							KEY: Flush performance (MaP column & score)		
																							NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		
10-083	Home Depot	Aragon IV EL	Home Depot SKU 511-028 (one-piece, lined tank)	1,000	SPS		1	2		E		*							F						
14-043	Home Depot - Glacier Bay	Glacier Bay Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold in Combined All-In-One package by Home Depot SKU 215-583 - UPC Code 732291231619)	1,000	SPS	WS	2	2.5		E	*	*				HET			F						
12-067, 12-070, & 13-009	Home Depot - Glacier Bay (by Niagara)	All-In-One RF ADA	Home Depot SKU 303-635: 303-635 bowl, 140-911 tank (Also sold as All-In-One package by Home Depot UPC CODE 732291338240)	1,000	SPS		2	2		R	*	*							F						
14-011	Home Depot - Glacier Bay (by Niagara)	Glacier Bay Ecologic RF ADA (All-In-One package)	N2225R: N2225RB bowl, N2225T tank (Sold in combined All-In-One package by Home Depot: SKU 779-923 - UPC CODE 732291222549)	1,000	SPS	WS	2	-	*	R	*						HET		F						
9-046	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	Home Depot SKU 464-747 (one-piece)	1,000	SPS		1	2		E	*	*							F						
13-068	Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless - All-In-One package)	N2228: N2228B bowl, N2228T tank. (Also sold in Combined All-In-One package as Home Depot SKU 840-565 - UPC Code 732291222822)	1,000	WS	WS	2	-	*	E	*						HET		F						
13-067	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	HD SKU 780-036 - Two-piece fixture sold combined as "All In One" - UPC Code 732291344685	1,000	SPS	WS	2	3		E	*						HET		F						
12-036	Home Depot (by Niagara)	Power One EL	Home Depot SKU 385-195 - UPC Bar Code 732291231015 (Also available as Niagara N2310: 2310B bowl, 2310T tank)	1,000	SPS	WS	2	-	*	E							HET		F						
12-069	Jacuzzi	Era EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU BK37959 (Also sold as Lowe's SKU 86426)	1,000	SPS		2	3		E	*	*							F						
13-037	Jacuzzi	Espre HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ36959 (Also sold as Lowe's SKU 48624)	1,000	SPS	WS	2	3		E	*						HET		F						
8-512	Jacuzzi	Maxima EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ37959 (Also sold as Lowe's SKU 49238)	1,000	SPS		2	3		E	*	*							F						
14-057	Jacuzzi	Perfecta HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU GU04959 (Also sold as Lowe's SKU 312978)	1,000	SPS	WS	2	3		E	*						HET		F						
12-066	Jacuzzi	Perfecta RF ADA (toilet in a box)	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ33959 (Also sold as Lowe's SKU 130294)	1,000	SPS		2	3		R	*	*							F						
15-022	Jacuzzi	Prescott HET EL ADA	GV80	1,000	SPS	WS	2	3		E	*						HET		F						
6-603	Kohler	Barrington Pressure Lite EL	K-3554: 4327 bowl, 4645 tank	1,000	SPS		2	-	*	E				*				R	F						
13-010	Kohler	Cimarron Class 6 EL ADA	K-3589: 4309 bowl, 4418 tank - NOTE: this fixture is also sold as K-11456 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS		2	3		E	*	*							F						
13-032	Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451, K-11813, and K-11844 when included as part of the "COMPLETE SOLUTION" package	1,000	WS	WS	2	3		E	*						HET		F						
15-024	Kohler	Cimarron RF ADA	K-3497: 4287 bowl, 4634 tank - NOTE: this fixture is also sold as K-11465 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS		2	3		R	*	*							F						
9-049	Kohler	Devonshire EL ADA	K-3503: 4288 bowl, 4708 tank	1,000	SPS		2	3		E	*	*							F						
12-075	Kohler	Kelston EL ADA	K-11452: F4306 bowl, F4474 tank	1,000	SPS		2			E	*	*							F						
12-074	Kohler	Kelston EL ADA	K-3755: 4306 bowl, 4469 tank; NOTE: this fixture also sold as K-11453 when included as part of the "COMPLETE SOLUTION" package	1,000	SPS	WS	2			E	*						HET		F						

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
				250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
				500 grams and more																	
				Type/technology of toilet fixture																	
				6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
				4-L (1.1-gal) Pressure-assist (HET)																	
				Gravity-fed & Vacuum-assist																	
				NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
12-019	Kohler	Memoirs Classic EL ADA	K-3515: 4294 bowl, 4491 tank; NOTE: this fixture is also sold as K-11461 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS			2	3		E	*	*								F
12-020	Kohler	Memoirs Classic RF ADA	K-3509: 4289 bowl, 4491 tank	1,000	SPS			2	3		R	*	*								F
12-022	Kohler	Memoirs Stately EL ADA	K-3526: 4294 bowl, 4492 tank; NOTE: this fixture is also sold as K-11460 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS			2	3		E	*	*								F
12-021	Kohler	Memoirs Stately RF ADA	K-3511: 4289 bowl, 4492 tank	1,000	SPS			2	3		R	*	*								F
9-050	Kohler	Portrait EL ADA	K-3506 (one-piece)	1,000	SPS			1	3		E	*	*								F
7-545	Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	SPS	WS		1	-	*	E	*			*-at 1.4-g		HET				F
13-003b	Kohler	Sterling Stinson EL	402075: 402070 bowl, 402071 tank	1,000	SPS			2	2		E		*								F
14-029	Kohler	Sterling Windham EL	402215: 404215 bowl, 404515 tank	1,000	SPS			2	2		E		*								F
12-073	Kohler	Wellworth Class 5 EL	K-3574: 4293 bowl, 4632 tank NOTE: this fixture is also sold as K-11473 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS			2	3		E		*								F
15-069RN	Kohler	Wellworth Pressure Lite EL	K-3505: 4303 bowl, 4645 tank	1,000	SPS			2	-		E				*						F
7-508	Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	SPS	WS		2	-		E							HET			F
15-090	Kohler	Devonshire Class 5 EL ADA	K-3678: 4288 bowl, 4446 tank	1,000	SPS	WS		2	3		E	*							HET		F
7-509	Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	SPS	WS		2	-	*	E	*						HET			F
12-097 & 15-023	Kohler	Wellworth Class 5 RF	K-3576: 4299 bowl, 4632 tank NOTE: this fixture is also sold as K-11471 when included as part of the "COMPLETE SOLUTION" package.	1,000	SPS			2	3		R		*								F
11-068	Mansfield	EcoQuantum - EL	144 bowl, 119 tank	1,000	SPS	WS		2	-		E	*			*		HET			R	W
10-125	Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	SPS	WS		2	-		E				*		HET				F
10-123	Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	SPS	WS		2	-		E	*			*		HET				F
10-124	Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	SPS	WS		2	-		R				*		HET				F
14-001	Mansfield	Maverick	114 bowl, 112 tank	1,000	SPS	WS		2	3		E	*							HET		F
9-041	Mansfield	Maverick EL	101 bowl, 109 tank (lined tank)	1,000	SPS			2	3		E		*								F
9-040	Mansfield	Maverick EL ADA	104 bowl, 109 tank (lined tank)	1,000	SPS			2	3		E	*	*								F
11-069	Mansfield	None - EL	144 bowl, 123 tank	1,000	SPS			2	-		E	*			*					R	W
10-121	Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	SPS	WS		2	-		E							HET			F
10-119	Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	SPS	WS		2	-		E							HET		R	F
10-120	Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	SPS	WS		2	-		E	*						HET			F
10-122	Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	SPS	WS		2	-		R							HET			F
14-005	Mirabelle (by Ferguson)	Boca Raton EL	MIRBR240 bowl, MIRBR200 tank	1,000	SPS			2	3		E		*								F
14-006	Mirabelle (by Ferguson)	Cordoba EL ADA (one-piece)	MIRCO241 (one-piece)	1,000	SPS			1	3		E	*	*								F
14-007	Mirabelle (by Ferguson)	Key West EL ADA (one piece)	MIRKW241 (one-piece)	1,000	SPS			1	3		E	*	*								F
14-004	Mirabelle (by Ferguson)	St. Augustine EL	MIRSA240 bowl, MIRSA200 tank	1,000	SPS			2	3		E		*								F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)		4-L (1.1-gal) Pressure-assist (HET)		Gravity-fed & Vacuum-assist		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.													
Model Name	Model Number																		
12-067, 12-070, & 13-009	Niagara	All-In-One RF ADA	Home Depot SKUs: 303-635 bowl, 140-911 tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291338240)	1,000	SPS		2	-		R	*	*							F
13-060	Niagara	Cottage Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	1,000	WS	WS	2	-	*	E	*						HET		F
14-043	Niagara	Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold at Home Depot in a Combination All-In-One package as HD SKU 215-583 - UPC Bar Code 732291231619)	1,000	SPS	WS	2	2.5		E	*	*					HET		F
14-105	Niagara	Dual Flush EL ADA	N2328: N2328B bowl, N2328T tank	1,000	SPS	WS	2	2.5		E	*	*					HET		F
12-038	Niagara	Ecologic RF ADA	N2225R: N2225RB bowl, N2225T tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291222549) (NOTE: This model previously listed as Model N2225R-165)	1,000	SPS	WS	2	-	*	R								HET	F
12-036	Niagara	Power One EL	N2310: 2310B bowl, 2310T tank	1,000	SPS	WS	2	-	*	E								HET	F
13-008	Niagara	Simcoe RF	N4416: N4416 bowl, N4415T tank	1,000	SPS		2	-	*	R								HET	F
14-135	Porcher (American Standard)	Archive EL (one-piece)	97920-60 (one-piece)	1,000	SPS		1	3		E		*							F
15-037	Porcher (American Standard)	Archive EL ADA (one-piece)	97920-28 (one-piece)	1,000	WS	WS	1	3		E	*							HET	F
15-035	Porcher (American Standard)	Chapeau EL ADA (one-piece)	97820-28 (one-piece)	1,000	WS	WS	1	3		E	*							HET	F
15-036	Porcher (American Standard)	Chapeau EL ADA (one-piece)	97820-60 (one-piece)	1,000	SPS		1	3		E	*	*							F
15-031	Porcher (American Standard)	Ovale EL ADA	90750-28: 41750-28 bowl, 40750-28 tank	1,000	WS	WS	2	3		E	*							HET	F
15-032	Porcher (American Standard)	Ovale EL ADA	90750-60: 41750-60 bowl, 40750-60 tank	1,000	SPS		2	3		E	*	*							F
15-140	Porcher (American Standard)	Ovale EL ADA (one-piece)	97620-60 (one-piece)	1,000	SPS		1	3		E	*	*							F
15-139	Porcher (American Standard)	Ovale EL ADA (one-piece)	97620-28 (one-piece)	1,000	WS	WS	1	3		E	*							HET	F
15-033	Porcher (American Standard)	Ovale RF ADA	90850-60: 41850-60 bowl, 40750-60 tank	1,000	SPS		2	3		R	*	*							F
15-038	Porcher (American Standard)	Ovale RF ADA	90850-28: 41850-28 bowl, 40750-28 tank	1,000	WS	WS	2	3		R	*							HET	F
15-034	Porcher (American Standard)	Veneto III EL (one-piece)	97320-60 (one-piece)	1,000	SPS		1	3		E		*							F
15-138	Porcher (American Standard)	Veneto III EL (one-piece)	97320-28 (one-piece)	1,000	WS	WS	1	3		E								HET	
13-115	Price Pfister	None EL	VTP-E51: C-5518 bowl, S-5518 tank	1,000	SPS		2	3		E		*						HET	F
15-084	Price Pfister	None EL	VTP-E11W	1,000			2	3		E		*						HET	F
13-061	Price Pfister	None EL ADA	VTP-E31: C-1003 bowl, S-1003 tank	1,000	SPS		2	3		E	*	*						HET	F
13-062	Price Pfister (by HCG)	None EL ADA	VTP-E21: C-1003 bowl, S-1004 tank	1,000	SPS	WS	2	3		E	*	*						HET	F
9-002	RAK Ceramics	Windsor EL	WE20 bowl, W120 tank	1,000	SPS		2	3		E		*							F
9-045	Rona	Chateau EL	SKU#7369130 (Foremost #TL-5300E-WL)	1,000	SPS		1	2		E	*	*							F
9-044 & 13-147	Rona	Gemini Dual Flush ADA	SKU#7369068 (Foremost # TL-2100-*L)	1,000	SPS	WS	1	2	*	S	*	*						HET	F
13-131	Rona	HET TTG RF	SKU#7369128 (Foremost #TL-7600HC-HETR) (Fluidmaster tank trim)	1,000	WS	WS	2	3		R	*							HET	F
13-128	Rona	Iris EL	SKU#7369070 (Foremost #TL-4000)	1,000	SPS		1	3		E		*							F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
12-017	Seasons (HD Supply)	Dual Flush EL ADA	SE 10056 bowl, SE10055 tank (Same as Foremost AIOB1000-E bowl, AIOB1000 tank; also HD Supply Facilities Maint Nos. 564852 and 564851, respectively)	1,000	WS	WS	2	*	F	*				*	HET			F	
13-022	St Thomas Creations	Arlington EL ADA	6119.130 (one-piece)	1,000	SPS		1	3	F	*	*							F	
13-021	St Thomas Creations	Arlington II EL ADA	6119.030: 6119.033 bowl, 6119.024 tank	1,000	SPS		2	3	F	*	*							F	
13-020	St Thomas Creations	Barrymore II EL ADA	6171.030: 6171.033 bowl, 6171.024 tank	1,000	SPS		2	3	F	*	*							F	
13-051	St Thomas Creations	Celebration EL ADA	6131.130 (one-piece)	1,000	SPS		1	3	F	*	*							F	
13-018	St Thomas Creations	Malibu EL ADA	6116.130 (one-piece)	1,000	SPS		1	3	F	*	*							F	
13-017	St Thomas Creations	Palermo EL ADA	6006.130 (one-piece)	1,000	SPS		1	3	F	*	*							F	
13-025	St Thomas Creations	Palermo EL ADA	6137.030: 6137.033 bowl, 6137.024 tank	1,000	SPS		2	3	F	*	*							F	
13-026	St Thomas Creations	Palermo RF ADA	6137.310: 6137.313 bowl, 6137.024 tank	1,000	SPS		2	3	R	*	*							F	
13-019	St Thomas Creations	Presley EL ADA	6401.030: 6401.033 bowl, 6401.024 tank	1,000	SPS		2	3	F	*	*							F	
13-052	St Thomas Creations	Richmond/Neo-Venetian II EL ADA	6125.130 OR 6123.130 (one-piece)	1,000	SPS		1	3	F	*	*							F	
13-023	St Thomas Creations	Richmond/Neo-Venetian II EL ADA	6125.030: 6123.033 bowl, 6125.024 tank	1,000	SPS		2	3	F	*	*							F	
11-110	Tynan Plumbing	MacLair EL	4313: 0313 bowl, 1330FET3 tank	1,000	SPS		2	3	F		*							F	
11-109	Tynan Plumbing	MacLair RF	4312: 0312 bowl, 1330FET3 tank	1,000	SPS		2	3	R		*							F	
12-035	Villeroy & Boch	Strada EL	5W00-01: 5C00-01 bowl, 5D01-U1 tank	1,000	SPS		2	3	F		*							F	
6-609	VitrA	Corina Comfort EL ADA	5232 bowl, 5070 tank	1,000	SPS		2	3	F	*	*							F	
12-128	Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	WS	WS	2	3	F	*							HET	F	
13-033	Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	1,000	WS	WS	2	3	F	*							HET	F	
10-050	Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	SPS	WS	2	-	*	F	*	*			HET			F	
8-553	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	SPS	WS	2	-		F	*					HET		F	
15-048	Western Pottery	None EL ADA	872HET: B872 bowl, T8-HET tank	1,000	SPS	WS	2	2.5		F	*					HET		F	
10-138	Western Pottery	Typhoon 820 RF	820: B820 bowl, T8ULF-HP tank	1,000			2	3	R		*							F	
10-140	Western Pottery	Typhoon 870 EL ADA	870: B870 bowl, T8ULF-HP tank	1,000			2	3	F	*	*							F	
10-142	Western Pottery	Wrangler EL	432PF: B432PF bowl, T4ULF-PF tank	1,000	SPS		2	-		F			*					F	
10-141	Western Pottery	Wrangler EL ADA	472PF: B472PF bowl, T4ULF-PF tank	1,000	SPS		2	-		F	*		*					F	
10-117 & 12-120	Western Pottery	Wrangler One EL	B432PF-1: 432 PF bowl, ULF-T4 tank (1.0 gpf)	1,000	SPS	WS	2	-		F						HET		F	
6-639	Zurn	EcoVantage Dual Flush EL ADA	Z5562: Z5560 bowl, Z5562 tank	1,000	SPS	WS	2	-	*	F	*		*		HET			F	
6-640	Zurn	EcoVantage EL ADA	Z5560	1,000	SPS		2	-	*	F	*		*					F	
6-638	Zurn	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	1,000	SPS	WS	2	-	*	F	*					HET		F	
8-510	Zurn	EL	Z-HPT/Z5552: Z5552 bowl; Z5551 tank	1,000	SPS		2	3		F		*						F	

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																			
Model Name	Model Number																		
The High-Efficiency Toilet (HET) fixtures below this line have been certified by independent laboratories as meeting all of the requirements of the U.S. EPA WaterSense Program. Among other provisions, each fixture has met the requirement for the complete flush and removal of 350 grams of test media (soy bean paste). HOWEVER, THESE FIXTURES HAVE NOT YET BEEN SUBJECTED TO THE FULL MaP TEST AND, AS SUCH, A MaP SCORE IS NOT AVAILABLE.																			
WS-15	American Standard	Cadet 3 Flowise EL	2431.128: 3046.128 bowl, 4019.128 tank	NM	WS	WS	2			E								HET	F
WS-15	American Standard	Cadet 3 Flowise EL	2447.128: 3046.128 bowl, 4019.128 tank ('COMPLETE' version; includes bowl, tank, seat & installation mats as one item)	NM	WS	WS	2			E								HET	F
WS-14	American Standard	Cadet Flowise EL	2462.100: 3481.100 bowl, 4142.100 tank	NM	WS	WS	2	-	*	E								HET	F
WS-14	American Standard	Cadet Flowise EL ADA	2467.100: 3483.100 bowl, 4142.100 tank	NM	WS	WS	2	-	*	E	*							HET	F
WS-14	American Standard	Yorkville EL	2876.100: 3701.100 bowl, 4142.100 tank	NM	WS	WS	2	-	*	E								HET	R F
WS-14	American Standard	Yorkville EL ADA	2878.100: 3703.100 bowl, 4142.100 tank	NM	WS	WS	2	-	*	E	*							HET	R F
WS-12	Axent-Regatta Water Co.	None EL ADA	AT1203-xx	NM	WS	WS	2			E	*							HET	F
WS-15	Axent-Regatta Water Co.	None RF	AT1201-xx	NM	WS	WS	2			R								HET	F
WS-12	Briggs	None EL	4208: 4375 bowl, 4484 tank	NM	WS	WS	2			E		*						HET	F
WS-12	Briggs	None RF	4207: 4370 bowl, 4484 tank	NM	WS	WS	2			R		*						HET	F
	Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	NM	WS	WS	2	-	*	R		*						HET	F
	Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	NM	WS	WS	2	-	*	R	*	*						HET	F
	Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	NM	WS	WS	2	-	*	R		*						HET	F
	Caroma	Royale 305 EL	609130 bowl, 629530 tank	NM	WS	WS	2	-	*	E		*						HET	F
	Caroma	Royale 305 RF	609151 bowl, 624530 tank	NM	WS	WS	2	-	*	R		*						HET	F
WS-13	Ceramica Industrial De Taubate Ltd	Nina EL	111: bowl model unknown, 815 tank	NM	WS	WS	2			E								HET	F
WS-13	Ceramica Industrial De Taubate Ltd	Twister EL	151: 151 bowl, 855 tank	NM	WS	WS	2			E								HET	F
WS-13	Ceramica Industrial De Taubate Ltd	Twister RF	150: 150 bowl, 855 tank	NM	WS	WS	2			R								HET	F
WS-14	Cerapure Industries	None EL	CT-3008	NM	WS	WS	2			E								HET	F
WS-14	Cerapure Industries	None EL ADA	CT-6008D	NM	WS	WS	2		*	E	*							HET	F
WS-12	Cerapure Industries	None EL ADA (one-piece)	C-3432D	NM	WS	WS	1		*	E	*	*						HET	F
WS-14	Cerapure Industries	None RF	CT-3007	NM	WS	WS	2			R								HET	F
WS-11	Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	NM	WS	WS	2	3		R								HET	F
WS	Crane	Eco Saratoga Dual RF	31970: 3352 bowl, 31960 tank	NM	WS	WS	2			R								HET	F
WS	Crane	Eco Saratoga EL	31980: 3372 bowl, 31960 tank	NM	WS	WS	2			E								HET	F
WS	Crane	Eco Saratoga EL	31986: 3372 bowl, 31966 tank (insulated)	NM	WS	WS	2			E								HET	F
WS	Crane	Eco Saratoga RF	31976: 3352 bowl, 31966 tank (insulated)	NM	WS	WS	2			R								HET	F
WS	Crane	Ecomiser Dual EL	38370: 3827 bowl, 31500 tank	NM	WS	WS	2	-	*	E				*				HET	R F
WS	Crane	Ecomiser Dual EL ADA	38400: 3830 bowl, 31500 tank	NM	WS	WS	2	-	*	E	*			*				HET	R F
WS-15	Dolphin Plumbing Industrial	None	L1315E346	NM	WS	WS	1			E								HET	
WS-15	Dolphin Plumbing Industrial	None	Z15R15 bowl, S17246 tank	NM	WS	WS	2			R								HET	

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
WS-15	Dolphin Plumbing Industrial	None	Z15E15 bowl, S17246 tank	NM	WS	WS	2			E						HET			
WS-15	Dolphin Plumbing Industrial	None	Z15E16 bowl, S17246 tank	NM	WS	WS	2			E						HET			
WS-15	Dolphin Plumbing Industrial	None	Z15E15 bowl, S17248 tank	NM	WS	WS	2			E								HET	
WS-15	Dolphin Plumbing Industrial	None	Z15R15 bowl, S17248 tank	NM	WS	WS	2			R								HET	
WS-15	Dolphin Plumbing Industrial	None	Z15R16 bowl, S17248 tank	NM	WS	WS	2			R								HET	
WS-13	Duravit	D-Code	011701 bowl, 092720 tank	NM	WS	WS	2											HET	F
WS-15	Duravit	D-Code (one-piece)	011301 (one-piece)	NM	WS	WS	1											HET	F
WS-13	Duravit	Happy D	017009 bowl, 091010 tank	NM	WS	WS	2					*				HET			F
WS-15	Duravit	Happy D EL	011201 bowl, 092910 tank	NM	WS	WS	2			E								HET	F
WS-13	Duravit	Starck 3	012809 bowl, 092010 tank	NM	WS	WS	2					*				HET			F
WS-13	Duravit	Starck X	220409 bowl, used with in-wall tank	NM	WS	WS	2			S	*	*				HET		R	W
WS-13	Duravit	Vero	211609 bowl, 090910 tank	NM	WS	WS	2					*				HET			F
WS-13	Duravit	Vero	211709 bowl, 109.304 in-wall tank (Geberit)	NM	SPS	WS	2	2		S		*				HET			F
WS-15	Duravit	Vero EL	210301 (one-piece)	NM	WS	WS	1			E								HET	F
WS-15	Foremost	None EL (lined tank)	TL-8295-*L: LL-8295 bowl, T-8295 tank (lined)	NM	WS	WS	2			E								HET	F
WS-15	Foremost	None EL	A01-803807-E: LL-807-E bowl, T1-803 tank	NM	WS	WS	2			E								HET	F
WS-15	Foremost	None RF	A01-803807-R: LL-807-R bowl, T1-803 tank	NM	WS	WS	2			R								HET	F
WS-13	Greentide - CE Union International	None	6810H: X-6810H bowl, T-6810H tank	NM	WS	WS	2		*	R						HET			F
WS-13	Greentide - CE Union International	None	6810H-S: X-6810HS bowl, T-6810HS tank	NM	WS	WS	2			R								HET	F
WS-13	Greentide - CE Union International	None	6811H: X-6811H bowl, T-6811H tank	NM	WS	WS	2		*	E						HET			F
WS-13	Greentide - CE Union International	None	6811H-S: X-6811HS bowl, T-6810HS tank	NM	WS	WS	2			E								HET	F
WS-15	Greentide - CE Union International	None EL (one-piece)	0907 (one-piece)	NM	WS	WS	1			E						HET			F
WS-15	Hali Industries	None EL	2211	NM	WS	WS	2			E								HET	F
WS-15	Hali Industries	None EL	2212	NM	WS	WS	2			E						HET			F
WS-15	Hali Industries	None EL (one-piece)	0907 (one-piece)	NM	WS	WS	1			E						HET			F
WS-15	Hali Industries	None RF	2102	NM	WS	WS	2			R						HET			F
WS-15	Hali Industries	None RF (one-piece)	2101 (one-piece)	NM	WS	WS	1			R								HET	F
WS-15	HCG	None	CS1004: C1003-3 bowl, S1004-3 tank	NM	WS	WS	2												
WS-15	HCG	None	C2002 bowl, S140-3 tank	NM	WS	WS	2												
WS-15	HCG	None	C6811 bowl, S140-3 tank	NM	WS	WS	2												
WS-15	HCG	None	C6816 bowl, S140-3 tank	NM	WS	WS	2												
WS-14	Home Depot - Glacier Bay	Pegasus RF	Home Depot SKUs 779-923: 779-923B bowl, 779-923T tank	NM	WS	WS	2			R								HET	F
WS-14	Home Depot - Glacier Bay (by Foremost)	Glacier Bay RF	HD SKU 535-904 - UPC bar code 721015414346: LL-7600-HETR bowl, T-7600-HET-YL tank	NM	WS	WS	2			R								HET	F
WS-15	Home Depot (by Foremost)	Glacier Bay EL	HD SKU 780-036	NM	WS	WS	2			E								HET	F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.		Model Name	Model Number																
WS-15	Kohler	Barrington Pressure Lite EL ADA	K-3578: 4305 bowl, 4484 tank	NM	WS	WS	2			E	*						HET		F
WS-12	Kohler	Fountainhead Power Lite EL ADA	K-3524 (one piece)	NM	WS	WS	1			E	*			*			HET		F
WS-15	Kohler	None	K-11813: 4309 bowl, 4421 tank	NM	WS	WS											HET		F
WS-15	Kohler	None	K-11844: 4306 bowl, 4469 tank	NM	WS	WS											HET		F
WS-15	Kohler	None	K-3755: 4306 bowl, 4469 tank	NM	WS	WS	2			E							HET		F
WS-15	Kohler	Reve EL	K-3797	NM	WS	WS	1			E							HET		F
WS-15	Kohler	San Raphael Power Lite EL ADA (one-piece)	K-3607 (one-piece) NOTE: This is a powered toilet with two flush volume settings.	NM	WS	WS	1			E	*						HET		F
WS	Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	NM	WS	WS	2	-	*	R		*					HET		F
WS	Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	NM	WS	WS	2	-	*	E		*					HET		F
15-055	Kohler	Strela EL ADA	K-3598	NM	WS	WS	2			E	*						HET		F
WS-15	Kohler	Wellworth	K-3577: 4179 bowl, 4436 tank	NM	WS	WS													
WS-15	Kohler	Wellworth Class 5 EL	K-3575: 4198 bowl, 4436 tank	NM	WS	WS	2												F
WS-15	Laufen Bathrooms	Alessi Dot (wall-mount)	8.2090.0 wall-mount bowl used with Geberit 111.335 system	NM	WS	WS	2												
WS-15	Laufen Bathrooms	Alessi Floor	8.2297.6 bowl, 8.2697.1 tank	NM	WS	WS	2												F
WS-15	Laufen Bathrooms	Form	8.2367.6 bowl, 8.2767.3 tank	NM	WS	WS	2												
WS-15	Laufen Bathrooms	Laufen	8.2495.8 bowl, 8.2695.3 tank	NM	WS	WS	2												
WS-15	Laufen Bathrooms	Mylife	8.2294.3 bowl, 8.2694.1 tank	NM	WS	WS	2												
WS-15	Laufen Bathrooms	Mylife (wall-mount)	8.2094.6 wall-mount bowl used with Geberit 111.335 dual flush system	NM	WS	WS	2										HET		R W
WS-15	Laufen Bathrooms	Palomba	8.2480.6 bowl, 8.2880.3 tank	NM	WS	WS	2												F
WS-15	Laufen Bathrooms	Pro (wall-mount - compact)	2095.2: 8.2095.2 wall-mount bowl used with Geberit 111.335 dual flush system	NM	WS	WS	2										HET		R W
WS-15	Laufen Bathrooms	Pro (wall-mount)	2095.0: 8.2095.0 wall-mount bowl used with Geberit 111.335 dual flush system	NM	WS	WS	2										HET		R W
WS-15	Lowe's (by Axent)	Aquasource EL ADA	98923	NM	WS	WS				E	*							HET	F
WS-15	Lowe's (by Axent)	Aquasource EL ADA	312795	NM	WS	WS				E	*							HET	F
WS-15	Lowe's (by Axent)	Aquasource RF	12293	NM	WS	WS				R								HET	F
WS-15	Lowe's (by Foremost)	Aquasource EL	005905	NM	WS	WS	2			E								HET	F
WS-15	Lowe's (by Foremost)	Aquasource EL	0061042	NM	WS	WS	2			E								HET	F
WS-15	Lowe's (by Foremost)	Aquasource RF	0104502	NM	WS	WS	2			R								HET	F
WS-15	Lowe's (by Quality Craft)	Aquasource	9311K (one-piece)	NM	WS	WS	1											HET	F
WS-15	Lowe's (by Tangshan Monopy)	None EL (one-piece)	SKU#0164903 (one-piece)	NM	WS	WS	1			E								HET	F
WS-13	OPS - Original Pacific Supply	None EL	T/X-6688E: T-6688E bowl, X-6688 tank	NM	WS	WS	2			E		*						HET	F
WS-15	OPS - Original Pacific Supply	None EL	T/X-66892E: T-66892E bowl, X-66892 tank	NM	WS	WS	2			E								HET	F
WS-15	OPS - Original Pacific Supply	None EL	T/X-66892H: T-66892H bowl, X-66892 tank	NM	WS	WS	2			E								HET	F
WS-13	OPS - Original Pacific Supply	None EL ADA	T/X-6688H: T-6688H bowl, X-6688 tank	NM	WS	WS	2			E	*	*						HET	F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																			
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																			
Model Name	Model Number																		
WS-13	OPS - Original Pacific Supply	None RF	T/X-6688: T-6688 bowl, X-6688 tank	NM	WS	WS	2			R		*				HET			F
WS-15	OPS - Original Pacific Supply	None RF	T/X-66892: T-66892 bowl, X-66892 tank	NM	WS	WS	2			R						HET			F
WS-15	Orion	Forté EL	50320 bowl, 5129 tank	NM	SPS	WS	2			E	*						HET		
WS-12	Orion	Green Sense RF	50299 bowl, 51299 tank	NM	SPS	WS	2			R							HET		F
WS-12	PROFLO	None EL	PF9201 bowl; PF9212 tank	NM	WS	WS	2			E		*				HET			F
WS-12	PROFLO	None RF	PF9200 bowl; PF9212 tank	NM	WS	WS	2			R		*				HET			F
WS-15	Quality Craft	None (one-piece)	9311 (one-piece) (NOTE: Also sold as Combination Toilet in a Box 9311KQ with installation accessories)	NM	WS	WS	1										HET		F
WS-13	Seasons (HD Supply)	None EL	SE10040 bowl, SE10039 tank (Same as Foremost HET 7600 elongated bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564832, respectively)	NM	WS	WS	2			E							HET		F
WS-15	Seasons (HD Supply)	None EL	564-833 bowl, 564-832 tank	NM	WS	WS	2			E							HET		F
WS-15	Seasons (HD Supply)	None EL	564-852 bowl, 564-851 tank	NM	WS	WS	2			E						HET			
WS-13	Seasons (HD Supply)	None RF	SE10041 bowl, SE10039 tank (Same as Foremost HET 7600 round bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564833, respectively)	NM	WS	WS	2			R							HET		F
WS-13	Tangshan - Ayers Bath	None EL	UAC1303BS-AA bowl, UAT1304-AA tank	NM	WS	WS	2			E							HET		F
WS-13	Tangshan - Ayers Bath	None RF (one-piece)	UAC1003BS-AA (one-piece)	NM	WS	WS	1			R							HET		F
WS-15	Tangshan Monopy Ceramics	None EL (one-piece)	104 (one-piece)	NM	WS	WS	1			E							HET		F
WS-15	Tangshan Monopy Ceramics	None EL (one-piece)	104B (one-piece)	NM	WS	WS	1			E							HET		F
WS-15	Tangshan Monopy Ceramics	None RF (one-piece)	102B (one-piece)	NM	WS	WS	1			R							HET		F
WS-15	Toto	Aquia EL (one-piece)	CT418FG (one-piece)	NM	WS	WS	1			E						HET			F
WS-15	Toto	Aquia EL (one-piece)	CT412MF (one-piece)	NM	WS	WS	1			E						HET			F
WS-15	Toto	Aquia EL (one-piece)	CT412MF.10 (one-piece)	NM	WS	WS	1			E						HET			F
WS-15	Toto	EcoDrake EL	CST744EF.10: C744EF.10 bowl, ST743E tank	NM	WS	WS	2			E							HET		F
WS-13	Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	NM	WS	WS	1	3		E							HET		F
WS-15	Unison Ridge Limited	None	BT-08R-46	NM	WS	WS													
WS-15	Unison Ridge Limited	None	BT-08E-46	NM	WS	WS													
WS-15	Unison Ridge Limited	None	BT-16E-46	NM	WS	WS													
WS-15	Unison Ridge Limited	None	UB1415R bowl, UT14248 tank	NM	WS	WS	2			R									
WS-15	Unison Ridge Limited	None	UB1516E bowl, UT10348 tank	NM	WS	WS	2			E									
WS-15	Villeroy & Boch	Arlington EL ADA	6119.230: 6119.033 bowl, 6119.028 tank	NM	WS	WS	2			E	*						HET		
WS-15	Villeroy & Boch	Arlington EL ADA (one-piece)	6119.128 (one-piece)	NM	WS	WS	1			E	*						HET		
WS-15	Villeroy & Boch	Arlington RF	6119.120: 6119.130 bowl, 6119.028 tank	NM	WS	WS	2			R							HET		
WS-15	Villeroy & Boch	Aveo EL	6612 10 XX	NM	WS	WS				E							HET	R	W
WS-15	Villeroy & Boch	Barrymore ADA	6171.230: 6171.033 bowl, 6171.028 tank	NM	WS	WS	2										HET		

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered		
		500 grams and more																	
		Type/technology of toilet fixture																	
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																			
Gravity-fed & Vacuum-assist																			
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																			
Model Name	Model Number																		
WS-15	Villeroy & Boch	Bellevue EL	5664 10	NM	WS	WS				E									
WS-15	Villeroy & Boch	Bellevue EL	5666 11 bowl, 5764 U1 tank	NM	WS	WS	2			E						HET			F
WS-15	Villeroy & Boch	Celebration EL ADA (one-piece)	6131.128 (one-piece)	NM	WS	WS	1			E	*						HET		
WS-15	Villeroy & Boch	Century EL	6653 10	NM	WS	WS				E							HET	R	W
WS-15	Villeroy & Boch	Hommage EL	6661 10	NM	WS	WS				E							HET	R	W
WS-15	Villeroy & Boch	Hommage EL	6662 11 bowl, 7721 U1 tank	NM	WS	WS	2			E						HET			F
WS-15	Villeroy & Boch	Malibu EL ADA	6116.128 (one-piece)	NM	WS	WS	1			E	*						HET		
WS-15	Villeroy & Boch	Malibu RF ADA	6116.213 (one-piece)	NM	WS	WS	1			R	*						HET		
WS-15	Villeroy & Boch	Neo-Venetian EL ADA	6123.128 (one-piece)	NM	WS	WS	1			E	*						HET		
WS-15	Villeroy & Boch	Neo-Venetian EL ADA	6123.210: 6123.013 bowl, 6123.028 tank	NM	WS	WS	2			E	*						HET		
WS-15	Villeroy & Boch	Neo-Venetian EL ADA	6123.230: 6123.033 bowl, 6123.028 tank	NM	WS	WS	2			E	*						HET		
WS-15	Villeroy & Boch	Oblic EL	6664 1L	NM	WS	WS				E							HET	R	W
WS-15	Villeroy & Boch	Oblic EL	6664 1R	NM	WS	WS				E							HET	R	W
WS-15	Villeroy & Boch	Palermo EL ADA	6137.230: 6137.033 bowl, 6137.028 tank	NM	WS	WS	2			E	*						HET		
WS-15	Villeroy & Boch	Palermo EL ADA (one-piece)	6006.128 (one-piece)	NM	WS	WS	1			E	*						HET		
WS-15	Villeroy & Boch	Palermo RF ADA	6137.213: 6137.313 bowl, 6137.028 tank	NM	WS	WS	2			R	*						HET		
WS-15	Villeroy & Boch	Presley EL ADA	6401.230: 6401.033 bowl, 6401.028 tank	NM	WS	WS	2			E	*						HET		
WS-15	Villeroy & Boch	Presley EL ADA (one-piece)	6401.128 (one-piece)	NM	WS	WS	1			E	*						HET		
WS-15	Villeroy & Boch	Pure Stone EL	5670 10	NM	WS	WS				E							HET	R	W
WS-15	Villeroy & Boch	Richmond EL ADA	6125.230: 6123.033 bowl, 6125.028 tank	NM	WS	WS	2			E	*						HET		
WS-15	Villeroy & Boch	Richmond EL ADA (one-piece)	6125.128 (one-piece)	NM	WS	WS	1			E	*						HET		
WS-15	Villeroy & Boch	Richmond RF	6125,210: 6123.013 bowl, 6125.028 tank	NM	WS	WS	2			R							HET		
WS-15	Villeroy & Boch	Sentique EL	5622 10	NM	WS	WS				E							HET	R	W
WS-15	Villeroy & Boch	Sentique EL	5625 11 bowl, 5722 U1 tank	NM	WS	WS	2			E						HET			F
WS-15	Villeroy & Boch	Subway EL	6600 10	NM	WS	WS				E							HET	R	W
WS-14	Villeroy & Boch	Subway EL	6610.10 bowl, 7723-U1 tank	NM	WS	WS	2			E		*				HET			
WS-15	Villeroy & Boch	Twist EL	5C10	NM	WS	WS	1			E							HET		F
WS-15	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5400 tank	NM	WS	WS	2			E	*						HET		F
WS-15	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5404 tank	NM	WS	WS	2			E	*						HET		F
WS-15	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5400 tank	NM	WS	WS	2			R	*						HET		F
WS-15	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5404 tank	NM	WS	WS	2			R	*						HET		F
	Vortens-Lamosa	Dali EL	5101 bowl, 5201 tank	NM	WS	WS	2			E		*				HET			F
	Vortens-Lamosa	Delfos	3130	NM	WS	WS	1					*				HET			F
WS-14	Vortens-Lamosa	Dominic Victory RF	3209 bowl, 3472 tank	NM	WS	WS	2			R		*				HET			F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP column & score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustain-ability (adjustability maximum)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	1.6G (6L) Vacuum-Assist	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		250 grams to 475 grams	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.												Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed & Powered			
		500 grams and more																		
		Type/technology of toilet fixture																		
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																		
		4-L (1.1-gal) Pressure-assist (HET)																		
		Gravity-fed & Vacuum-assist																		
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																		
	Model Name	Model Number																		
WS-14	Vortens-Lamosa	Dominic EL	3113 bowl, 3472 tank	NM	WS	WS	2			E		*					HET			F
WS-14	Vortens-Lamosa	Dominic EL ADA	3123 bowl, 3472 tank	NM	WS	WS	2			E	*	*					HET			F
WS-14	Vortens-Lamosa	Dominic RF	3208 bowl, 3472 tank	NM	WS	WS	2			R		*					HET			F
	Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	NM	SPS	WS	2	-		E								HET		F
WS-14	Vortens-Lamosa	Tornado EL	3138 bowl, 3471 tank	NM	WS	WS	2			E	*								HET	F
WS-14	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3471 tank	NM	WS	WS	2			E									HET	F
WS-12	Vortens-Lamosa	Vienna ELX	3113 bowl, 3420 tank	NM	WS	WS	2		*	E							HET			F
	Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	NM	SPS	WS	2		*	R		*					HET			F
WS-12	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3420 tank	NM	WS	WS	2		*	R		*					HET			F
WS-15	WaterRidge-Milim G&G Ceramics	None	C531222 bowl, C600152 tank	NM	WS	WS	2												HET	
WS-14	WaterRidge-Milim G&G Ceramics	None EL	C21075C: C531082 bowl, C600137 tank	NM	WS	WS	2			E		*					HET			F
WS-15	Western Pottery	None	B422PF-1: 422PF bowl, T-4ULF-PF tank (1.0 gpf)	NM	WS	WS	2	-										HET		F
WS-15	Western Pottery	None	B422PF-1-28: 422PF bowl, T-4ULF-PF tank (1.28 gpf)	NM	WS	WS	2	-										HET		F
WS-15	Western Pottery	Wrangler EL	472PF-1: 472PF bowl, T-4ULF-PF tank (1.0 gpf)	NM	WS	WS	2	-		E								HET		F
WS-15	Western Pottery	Wrangler EL	472PF-1-28: 472PF bowl, T-4ULF-PF tank (1.28 gpf)	NM	WS	WS	2	-		E								HET		F
WS-15	Western Pottery	Wrangler EL	B432PF-1-28: 432 PF bowl, ULF-T4 tank (1.28 gpf)	NM	WS	WS	2	-		E								HET		F
WS-13	Xiamen Lota International Co.	None EL	CT-123: CF-123 bowl, TA-123 tank	NM	WS	WS	2			E									HET	F
WS-14	Xiamen Lota International Co.	None EL	582601 bowl, 582602 tank	NM	WS	WS	2			E									HET	
WS-14	Xiamen Lota International Co.	None EL	582603 bowl, 582604 tank	NM	WS	WS	2			E									HET	
WS-13	Xiamen Lota International Co.	None EL	CT-113: CF-113 bowl, TA-113 tank	NM	WS	WS	2			E									HET	F
WS-12	Zurn	EcoVantage Dual Flush RF	Z5577: Z5575 bowl, Z5562 tank	NM	WS	WS	2			R				*			HET			F
WS-12	Zurn	EcoVantage RF	Z5576: Z5575 bowl, Z5561 tank	NM	WS	WS	2	-	*	R								HET		F

Notes: RF – Round-front toilet bowl
EL – Elongated-front toilet bowl
S - Special bowl design

ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.

NM - Not measured: WaterSense-certified fixtures that were not Maximum Performance (MaP) tested; these fixtures meet the minimum 350 gram waste removal threshold

WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense

SPS - Qualified to the Los Angeles Supplementary Purchase Specification for flush volume adjustability

G - Gallons per Flush

L - Litres per Flush

RN - Renewed Listing