

# Maximum Performance (MaP) of High-Efficiency Toilet Fixtures

Single-Flush Gravity-Fed HETs ONLY

Revisions to the 14th Edition listing are noted below with a blue block on the right margin → →

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	KEY: Flush performance (MaP column & score)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
15-040	American Standard	Boulevard EL ADA (one-piece)	2891.128 (one-piece)	1,000	WS	1	3	E	*		F
WS-15	American Standard	Cadet 3 Flowise EL	2431.128: 3046.128 bowl, 4019.128 tank	NM	WS	2		E			F
WS-15	American Standard	Cadet 3 Flowise EL	2447.128: 3046.128 bowl, 4019.128 tank ('COMPLETE' version; includes bowl, tank, seat & installation matls as one item)	NM	WS	2		E			F
12-108	American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	WS	2	3	E			F
WS-15	American Standard	Cadet 3 FloWise EL (10" rough-in)	2833.128: 3014.128 bowl, 4019.128 tank	1,000	WS	2	3	E			F
15-137	American Standard	Cadet 3 FloWise EL (10" rough-in)	3379.128: 3014.128 bowl, 4019.128 tank	1,000	WS	2	3	E			F
14-052	American Standard	Cadet 3 Flowise EL (lined tank)	2832.513: 3014.128 bowl, 4021.513 tank(lined)	1,000	WS	2	3	E			F
12-107 & 12-114	American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	WS	2	3	E	*		F
15-134	American Standard	Cadet 3 FloWise EL ADA	2836.128: 3016.128 bowl, 4019.128 tank	1,000	WS	2	3	E	*		F
14-054	American Standard	Cadet 3 Flowise EL ADA (lined tank)	2835.513: 3016.128 bowl, 4021.513 tank(lined)	1,000	WS	2	3	E	*		F
14-055	American Standard	Cadet 3 Flowise EL ADA (one-piece; lined tank)	2403.513 (one piece; lined tank)	1,000	WS	1	3	E	*		F
12-101	American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	WS	2	3	R			F
14-053	American Standard	Cadet 3 Flowise RF (lined tank)	2829.513: 3011.128 bowl, 4021.513 tank(lined)	1,000	WS	2	3	R			F
14-130	American Standard	Cadet 3 Flowise RF ADA	2758.128: 3005.128 bowl, 4021.128 tank	1,000	WS	2	3	R	*		F
15-041	American Standard	Cadet 3 FloWise RF ADA	3377.128: 3005.128 bowl, 4021.128 tank	1,000	WS	2	3	R	*		F
15-132	American Standard	Cadet 3 FloWise RF ADA (lined tank)	2758.513: 3005.128 bowl, 4021.513 tank (lined)	1,000	WS	2	3	R	*		F
10-127	American Standard	Compact Cadet 3 FloWise EL ADA	SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)	1,000	WS	1	3	E	*		F
10-021	American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	WS	2	3	E			F
15-043	American Standard	FloWise EL ADA COMPLETE	3378.128: 3016.128 bowl, 4021.128 tank	1,000	WS	2	3	E	*		F
15-123	American Standard	Flowise RF	2880.128: 3011.128 bowl, 4021.128 tank	1,000	WS	2	3	R			F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:
												Flush performance (MaP column & score)
												250 grams to 475 grams
												500 grams and more
												NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.
13-089	American Standard	Mainstream FloWise RF	3468.128: sold as a COMPLETE package, which includes bowl, tank, seat, & installation mat's as one item or SKU. Includes 3061.428 bowl, 4061.428 tank	800	WS	2	2	R			F	
15-128	American Standard	Town Square EL ADA (one-piece)	2847.128 (one-piece)	1,000	WS	1	3	E	*		F	
15-030	American Standard	Tropic EL ADA (one-piece)	2786.128 (one-piece)	1,000	WS	1	3	E	*		F	
14-076	AquaSource (Lowe's)	HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	WS	2	3	E	*		F	
14-115	AquaSource (Lowe's)	HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	700		2	3	E	*		F	
WS-12	Axent-Regatta Water Co.	None EL ADA	AT1203-xx	NM	WS	2		E	*		F	
WS-15	Axent-Regatta Water Co.	None RF	AT1201-xx	NM	WS	2		R			F	
14-049	Cascadian	Regal/Toscano EL ADA	C930 bowl, T901 tank	1,000	WS	2	3	E	*		F	
WS-13	Ceramica Industrial De Taubate Ltd	Nina EL	111: bowl model unknown, 815 tank	NM	WS	2		E			F	
WS-13	Ceramica Industrial De Taubate Ltd	Twister EL	151: 151 bowl, 855 tank	NM	WS	2		E			F	
WS-13	Ceramica Industrial De Taubate Ltd	Twister RF	150: 150 bowl, 855 tank	NM	WS	2		R			F	
15-054	Cerapure Industries	None RF ADA (one-piece)	102B	600		1		R	*		F	
WS-14	Cerapure Industries	None RF	CT-3007	NM	WS	2		R			F	
WS-14	Cerapure Industries	None EL	CT-3008	NM	WS	2		E			F	
14-079	Chelini	Cabot RF ADA	B1516R bowl, T10348 tank (lined tank)	800	WS	2	3	R	*		F	
14-020	Chelini	Cabot EL ADA	B1516E bowl, T10348 tank (lined tank)	1,000	WS	2	3	E	*		F	
14-046	Chelini	Bournelli RF	B1415R bowl, T14248 tank (lined tank)	500	WS	2	2	R			F	
WS-15	Cobban Enterprises	None	B1415R bowl, T14248 tank (lined tank)	500	WS	2	2	R			F	
WS-15	Cobban Enterprises	None	B1516E bowl, T10348 tank (lined tank)	1,000	WS	2	3	E	*		F	
WS-15	Cobban Enterprises	None	B1516R bowl, T10348 tank (lined tank)	800	WS	2	3	R	*		F	
13-126	Contrac	Captiva EL ADA	4710BIV	800	WS	1	3	E	*		F	
13-127	Contrac	Carter EL ADA	4720BIV: bowl and tank nos. not provided	550	WS	2	3	E	*		F	
14-065	Contrac	Cain EL (lined tank)	5720BEV: B5720BEV bowl, T5720BEV tank (lined)	800	WS	2	3	E			F	

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP column & score)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Make	Model Name	Model Number								
		250 grams to 475 grams									
		500 grams and more									
		NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									
14-066	Contrac	Calum RF (lined tank)	5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	WS	2	3	R			F
14-071	Contrac	None EL ADA (lined tank)	5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	WS	2	3	E	*		F
15-162	Copperfit	None EL ADA	T3511: TB3511 bowl, TK3511 tank	450	WS	2	3	E	*		F
15-163	Copperfit	None EL ADA	T3512: TB3512 bowl, TK3512 tank	400	WS	2	3	E	*		F
15-161	Copperfit	None RF	T3513: TB3513 bowl, TK3513 tank	450	WS	2	3	R			F
11-004	Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	2	3	R			F
WS-11	Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	NM	WS	2	3	R			F
12-107 & 12-114D	Crane	Eco Opus III EL ADA	2386328: 3016.328 bowl, 4021.328 tank;	1,000	WS	2	3	E	*		F
14-054D	Crane	Eco Opus III EL ADA (lined tank)	2386358: 3016.328 bowl, 4021.358 tank (lined)	1,000	WS	2	3	E	*		F
12-101D	Crane	Eco Opus III RF	2384328: 3011.328 bowl, 4021.328 tank	800	WS	2	3	R			F
14-053D	Crane	Eco Opus III RF (lined tank)	2384358: 3011.328 bowl, 4021.358 tank(lined)	1,000	WS	2	3	R			F
14-052D	Crane	Eco Opus III EL (lined tank)	2383358: 3014.328 bowl, 4021.358 tank(lined)	1,000	WS	2	3	E			F
12-108D	Crane	Eco Opus III EL	2383328: 3014.328 bowl, 4021.328 tank	1,000	WS	2	3	E			F
14-093	Danze	Cirtangular EL ADA	DC023330 bowl, DC022321 tank	800	WS	2	3	E	*		F
15-146	Danze	Orrington EL ADA (12" rough-in)	DC013330 bowl, DC012323 tank	800	WS	2	3	E	*		F
15-145	Danze	Orrington EL ADA (12" rough-in - one-piece)	DC011323 (one-piece)	800		1	3	E	*		F
15-147	Danze	Ziga Zaga EL ADA (12" rough-in - one-piece)	DC031321 (one-piece)	800		1	3	E	*		F
14-021	DKDC	Total Flush EL ADA	TF1000: B1000 bowl, T1000 tank	1,000		2	3	E	*		F
WS-15	Dolphin Plumbing Industrial	None	Z15E15 bowl, S17248 tank	NM	WS	2		E			
WS-15	Dolphin Plumbing Industrial	None	Z15R15 bowl, S17248 tank	NM	WS	2		R			
WS-15	Dolphin Plumbing Industrial	None	Z15R16 bowl, S17248 tank	NM	WS	2		R			
WS-13	Duravit	D-Code	O11701 bowl, O92720 tank	NM	WS	2					F
WS-15	Duravit	D-Code (one-piece)	O11301 (one-piece)	NM	WS	1					F
WS-15	Duravit	Happy D EL	O11201 bowl, O92910 tank	NM	WS	2		E			F

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP column & score)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Make	Model Name	Model Number								
			250 grams to 475 grams								
			500 grams and more								
			NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.								
WS-15	Duravit	Vero EL	210301 (one-piece)	NM	WS	1		E			F
13-089D	Eljer	Belmont RF COMPLETE	091-0800: 3061.428 bowl, 4061.428 tank	800		2	2	R			F
14-118	Foremost	None EL ADA	AIO 400E*-HET: AIO B400E bowl, AIO T400 tank	400	WS	2	3	E	*		
14-117	Foremost	None RF ADA	AIO 400R*-HET: AIO B400R bowl, AIO T400 tank	500	WS	2	3	R	*		
WS-15	Foremost	None RF	AO1-803807-R: LL-807-R bowl, T1-803 tank	NM	WS	2		R			F
WS-15	Foremost	None EL	AO1-803807-E: LL-807-E bowl, T1-803 tank	NM	WS	2		E			
14-115	Foremost	AIO (All-In-One) EL ADA	AIO 7800HET-LO: AIO B7800HET-LO bowl, AIO T7800HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0061042)	700	WS	2	3	E	*		F
14-062	Foremost	None EL ADA (lined tank)	TL-10PA-HET-E (one-piece- lined tank)	600		1	3	E	*		F
13-138 & 14-108	Foremost	HET EL ADA (one-piece)	TL-10PA-HET-E (one-piece)	600	WS	1	3	E	*		F
14-063	Foremost	None EL ADA (lined tank)	TL-10PB-HET-E (one-piece- lined tank)	600	WS	1	3	E	*		F
13-137 & 14-109	Foremost	HET EL ADA (one-piece)	TL-10PB-HET-E (one-piece)	600	WS	1	3	E	*		F
14-072	Foremost	Astoria EL ADA(lined tank)	TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined)	700	WS	2	3	E	*		F
14-064	Foremost	HET EL ADA	TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank)	600	WS	2	3	E	*		F
13-139 & 14-107	Foremost	None EL ADA	TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank	500	WS	2	3	E	*		F
15-019	Foremost	None RF ADA	AO1-803807-R: LL-807-R bowl, T1-803 tank	650		2	3	R	*		F
15-020	Foremost	None EL ADA	AO1-803807-E: LL-807-E bowl, T1-803 tank	650		2	3	E	*		F
15-021	Foremost	None RF	AO2-7851-HET-R: LL-0051-R bowl, T-7800-HET tank	850	WS	2	3	R			F
15-050	Foremost	None EL ADA (lined tank)	TL-5207HC-*L2: (lined tank)	700		2	3	E	*		F
15-110	Foremost	None RF (lined tank)	TL-1207-*L2: LL-1207-*2 bowl, T-1207-*L2 tank (lined tank)	700		2	3	R			F
15-115	Foremost	None RF	AO1-203824R: LL-824R bowl, T1-203 tank	800		2	3	R			F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:
												Flush performance (MaP column & score)
												250 grams to 475 grams
												500 grams and more
												NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.
15-117	Foremost	None EL ADA	AO1-054777E: LL777E bowl, T1-054 tank	800		2	3	E	*		F	
15-121	Foremost	None RF ADA	AO1-054777R: LL-777R bowl, T1-054 tank	800		2	3	R	*		F	
14-113	Foremost	None RF (lined tank)	TL-5207-*L2: LL-5207-*2 bowl, T-5207-*L2 tank (lined)	600	WS	2	3	R			F	
13-135	Foremost	HET EL (one-piece)	TL-6100-E*N (one-piece)	500	WS	1	3	E			F	
11-086 & 13-149	Foremost	HET EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank	1,000	WS	2	3	E	*		F	
14-077	Foremost	HET EL ADA	TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T-7600HC-HET-*1 tank	600	WS	2	3	E	*		F	
13-130	Foremost	HET EL ADA (lined tank)	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	WS	2	3	E	*		F	
14-075	Foremost	HET EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim)	900	WS	2	3	E	*		F	
14-076	Foremost	HET EL ADA	TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600-HET-LO tank (Combination also sold as AquaSource-Lowe's SKU#0005905)	400	WS	2	3	E	*		F	
13-131	Foremost	HET RF ADA	TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HET tank (unlined tank) (Fluidmaster tank trim)	1,000	WS	2	3	R	*		F	
13-132	Foremost	HET RF ADA (lined tank)	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	WS	2	3	R	*		F	
14-081	Foremost	HET RF ADA (lined tank)	TL-7605HC-*L: LL-7605HC bowl, T-7605-*L tank (lined tank)	550	WS	2	3	R	*		F	
14-082	Foremost	HET RF ADA (lined tank)	TL-7637HC-*L: LL-7637HC bowl, T-7637-*L tank (lined tank)	600	WS	2	3	R	*		F	
13-133	Foremost	Home Depot - Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036)	800	WS	2	3	E	*		F	
14-111	Foremost	None RF (lined tank)	TL-8207-*L4: LL-8207-*4 bowl, T-8207-*L4 tank (lined)	800	WS	2	3	R			F	
WS-15	Foremost	None EL (lined tank)	TL-8295-*L: LL-8295 bowl, T-8295 tank (lined)	NM	WS	2		E			F	
13-130	Foremost	Total Smart HET EL ADA	TT-8295-*L: LL-7600-HET bowl, T-7600-HET-*L tank (NOTE: This the All-In-One version of the TL-7600HC-HET-*L fixture shown above)	900	WS	2	3	E	*		F	
15-142	Gerber	Avalanche RF (12-inch rough-in)	HE-21-802: HE-21-852 bowl, HE-28-890 tank	800		2	3	R			F	
15-141	Gerber	Avalanche RF (10-inch rough-in)	HE-21-800: HE-21-852 bowl, HE-28-895 tank	800		2	3	R			F	



MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:
												Flush performance (MaP column & score)
												250 grams to 475 grams
												500 grams and more
												NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.
14-075	Home Depot - Pegasus (by Foremost)	None EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*-FM HET tank (Fluidmaster tank trim) Home Depot SKU 331-725	900		2	3	E	*		F	
13-133	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (Sold combined as Home Depot SKU 780-036 - UPC code 721015350491)	800	WS	2	3	E	*		F	
WS-14	Home Depot - Glacier Bay	Pegasus RF	Home Depot SKUs 779-923: 779-923B bowl, 779-923T tank	NM	WS	2		R			F	
WS-15	Home Depot (by Foremost)	Glacier Bay EL	HD SKU 780-036	NM	WS	2		E			F	
13-067	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	HD SKU 780-036 - Two-piece fixture sold combined as "All In One" - UPC Code 732291344685	1,000	WS	2	3	E	*		F	
15-022	Jacuzzi	Prescott HET EL ADA	GV80	1,000	WS	2	3	E	*			
13-037	Jacuzzi	Espree HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ36959 (Also sold as Lowe's SKU 48624)	1,000	WS	2	3	E	*		F	
14-057	Jacuzzi	Perfecta HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU GU04959 (Also sold as Lowe's SKU 312978)	1,000	WS	2	3	E	*		F	
13-032	Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451, K-11813, and K-11844 when included as part of the "COMPLETE SOLUTION" package	1,000	WS	2	3	E	*		F	
15-090	Kohler	Devonshire Class 5 EL ADA	K-3678: 4288 bowl, 4446 tank	1,000	WS	2	3	E	*		F	
12-074	Kohler	Kelston EL ADA	K-3755: 4306 bowl, 4469 tank; NOTE: this fixture also sold as K-11453 when included as part of the "COMPLETE SOLUTION" package	1,000	WS	2		E	*		F	
WS-15	Kohler	None	K-11813: 4309 bowl, 4421 tank	NM	WS						F	
WS-15	Kohler	None	K-11844: 4306 bowl, 4469 tank	NM	WS						F	
WS-15	Kohler	None	K-3755: 4306 bowl, 4469 tank	NM	WS	2		E			F	
14-076	Lowe's	Aquasource HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	WS	2	3	E	*		F	
WS-15	Lowe's (by Tangshan Monopy)	None EL (one-piece)	SKU#0164903 (one-piece)	NM	WS	1		E			F	
WS-15	Lowe's (by Quality Craft)	Aquasource	9311K (one-piece)	NM	WS	1					F	
WS-15	Lowe's (by Axent)	Aquasource RF	12293	NM	WS			R			F	
WS-15	Lowe's (by Axent)	Aquasource EL ADA	98923	NM	WS			E	*		F	

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	KEY: Flush performance (MaP column & score)						
						250 grams to 475 grams	500 grams and more	NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl
WS-15	Lowe's (by Axent)	Aquasource EL ADA	312795	NM	WS				E	*		F
WS-15	Lowe's (by Foremost)	Aquasource EL	005905	NM	WS	2			E			F
WS-15	Lowe's (by Foremost)	Aquasource EL	0061042	NM	WS	2			E			F
WS-15	Lowe's (by Foremost)	Aquasource RF	0104502	NM	WS	2			R			F
14-115	Lowe's	Aquasource HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	700		2	3		E	*		F
14-033	Mansfield	Maverick	111 bowl, 112 tank	700	WS	2	3					F
14-001	Mansfield	Maverick	114 bowl, 112 tank	1,000	WS	2	3		E	*		F
14-034	Mansfield	None RF	113 bowl, 112 tank	700	WS	2	3		R			F
13-064	Niagara	Claremont EL ADA (Flapperless)	N4417 bowl, N4415T tank	800		2	-		E	*		F
11-046	Niagara	Claremont One-Piece EL	N4418 (one piece)	500		1	-		E			F
13-060	Niagara	Cottage Flapperless HET EL	N2228: N2228B bowl, N2228T tank. <b>Also sold as Home Depot Pegasus Cottage: SKU 840-565</b>	1,000	WS	2	-		E	*		F
10-023	Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank.	800	WS	2	-		E	*		F
12-038	Niagara	Ecologic RF ADA	N2225R: N2225RB bowl, N2225T tank <b>(ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291222549) (NOTE: This model previously listed as Model N2225R-165)</b>	1,000	WS	2	-		R			F
10-024	Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank <b>(NOTE: model replaced by N2225R Ecologic RF ADA HET - Report No. 12-038)</b>	500	WS	2	-		R			F
12-129	Niagara	Glacier Bay EL ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank <b>(ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT SKU 331-725 - UPC Bar Code 732291222518)</b> (Fluidmaster fill valve)	600	WS	2	3		E	*		F
14-002	Niagara	None - EL ADA	N7717: N7717 bowl, N7715T tank - <b>NOTE: 3L/0.8-gal flush</b>	500	WS	2	2		E	*		F
14-003	Niagara	None - RF ADA	N7716: N7716 bowl, N7715T tank - <b>NOTE: 3L/0.8-gal flush</b>	400	WS	2	2		R	*		F
14-042	Niagara	None EL ADA	331-725: 331-725B bowl, 331-725T tank	650		2	3		E	*		F
13-008	Niagara	Simcoe RF	N4416: N4416 bowl, N4415T tank	1,000		2	-		R			F

MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	KEY: Flush performance (MaP column & score) 250 grams to 475 grams 500 grams and more NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
15-006	Orion	Green Sense EL ADA	50320 bowl, 51299 tank	500	WS	2	3	E	*		F	
WS-15	Orion	Forte EL	50320 bowl, 5129 tank	NM	WS	2		E	*		F	
WS-12	Orion	Green Sense RF	50299 bowl, 51299 tank	NM	WS	2		R			F	
15-031	Porcher (American Standard)	Ovale EL ADA	90750-28: 41750-28 bowl, 40750-28 tank	1,000	WS	2	3	E	*		F	
15-035	Porcher (American Standard)	Chapeau EL ADA (one-piece)	97820-28 (one-piece)	1,000	WS	1	3	E	*		F	
15-037	Porcher (American Standard)	Archive EL ADA (one-piece)	97920-28 (one-piece)	1,000	WS	1	3	E	*		F	
15-038	Porcher (American Standard)	Ovale RF ADA	90850-28: 41850-28 bowl, 40750-28 tank	1,000	WS	2	3	R	*		F	
15-139	Porcher (American Standard)	Ovale EL ADA (one-piece)	97620-28 (one-piece)	1,000	WS	1	3	E	*		F	
15-138	Porcher (American Standard)	Veneto III EL (one-piece)	97320-28 (one-piece)	1,000	WS	1	3	E				
13-109	PROFLO	Foyle EL ADA	PF6101 bowl, PF6112HE tank (Fluidmaster fill valve)	800	WS	2	3	E	*		F	
11-114	PROFLO	MacLair EL	PF9401 bowl; PF9412 tank	850	WS	2	3	E			F	
11-112	PROFLO	MacLair RF	PF9400 bowl; PF9412 tank	900	WS	2	3	R			F	
13-104	PROFLO	None EL	PF6101 bowl; PF6112HE tank (R&T fill valve)	900	WS	2		E			F	
13-113	PROFLO	None EL ADA	PF6201 bowl; PF6212HE tank	900	WS	2		E			F	
13-111	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)	950	WS	2	3	E	*		F	
13-098	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (R&T fill valve)	950	WS	2		E			F	
12-014	Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	WS	2	3	E	*		F	
WS-15	Quality Craft	None (one-piece)	9311 (one-piece) (NOTE: Also sold as Combination Toilet in a Box 9311KQ with installation accessories)	NM	WS	1					F	
12-009	Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900		2	3	E	*		F	
13-131	Rona	HET TTG RF	SKU#7369128 (Foremost #TL-7600HC-HETR) (Fluidmaster tank trim)	1,000	WS	2	3	R	*		F	
13-132	Rona	HET TTG RF	SKU#7369128 (Foremost #TL-7600HC-HETR-*L (lined tank) (Fluidmaster tank trim)	900	WS	2	3	R	*		F	

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP column & score)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Make	Model Name	Model Number								
	<b>250 grams to 475 grams</b> <b>500 grams and more</b> <b>NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.</b>										
<b>WS-13</b>	<b>Seasons (HD Supply)</b>	None EL	SE10040 bowl, SE10039 tank (Same as Foremost HET 7600 elongated bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564832, respectively )	<b>NM</b>	<b>WS</b>	<b>2</b>		<b>E</b>			<b>F</b>
<b>WS-15</b>	<b>Seasons (HD Supply)</b>	None EL	564-833 bowl, 564-832 tank	<b>NM</b>	<b>WS</b>	<b>2</b>		<b>E</b>			<b>F</b>
<b>13-135</b>	<b>Seasons (HD Supply)</b>	None EL (one-piece)	SE10042 (one-piece) (Foremost TL-6100-E*N) (uses Fluidmaster tank trim)	<b>500</b>	<b>WS</b>	<b>1</b>	<b>3</b>	<b>E</b>			<b>F</b>
<b>WS-13</b>	<b>Seasons (HD Supply)</b>	None RF	SE10041 bowl, SE10039 tank (Same as Foremost HET 7600 round bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564833, respectively )	<b>NM</b>	<b>WS</b>	<b>2</b>		<b>R</b>			<b>F</b>
<b>12-028</b>	<b>Tangshan - Ayers Bath</b>	Dofiny - EL ADA	UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank	<b>550</b>	<b>WS</b>	<b>2</b>	<b>3</b>	<b>E</b>	*		<b>F</b>
<b>WS-13</b>	<b>Tangshan - Ayers Bath</b>	None RF (one-piece)	UAC1003BS-AA (one-piece)	<b>NM</b>	<b>WS</b>	<b>1</b>		<b>R</b>			<b>F</b>
<b>WS-13</b>	<b>Tangshan - Ayers Bath</b>	None EL	UAC1303BS-AA bowl, UAT1304-AA tank	<b>NM</b>	<b>WS</b>	<b>2</b>		<b>E</b>			<b>F</b>
<b>WS-15</b>	<b>Tangshan Monopy Ceramics</b>	None RF (one-piece)	102B (one-piece)	<b>NM</b>	<b>WS</b>	<b>1</b>		<b>R</b>			<b>F</b>
<b>WS-15</b>	<b>Tangshan Monopy Ceramics</b>	None EL (one-piece)	104 (one-piece)	<b>NM</b>	<b>WS</b>	<b>1</b>		<b>E</b>			<b>F</b>
<b>WS-15</b>	<b>Tangshan Monopy Ceramics</b>	None EL (one-piece)	104B (one-piece)	<b>NM</b>	<b>WS</b>	<b>1</b>		<b>E</b>			<b>F</b>
<b>12-083</b>	<b>Toto</b>	Drake II EL ADA (Formerly Gwyneth Two-Piece)	CST454CEF(G): C454CEF(G) bowl, ST454E tank	<b>800</b>	<b>WS</b>	<b>2</b>	<b>3</b>	<b>E</b>	*		<b>F</b>
<b>11-122</b>	<b>Toto</b>	EcoClayton	CST784EF: C784EF bowl, ST784E tank	<b>500</b>	<b>WS</b>	<b>2</b>	<b>3</b>	<b>E</b>	*		<b>F</b>
<b>11-125</b>	<b>Toto</b>	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	<b>700</b>	<b>WS</b>	<b>2</b>	<b>3</b>	<b>E</b>	*		<b>F</b>
<b>11-061</b>	<b>Toto</b>	EcoDrake EL	CST744E(G): C744E(G) bowl, ST743E tank	<b>600</b>	<b>WS</b>	<b>2</b>	<b>3</b>	<b>E</b>			<b>F</b>
<b>11-062</b>	<b>Toto</b>	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	<b>900</b>	<b>WS</b>	<b>2</b>	<b>3</b>	<b>E</b>	*		<b>F</b>
<b>11-060</b>	<b>Toto</b>	EcoDrake RF	CST743E: C743E bowl, ST743E tank	<b>500</b>	<b>WS</b>	<b>2</b>	<b>3</b>	<b>R</b>			<b>F</b>
<b>WS-15</b>	<b>Toto</b>	EcoDrake EL	CST744EF.10: C744EF.10 bowl, ST743E tank	<b>NM</b>	<b>WS</b>	<b>2</b>		<b>E</b>			<b>F</b>
<b>13-144</b>	<b>Toto</b>	EcoGuinevere EL ADA	CST974CEF(G) (one-piece) <b>OR</b> MS974***CEF(G) <b>OR</b> MW974***CEF(G)	<b>550</b>	<b>WS</b>	<b>1</b>	<b>3</b>	<b>E</b>	*		<b>F</b>
<b>14-106</b>	<b>Toto</b>	EcoLloyd EL ADA (one-piece)	CST934EF <b>OR</b> MS934214EF <b>OR</b> MS934304EF <b>OR</b> MW934***EF (one-piece)	<b>600</b>	<b>WS</b>	<b>1</b>	<b>3</b>	<b>E</b>	*		<b>F</b>
<b>11-121</b>	<b>Toto</b>	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	<b>500</b>	<b>WS</b>	<b>2</b>	<b>3</b>	<b>E</b>	*		<b>F</b>

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP column & score)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Make	Model Name	Model Number								
12-081	Toto	EcoPromenade EL ADA	CST424EF(G): C424EF(G) bowl, ST423E tank	400	WS	2	3	E	*		F
13-146	Toto	EcoPromenade RF	CST423EF(G): C423EF(G) bowl, ST423E tank	550	WS	2	3	R			F
14-112	Toto	EcoSoiree EL ADA (one-piece)	CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece)	600	WS	1	3	E	*		F
11-120	Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	WS	1	3	E			F
WS-13	Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	NM	WS	1	3	E			F
11-118	Toto	EcoUltramax EL	CST854E(G) OR MS854114E(G) OR MW854***E(G)	500	WS	1	3	E			F
11-119	Toto	EcoUltramax EL ADA	CST854EL(G) OR MS854114EL(G) OR MW854***EL(G)	500	WS	1	3	E	*		F
11-117	Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	WS	1	3	R			F
11-124	Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	WS	2	3	E	*		F
11-123	Toto	Ultramax II EL ADA (Formerly Gwyneth One-Piece)	CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G)	500	WS	1	3	E	*		F
13-101	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (R&T fill valve)	900	WS	2	3	E	*		F
13-107	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (Fluidmaster fill valve)	900	WS	2	3	E	*		F
13-103	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (R&T fill valve)	900	WS	2	3	E	*		F
13-108	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (Fluidmaster fill valve)	800	WS	2	3	E	*		F
11-113	Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	2	3	E			F
13-097	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (R&T fill valve)	950	WS	2	3	E	*		F
13-110	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (Fluidmaster fill valve)	950	WS	2	3	E	*		F
11-111	Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	2	3	R			F
13-112	Tynan Plumbing	Nore EL ADA	4346: 0346 bowl, 1346 tank	900	WS	2	3	E	*		F
WS-15	Villeroy & Boch	Arlington EL ADA	6119.230: 6119.033 bowl, 6119.028 tank	NM	WS	2		E	*		
WS-15	Villeroy & Boch	Arlington EL ADA (one-piece)	6119.128 (one-piece)	NM	WS	1		E	*		
WS-15	Villeroy & Boch	Arlington RF	6119.120: 6119.130 bowl, 6119.028 tank	NM	WS	2		R			
WS-15	Villeroy & Boch	Aveo EL	6612 10 XX	NM	WS			E		R	W



MaP Test Report No. (for internal use)	Make	Model Name	Model Number	MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	KEY:
												Flush performance (MaP column & score)
												250 grams to 475 grams
												500 grams and more
												NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.
9-048	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5402 tank	600	WS	2	2	E	*		F	
9-047	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5402 tank	800	WS	2	2	R	*		F	
WS-15	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5400 tank	NM	WS	2		E	*		F	
WS-15	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5404 tank	NM	WS	2		E	*		F	
WS-15	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5400 tank	NM	WS	2		R	*		F	
WS-15	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5404 tank	NM	WS	2		R	*		F	
12-128	Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	WS	2	3	E	*		F	
13-031	Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	WS	2	3	E			F	
13-036	Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	600	WS	2	3	R			F	
13-033	Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	1,000	WS	2	3	E	*		F	
13-034	Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	WS	2	3	E			F	
13-029	Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	800	WS	2	3	R			F	
WS-14	Vortens-Lamosa	Tornado EL	3138 bowl, 3471 tank	NM	WS	2		E	*		F	
WS-14	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3471 tank	NM	WS	2		E			F	
WS-15	WaterRidge-Milim G&G Ceramics	None	C531222 bowl, C600152 tank	NM	WS	2						
15-046	Western Pottery	None RF	822HET: B822 bowl, T8-HET tank	900	WS	2	2.5	R			F	
15-047	Western Pottery	None EL	832HET: B832 bowl, T8-HET tank	900	WS	2	2.5	E			F	
15-048	Western Pottery	None EL ADA	872HET: B872 bowl, T8-HET tank	1,000	WS	2	2.5	E	*		F	
WS-13	Xiamen Lota International Co.	None EL	CT-123: CF-123 bowl, TA-123 tank	NM	WS	2		E			F	
15-013	Xiamen Lota International Co.	None EL ADA	CT-201: CF201 bowl, TA-201 tank	950	WS	2	3	E	*		F	
WS-14	Xiamen Lota International Co.	None EL	582601 bowl, 582602 tank	NM	WS	2		E				
WS-14	Xiamen Lota International Co.	None EL	582603 bowl, 582604 tank	NM	WS	2		E				
WS-13	Xiamen Lota International Co.	None EL	CT-113: CF-113 bowl, TA-113 tank	NM	WS	2		E			F	

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP column & score)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
	Make	Model Name	Model Number								
15-014	Xiamen Lota International Co.	None RF ADA	CT-202: CF202 bowl, TA-202 tank	850	WS	2	3	R	*		

Notes: RF – Round-front toilet bowl  
 EL – Elongated-front toilet bowl  
 S - Special bowl design  
 ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.  
 NM - Not measured: WaterSense-certified fixtures that were not Maximum Performance (MaP) tested; these fixtures meet the minimum 350 g  
 WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense  
 G - Gallons per Flush  
 L - Litres per Flush  
 RN - Renewed Listing