

**Maximum Performance (MaP) of Toilet Fixtures  
Sorted by Performance**

**Appendix C**

Revisions to the 15th Edition listing are noted below with a red block on the right margin → →

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		Type/technology of toilet fixture															
		Model Name	Model Number														
10-090	American Standard	Renaissance EL	2446: 3344 bowl, 4037 tank	250			2	2	E		*					F	
13-001	Aquadis	None	AKDE627 RF	250	YES		2	2	R		*					F	
8-532	Cascadian	None EL	C5000 bowl; T5000 tank	250			2	3	E		*					F	
11-017	Crane	Baby Bowl (NOTE: 10" child's bowl height)	3811: 3210 bowl, 3227 tank	250	YES		2	3	R		*					F	
11-016	Crane	Flormont EL	3186: 3184 bowl, 3546 tank (lined)	250	YES		2	2	E		*					F	
11-021	Crane	Flormont EL	3921: 3184 bowl, 3742 tank	250	YES		2	3	E		*					F	
11-005	Crane	Galaxy Cranada EL ADA	31149: 3815 bowl, 3740 tank	250	YES		2	3	E	*	*					F	
13-136	Foremost	Benton EL (one-piece)	TL-7100-WL (one Piece)	250	YES		1	2	E		*		HET			F	
10-072	Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, EH28-495 tank (pedestal flush valve)	250	YES		2	2	E	*	*					F	
12-051	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-492 tank (insulated)(pedestal flush valve)	250	YES		2	2	E	*	*					F	
10-075	Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, 28-494 tank	250			2	2	E	*	*					F	
10-076	Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, EH28-494 tank (pedestal flush valve)	250	YES		2	2	E	*	*					F	
7-532	Home Depot - Glacier Bay (by Foremost)	Westminster EL ADA	TL-6800-E: LL-6800-E bowl (HD SKU 160-753), T-6800 tank (HD SKU 164-146)	250	YES		2	3	E	*	*					F	
12-095	Jameco	Aquacer RF	1700B bowl, 1700T tank. Sold as Lowe's SKUs 160-696 and 160-695, respectively.	250			2	2	R		*					F	
12-096	Jameco	V5000 RF	Bowl & Tank sold as Lowe's SKU 60691	250			2	2	R		*					F	
10-092	Kohler	Sterling Riverton RF	402502: 404015 bowl, 404522 tank	250			2	2	R		*					F	
12-072	Mansfield	Alto RF	130 bowl, 161 tank	250	YES		2	-	R		*					F	
13-005	ProCon Solutions	None	C0-1011 EL (one-piece)	250			1	2	E		*		HET			F	
7-535	Aquadis	CT-A1200 RF	CT-A1200 (bowl & tank models nos. not identified)	300	YES		2	2	R		*		HET			F	
8-531	Cascadian	None RF	C1101 bowl; T1102 tank	300			2	2	R		*					F	
15-003	Ceralux/Trebol	San Jose Dual Flush RF	221 bowl, 321 tank	300			2	2	R		*		HET			F	
13-011	Crane	Artesian EL	31108: 3406 bowl, 3544 tank	300	YES		2	2	E		*					F	
13-012	Crane	Artesian EL	31110: 3406 bowl, 3546 tank (insulated)	300	YES		2	2	E		*					F	
8-529	Duravit	Phillipe Starck RF (one piece)	016301.02 (one-piece)	300	YES		1	3	R	*	*				R	W	
15-113	Foremost	None RF	AO1-001004R: LL-004R bowl, T1-001 tank	300	YES		2	2	R		*					F	
15-120	Foremost	None RF (lined tank)	AO1-001004R*L; LL-004R bowl, T1-001*L tank (lined)	300	YES		2	2	R		*					F	
10-103	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, 28-495 tank	300			2	2	E		*					F	
10-101	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH 28-490 tank	300	YES		2	2	E		*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
10-099	Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, EH 28-494 tank (pedestal flush valve)	300	YES		2	2	E		*					F	
10-071	Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, 28-495 tank	300			2	2	E	*	*					F	
10-073	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, 28-490 tank	300			2	2	E	*	*					F	
10-074	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-490 tank (pedestal flush valve)	300	YES		2	2	E	*	*					F	
12-092	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, 28-492 tank (insulated)	300			2	2	E	*	*					F	
10-067	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, 28-490 tank	300			2	2	R		*					F	
10-070	Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, EH28-494 tank (pedestal flush valve)	300	YES		2	2	R		*					F	
10-085	Home Depot - Westminster	Westminster RF	HD SKUs: 455-684 bowl, 455-685 tank (lined)	300			2	2	R		*					F	
10-093	Quality Craft	None	2301 bowl, 2302 tank (lined) with pilot-type fill valve	300	YES		2	2	R		*					F	
11-047	Svena Int'l	Eago EL	TB109M	300	YES		1	2.5	E		*					F	
14-RN	Toto	Ultimate EL	CST854 OR MS854114 OR MW854***	325	YES		1	3	E		*					F	
14-050	American Standard	Chinalux EL	1000EL: 1100EL bowl, 120012 tank	350	YES		2	2	E		*					F	
10-055	Aquadis	Tytane EL	TY350 (one piece)	350	YES	WS	1	2	E		*		HET			F	
14-030	Aquasenses - Chongqing Swell Holding	Aquasenses RF	ES22114: ES2214 bowl, ES3214 tank	350	YES	WS	2		R				HET			F	
12-030	Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	350	YES	WS	2	2	S	*	*		HET		R	W	
12-032	Duravit	Caro (ADA optional)	015609 bowl, 111.335 in-wall tank (Geberit)	350	YES	WS	2	2	S	*	*		HET		R	W	
8-544	Duravit	Darling	020709 bowl, 111.335 in-wall tank (Geberit)	350	YES	WS	2	2	R	*	*		HET		R	W	
12-031	Duravit	Foster (ADA optional)	017509 bowl, 111.335 in-wall tank (Geberit)	350	YES	WS	2	2	S	*	*		HET		R	W	
12-033	Duravit	Starck 2 (ADA optional)	016009 bowl, 111.335 in-wall tank (Geberit)	350	YES	WS	2	2	S	*	*		HET		R	W	
8-543	Duravit	Starck 3 RF	220009 bowl, 111.335 in-wall tank (Geberit)	350	YES	WS	2	2	R	*	*		HET		R	W	
12-034	Duravit	Vero (ADA optional)	221709 bowl, 111.335 in-wall tank (Geberit)	350	YES	WS	2	2	S	*	*		HET		R	W	
11-072	Foremost	Dietrich EL (lined tank)	TL-7237-*L: LL-7237 bowl, T-7237-*L tank (lined)	350	YES		2	3	E		*					F	
16-055	Gala	Universal RF ADA	71190 bowl, 11565 tank	350	YES		2	2	R	*	*		HET			F	
16-057	Gala	Universal RF ADA	71190 bowl, 11561 tank	350	YES		2	2	R	*	*		HET			F	
10-102	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, 28-490 tank	350			2	2	E		*					F	
12-049	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-492 tank (insulated) (pedestal flush valve)	350	YES		2	2	R		*					F	
12-090	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, 28-492 tank (insulated)	350			2	2	R		*					F	
11-048	Globe Union Canada	StoneHouse EL	C220672 (one-piece)	350	YES		1	2	E		*					F	
8-548	HCG	King EL	CS1003 King: C1003 bowl, S352 tank	350			2	3	E		*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
8-545	HCG	None - RF	CS9002DF: C9002 bowl, S9002DF tank	350	YES		2	2	R		*			HET			F
16-117RN	Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	YES	WS	2	-	E		*			HET			F
14-030	Swell Holding	Aquasenses RF	ES22114: ES2214 bowl, ES3214 tank	350	YES	WS	2		R		*			HET			F
15-164	Winfield	None EL ADA	T3612: TB3612 bowl, TK3612 tank	350	YES		2	3	E	*	*						F
15-165	Winfield	None RF	T3613: TB3613 bowl, TK3613 tank	350	YES		2	3	R		*						F
8-509	Zurn	None EL	Z5530: Z5510/30 bowl; Z5530/40/50 tank	350			2	2	E		*						F
14-051	American Standard	Chinalux RF	1000RF: 1100RF bowl, 120012 tank	400	YES		2	2	R		*						F
13-081	American Standard	Gateway EL	2885.000: 3070.016 bowl, 4211.016 tank	400			2	2	E		*						F
11-087	Bolina	Italiana EL	3031: 3031 bowl, 3031 tank	400	YES		2	2	E		*			HET			F
13-047	Briggs	Altima EL	4325 bowl, 4438 tank	400	YES		2	2	E		*						F
7-538	Briggs	Maelstrom RF	4390 bowl, 4490 tank	400	YES		2	3	R		*						F
14-080	Chelini	Marriot EL (lined tank)	B1215E bowl, TDF1246 tank (lined tank)	400	YES	WS	2	2.5	E		*			HET			F
16-030	Commericalizadora Ceramica	Simone EL ADA	50094 bowl, 5110 tank	400			2	2	E	*	*				HET		F
11-037	Crane	Atlas/Atlanta RF	31012N: 31047N bowl, 31742N tank	400	YES		2	2	R		*						F
11-022	Crane	Flormont EL ADA	3922: 3191 bowl, 3742 tank	400	YES		2	3	E	*	*						F
11-024	Crane	Shiloh EL	31731 (one piece)	400	YES		1		E		*						F
10-026	Eljer	Patriot EL	091-2125: 131-2125 bowl, 141-2120 tank	400			2	2	E		*						F
10-028	Eljer	Patriot RF (replaces earlier version of Patriot RF)	091-2120: 131-2120 bowl, 141-2120 tank	400			2	2	R		*						F
9-005	Eljer	Toronto Patriot RF	091-2020: 131-2120 bowl; 141-2020 tank	400			2	2	R		*						F
7-505	Eljer	Toronto Savoy EL	091-0265: 131-2125 bowl, 141-0260 tank	400			2	2	E		*						F
14-076	Foremost	HET EL ADA	TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600-HET-LO tank	400	YES	WS	2	3	E	*					HET		F
14-118	Foremost	None EL ADA	AIO 400E*-HET: AIO B400E bowl, AIO T400 tank	400	YES	WS	2	3	E	*					HET		F
14-016	Foremost	Regent RF	TL-5207-*L: LL-5207 bowl, T-5207-*L tank (lined tank)	400	YES		2	2	R		*						F
14-097	Gerber	Lynx RF (10-inch rough-in)	21-600: 21-650 bowl, 28-690 tank	400			2	2	R		*						F
10-106	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, EH 28-495 tank (pedestal flush valve)	400	YES		2	2	E		*						F
12-050	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH28-492 tank (insulated) (pedestal flush valve)	400	YES		2	2	E		*						F
12-091	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, 28-492 tank (insulated)	400			2	2	E		*						F
10-100	Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, 28-494 tank	400			2	2	E		*						F
14-100	Gerber	Maxwell LX RF ADA	21-102: 21-152 bowl, 28-190 tank	400			2	2	R	*	*						F
10-065	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, 28-495 tank	400			2	2	R		*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
10-066	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, EH28-495 tank (pedestal flush valve)	400	YES		2	2	R		*					F	
10-068	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-490 tank (insulated) (pedestal flush valve)	400	YES		2	2	R		*					F	
10-098	Gerber	Maxwell RF (12-inch rough-in)	RF21-017 (one piece)	400			1	2	R		*					F	
8-546	HCG	None - EL	CS9001DF: C9001 bowl, S9002DF tank	400	YES		2	2	E		*		HET			F	
8-547	HCG	None - EL ADA	CS1001: C1001 bowl, S1001 tank	400			2	3	E	*	*					F	
8-549	HCG	Queen EL	CS1003 Queen: C1003 bowl, S353 tank	400			2	3	E		*					F	
14-003	Hennessy & Hinchcliffe	Proficiency - RF ADA	N7716: N7716 bowl, N7715T tank - <b>NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number)</b>	400	YES	WS	2	2	R	*	0.8g 3L			HET		F	
14-076	Home Depot - Glacier Bay (by Foremost)	Glacier Bay EL ADA	Home Depot SKU 331-725-UPC bar code 721015348887 - Foremost Model TL-7600HC-HET: LL-7600HC-HET bowl, T-7600-HET tank ( <b>R&amp;T tank trim</b> )	400	YES	WS	2	3	E	*				HET		F	
11-108	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (Flapperless)	Home Depot SKUs: 382-298 bowl, 382-438 tank UPC Code: 732291222617 (bowl) UPC Code: 732291222624 (tank)	400	YES		2	-	E	*	*					F	
7-530	Home Depot - Pegasus	Colonade EL ADA	Home Depot SKUs 160-406 bowl, 152-143 tank	400			2	3	E	*	*					F	
9-051	Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	YES	WS	2	2	E		*		HET			F	
14-076	Lowe's (by Foremost)	Aquasource HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	YES	WS	2	3	E	*				HET		F	
8-505	Mancesa/Ceralux	Windsor RF	2700 bowl, 2711 tank	400	YES		2	2	R		*					F	
14-045	Mirabelle (by Ferguson)	Galatia EL ADA (one-piece)	MIRGA241 (one-piece)	400	YES		1	2.5	E	*	1.25g 4.7L		HET			F	
11-091	Niagara	None EL ADA	N2226: 2226B bowl, 2216T tank	400	YES		2	-	E	*	*					F	
14-003	Niagara	Stealth RF ADA	N7716: N7716 bowl, N7715T tank - <b>NOTE: 3L/0.8-gal flush</b>	400	YES	WS	2	2	R	*	0.8g 3L			HET		F	
15-002	Orion	Forte EL ADA	50315 bowl, 51315 tank	400	YES		2	3	E	*	*					F	
15-001	Orion	Forte EL ADA (lined tank)	50315 bowl, 51315 tank (lined)	400	YES		2	3	E	*	*					F	
11-066	PROFLO	None EL	PF9301 bowl; PF9312 tank	400	YES	WS	2	2	E		*		HET			F	
13-048	PROFLO	None EL	PF1201 bowl; PF3312 tank	400	YES		2	2	E		*					F	
7-538	PROFLO	None RF	PF8203 bowl; PF8212 tank	400	YES		2	3	R		*					F	
7-529	Quality Craft	Sylvia RF	2301 bowl, 2302 tank with ballcock fill valve	400	YES		2	2	R		*					F	
14-045	Roca	Johnson Suisse, Cottage EL ADA (one-piece)	No number	400	YES		1	2.5	E	*	1.25g 4.7L		HET			F	
12-081	Toto	EcoPromenade EL ADA	CST424EF(G): C424EF(G) bowl, ST423E OR ST424E tank	400	YES	WS	2	3	E	*				HET		F	
14-RN	Toto	Ultimate RF	CST853 OR MS853113 OR MW853***	400	YES		1	3	R		*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
11-066	Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	YES	WS	2	2	E		*			HET			F
14-022	VitrA	Atlantis EL ADA	5052 bowl, 6853 tank	400	YES		2	2	E	*	*						F
15-163	Winfield	None EL ADA	T3512: TB3512 bowl, TK3512 tank	400	YES	WS	2	3	E	*					HET		F
8-507	Zurn	None EL ADA	Z5550: Z5550 bowl; Z5530/40/50 tank	400			2	2	E	*	*						F
8-508	Zurn	None RF	Z5540: Z5520/40 bowl; Z5530/40/50 tank	400			2	2	R		*						F
10-027	Eljer	Patriot Savoy EL ADA	091-0285: 131-2175 bowl, 141-0220 tank	425			2	2	E	*	*						F
10-110	Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	YES	WS	2	-	R		*			HET			F
15-018	Foremost	None RF	TG-4200-*1: LL-4200-*1 bowl, T-4200-*1 tank	450	YES		2	2	R		*						F
11-065	PROFLO	None EL ADA	PF9303 bowl; PF9312 tank	450	YES	WS	2	2	E	*	*			HET			F
11-065	Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	YES	WS	2	2	E	*	*			HET			F
15-162	Winfield	None EL ADA	T3511: TB3511 bowl, TK3511 tank	450	YES	WS	2	3	E	*					HET		F
15-161	Winfield	None RF	T3513: TB3513 bowl, TK3513 tank	450	YES	WS	2	3	R						HET		F
12-111 & 12-115	American Standard	FloWise Dual Flush EL ADA (insulated tank)	<b>SOLD IN 3 COMBINATIONS - 2480.516, 2484.516 and 2566.516:</b> each combination with 3073 bowl, 4035.516 tank (lined)	500	YES	WS	2	2	E	*	*			HET			F
10-056	Aquadis	DecoKit RF	TI 627 bowl, FL 610 tank	500	YES		2	2	R		*						F
15-095	Blu Bathworks	Orb Low Flow EL (one-piece)	LF 1062 (one-piece)	500	YES		1	3	E						HET		F
15-098	Blu Bathworks	Orb Single Flush EL	LF 1040	500	YES		2	3	E		*						F
13-045	Briggs	Altima RF	4320 bowl, 4438 tank	500	YES		2	2	R		*						F
9-032	Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	YES	WS	2	-	E		*			HET			F
7-526	Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	YES	WS	2	-	E		*			HET			F
7-527	Caroma	Reflections 270 EL	609100 bowl, 629530 tank	500	YES		2	-	E		*			HET			F
11-055	Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	YES	WS	2	-	E		*			HET			F
10-115	Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	YES	WS	2	-	E		*			HET			F
12-068	Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	YES	WS	2	-	R		*			HET			F
10-116	Caroma	Walvit EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500	YES		2	-	E	*	*			HET		R	W
14-046	Chelini	Bournelli RF (lined tank)	B1415R bowl, T14248 tank (lined tank)	500	YES	WS	2	2	R						HET		F
16-003	Chelini - Cobban	Victoriana RF	B315R3 bowl, T3348 tank	500	YES	WS	2	3	R						HET		F
16-079	Commericalizadora Ceramica	Aquamaster EL ADA	50320 bowl, 5129 tank	500	YES	WS	2	3	E	*					HET		F
16-032	Commericalizadora Ceramica	Royalty Green EL ADA	50349 bowl, 51049 tank	500	YES	WS	2	3	E	*					HET		F
16-135	Contrac	Cadell RF	5730BFVU: B5730BFVU bowl, T5730BFVU tank	500	YES		2	3	R						HET		F
16-093	Contrac	Case EL ADA	5730BOVU: B5730BOVU bowl, T5730BOVU tank	500	YES		2	3	E	*					HET		F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
16-134	Contrac	Cato EL	5730BEVU: 5730BEVU bowl, T5730BEVU tank	500	YES		2	3	E								F
11-084	Contrac	None RF	4710BFZ (one piece with insulated tank)	500	YES		1	2.5	R		*			HET			F
WS-11	Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	YES	WS	2	-	E		*			HET			F
WS-11	Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	YES	WS	2	-	R		*			HET			F
WS-11	Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	YES	WS	2		E		*			HET			F
11-007	Crane	Galaxy Cranada EL	31514: 3372 bowl, 31744 tank	500	YES		2	3	E		*						F
11-006	Crane	Galaxy Cranada EL	3790: 3372 bowl, 3740 tank	500	YES		2	3	E		*						F
10-042	Crane	Galaxy Cranada EL	3792: 3372 bowl, 3742 tank	500	YES		2	2	E		*						F
10-043	Crane	Galaxy Cranada EL	3793: 3372 bowl, 3743 tank	500	YES		2	2	E		*						F
11-008	Crane	Galaxy Cranada RF	31504: 3352 bowl, 31744 tank	500	YES		2	3	R		*						F
10-029	Crane	Galaxy Cranada RF	3782: 3352 bowl, 3742 tank	500	YES		2	2	R		*						F
10-041	Crane	Galaxy Cranada RF	3783: 3352 bowl, 3743 tank (NOTE: this fixture also sold as 3951SSN100 as part of the "COMPLETE" package and includes seat and installation mat'l's as one item or SKU)	500	YES		2	2	R		*						F
16-047	Dolphin Plumbing Industrial	None RF	Z15R15 bowl, S18246 tank	500	YES		2	2	R		*			HET			
13-070	Duravit	D-Code	220909 bowl, used with in-wall tank	500	YES	WS	2		S	*	*			HET		R	W
15-RN	Eljer	Patriot EL ADA	091-2175: 131-2175 bowl, 141-2120 tank	500			2	2	E	*	*						F
15-RN	Eljer	Patriot Savoy EL	091-0225: 131-2125 bowl, 141-0220 tank	500			2	2	E		*						F
10-080	Foremost	Colonade - EL ADA	TL-6010E-*L: LL-6010-E bowl, T-6010-*L tank (lined)	500	YES		2	3	E	*	*						F
13-135	Foremost	HET EL (one-piece)	TL-6100-E*N (one-piece)	500	YES	WS	1	3	E					HET			F
16-142	Foremost	None EL	AO1-005775E: LL-775E bowl, T1-005 tank	500	YES		2	3	E					HET			F
16-092	Foremost	None EL ADA	AO1-005887E: LL-887E bowl, T1-005 tank	500	YES		2	3	E	*				HET			F
16-089	Foremost	None EL ADA (lined tank)	AO1-005887E*L: LL-887E bowl, T1-005*L tank (lined)	500	YES		2	3	E	*				HET			F
16-141	Foremost	None RF	AO1-005775R: LL-775R bowl, T1-005 tank	500	YES		2	3	R					HET			F
15-052	Foremost	None RF	TG-4200-*L1: LL-4200-*1 bowl, T-4200-*L1 tank	500	YES		2	2	R		*						F
16-091	Foremost	None RF ADA (lined tank)	AO1-005887R*L: LL-887R bowl, T1-005*L tank (lined)	500	YES		2	3	R	*				HET			F
11-001	Foremost	Plaza	TL-7107-*L: LL-7107 bowl, T-7107 tank	500	YES	WS	2	2.5	S		*			HET			F
14-117	Foremost	None RF ADA	AIO 400R*-HET: AIO B400R bowl, AIO T400 tank	500	YES	WS	2	3	R	*				HET			F
10-096	Gerber	Allerton EL (14-inch rough-in)	20-006: 21-572 bowl, 28-584 tank	500			2	2	E		*						F
12-061	Gerber	Avalanche EL ADA (12-inch rough-in)	21-818: 21-828 bowl, 28-892 tank	500	YES		2	3	E	*	*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
14-095	Gerber	Logan Square EL (12-inch rough-in - lined tank)	20-016: 21-532 bowl, LT28-530 tank (lined tank)	500	YES		2	3	F		*					F	
14-098	Gerber	Lynx EL (10-inch rough-in)	21-610: 21-660 bowl, 28-690 tank	500			2	2	F		*					F	
12-121	Gerber	Lynx EL (12-inch rough-in)	21-612: 21-662 bowl, 28-690 tank	500			2	2	F		*					F	
12-122	Gerber	Lynx EL ADA (12-inch rough-in)	21-618: 21-628 bowl, 28-690 tank	500			2	2	F	*	*					F	
12-089	Gerber	Lynx RF (12-inch rough-in)	21-602: 21-652 bowl, 28-690 tank	500			2	2	R		*					F	
10-064	Gerber	Maurice EL	20-012 (one-piece)	500	YES		1	-	F			*				F	
15-150	Gerber	Maxwell Dual-Flush EL (12" rough-in)	DF-21-112: 21-162 bowl, DF-28-190 tank	500	YES		2	2	F		*			HET		F	
14-099	Gerber	Maxwell Dual-Flush EL ADA	DF-21-118: 21-128 bowl, DF-28-190 tank	500	YES	WS	2	2	F	*	*			HET		F	
12-048	Gerber	Maxwell EL (12-inch rough-in)	21-017 (one piece)	500			1	2	F		*					F	
16-106	Gerber	Maxwell LX EL (10" rough-in)	21-110: 21-162 bowl (UPC bar code 671052047338), 28-195 tank (UPC bar code 671052047321)	500	YES		2	2	F		*					F	
15-168	Gerber	Maxwell LX EL (12" rough-in)	21-112: 21-162 bowl, 28-192 tank	500			2	2	F		*					F	
12-054	Gerber	Viper EL	21-512: 21-562 bowl, EH28-592 tank (pedestal flush valve)(insulated)	500	YES		2	2	F		*					F	
9-022	Gerber	Viper EL	21-514: 21-562 bowl, EH28-594 tank (pedestal flush valve)	500	YES		2	2	F		*					F	
12-045	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-592 tank (insulated) (pedestal flush valve)	500	YES		2	2	F	*	*					F	
9-012	Gerber	Viper RF	21-500: 21-552 bowl, EH28-595 tank (pedestal flush valve)	500	YES		2	2	R		*					F	
9-016	Gerber	Viper RF	21-504: 21-552 bowl, EH28-594 tank (pedestal flush valve)	500	YES		2	2	R		*					F	
14-002	Hennessy & Hinchcliffe	Proficiency - EL ADA	N7717: N7717 bowl, N7715T tank - <b>NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number)</b>	500	YES	WS	2	2	F	*	0.8g 3L			HET		F	
10-081	Home Depot - Pegasus	Colonade EL ADA	HD SKUs: 146-548 bowl, 146-283 tank (lined)	500	YES		2	3	F	*	*					F	
12-076	Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	YES	WS	2		F		*			HET		F	
12-094	Kohler	Saile EL	K-3564 (one piece)	500	YES	WS	1		F		*			HET		F	
15-083	Kohler	Santa Rosa EL	K-3323	500			1	2	F		*					F	
15-055	Kohler	Strela EL ADA	K-3598: 4379 bowl, 4742 tank	500	YES	WS	2		F	*				HET		F	
8-506	Mancesa/Ceralux	San Marino EL ADA	2262 bowl, 2261 tank	500	YES		2	2	F	*	*					F	
15-008	Mansfield	None RF	380 bowl, 386 tank	500			2	3	R		*					F	
11-046	Niagara	Claremont One-Piece EL	N4418 (one piece)	500	YES		1	-	F					HET		F	
10-024	Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank ( <b>NOTE: model replaced by N2225R Ecologic RF ADA HET - Report No. 12-038</b> )	500	YES	WS	2	-	R					HET		F	
14-002	Niagara	Stealth EL ADA	N7717: N7717 bowl, N7715T tank - <b>NOTE: 3L/0.8-gal flush</b>	500	YES	WS	2	2	F	*	0.8g 3L			HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
15-006	Orion	Green Sense EL ADA	50320 bowl, 51299 tank	500	YES	WS	2	3	E	*					HET	F	
16-132	Penguin	None EL	011-1.6: 011 bowl, 011 tank	500	YES		2	2	E		*					F	
16-130	Penguin	None EL ADA	014-1.28: 014 bowl, 014 tank	500	YES		2	3	E	*				HET	F		
12-110	Porcher (American Standard)	EPIC EL (one-piece)	97720 (one-piece)	500	YES		1	3	E		*					F	
11-067	PROFLO	None RF	PF9300 bowl; PF9312 tank	500	YES	WS	2	2	R		*			HET	F		
16-016	PROFLO	None EL ADA	PF1403 bowl, PF5512 tank (Fluidmaster trim)	500	YES		2	2	E	*				HET	F		
16-015 & 16-016	PROFLO	None EL ADA	PFCT103	500	YES		2	2	E	*				HET	F		
13-046	PROFLO	None RF	PF1200 bowl; PF3312 tank	500	YES		2	2	R							F	
16-013	PROFLO	None RF	PF1400 bowl, PF5112 tank (R&T trim)	500	YES		2	2	R		*					F	
16-019	PROFLO	None RF	PF1400 bowl, PF5512 tank (Fluidmaster trim)	500	YES		2	2	R		*					F	
16-013 & 16-019	PROFLO	None RF	PFCT100	500	YES		2	2	R		*					F	
9-003	RAK Ceramics	Venice EL	VN03 bowl, VN10 tank	500	YES		2	2	E		*			HET	F		
13-135	Seasons (HD Supply)	None EL (one-piece)	SE10042 (one-piece) (Foremost TL-6100-E*N) (uses Fluidmaster tank trim)	500	YES	WS	1	3	E					HET	F		
12-082	Toto	Aquia II EL	CST416M: CT416 bowl, ST416M tank	500	YES	WS	2	2.5	E					HET	F		
12-084	Toto	Aquia III EL	CST464M: CT464 bowl, ST464M tank	500	YES	WS	2	2.5	E					HET	F		
12-080	Toto	Aquia IIIUH EL ADA	CST464MF: CT464F bowl, ST464M tank	500	YES	WS	2	2.5	E	*				HET	F		
11-122	Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	YES	WS	2	3	E	*				HET	F		
16-024	Toto	EcoDrake EL ADA	CST744EF.10: CF744EF.10 bowl, ST743E tank	500	YES	WS	2	3	E	*				HET	F		
11-060	Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	YES	WS	2	3	R					HET	F		
11-121	Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	YES	WS	2	3	E	*				HET	F		
11-120	Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	YES	WS	1	3	E					HET	F		
11-118	Toto	EcoUltramax EL	CST854E(G) OR MS854114E(G) OR MW854***E(G)	500	YES	WS	1	3	E					HET	F		
11-119	Toto	EcoUltramax EL ADA	CST854EL(G) OR MS854114EL(G) OR MW854***EL(G)	500	YES	WS	1	3	E	*				HET	F		
16-165	Toto	Supreme II EL ADA (one-piece)	CST634CEF(G) OR MS634164CEF(G) (one-piece) UPC Bar code 739268172968	500	YES		1	3	E	*				HET	F		
11-123	Toto	Ultramax II EL ADA (Formerly Gwyneth One-Piece)	CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G)	500	YES	WS	1	3	E	*				HET	F		
16-095	Tynan Plumbing	Cascade EL ADA	4214: 0214 bowl, 1212 tank (Fluidmaster trim)	500	YES		2	2	E	*	*					F	
11-067	Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	YES	WS	2	2	R		*			HET	F		
16-012	Tynan Plumbing	Cascade RF	4212: 0212 bowl, 1212 tank (R&T trim)	500	YES		2	2	R		*					F	
16-096	Tynan Plumbing	Cascade RF	4212: 0212 bowl, 1212 tank (Fluidmaster trim)	500	YES		2	2	R		*					F	
10-108	VitrA	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	YES	WS	2	-	R		*			HET	F		

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
10-053	Vortens-Lamosa	Vienna RF	3208 bowl, 3436SPS tank	500	YES		2	2	R		*						F
9-001	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464-C tank	500	YES		2	2	R		*						F
12-037	WaterRidge-Milim G&G Ceramics	WaterRidge Grace EL	C22055C (one-piece) Sold as Costco Item No. 386082	500	YES	WS	1	2	E		*			HET			F
13-049	Briggs	Altima EL ADA	4328 bowl, 4438 tank	550	YES		2	2	E	*	*						F
11-050	Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	YES	WS	2	-	E		*			HET			F
11-049	Caroma	Bondi 270 RF ADA	609177 bowl, 726350 tank	550	YES	WS	2	-	R	*	*			HET			F
12-093	Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	YES	WS	2	-	E	*	*			HET			F
13-125	Caroma	Sydney Low Profile 270 EL	609100 bowl, 622330 tank	550	YES	WS	2	-	E		*			HET			F
13-123	Caroma	Sydney Low Profile 270 RF	609159 bowl, 622330 tank	550	YES	WS	2	-	R		*			HET			F
13-124	Caroma	Sydney Low Profile 305 EL	609130 bowl, 622330 tank	550	YES	WS	2	-	E		*			HET			F
13-127	Conrac	Carter EL ADA	4720BIV: bowl and tank nos. not provided	550	YES	WS	2	3	E	*					HET		F
11-083	Conrac	None RF	4710BFTU (one piece)	550	YES		1	2.5	R		*						F
11-081	Conrac	None RF	4720BFZU combination	550	YES		2	2	R		*			HET			F
11-075	Conrac	None RF	4722BFT bowl, 4721BFTU tank	550	YES		2	2	R		*						F
14-081	Foremost	HET RF ADA (lined tank)	TL-7605HC-*L: LL-7605HC bowl, T-7605-*L tank (lined tank)	550	YES	WS	2	3	R	*					HET		F
13-139 & 14-107	Foremost	None EL ADA	TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank	550	YES	WS	2	3	E	*					HET		F
10-118	Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	YES	WS	2	-	E		*			HET		R	F
13-050	PROFLO	None EL ADA	PF1203 bowl; PF3312 tank	550	YES		2	2	E	*							F
16-015	PROFLO	None EL ADA	PF1403 bowl, PF5112 tank (R&T trim)	550	YES		2	2	E	*	*						F
12-028	Tangshan - Ayers Bath	Dofiny - EL ADA	UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank	550	YES	WS	2	3	E	*					HET		F
13-144	Toto	EcoGuinevere EL ADA	CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G)	550	YES	WS	1	3	E	*					HET		F
13-146	Toto	EcoPromenade RF	CST423EF(G): C423EF(G) bowl, ST423E OR ST424E tank	550	YES	WS	2	3	R						HET		F
11-117	Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	YES	WS	1	3	R						HET		F
16-014	Tynan Plumbing	Cascade EL ADA	4214: 0214 bowl, 1212 tank (R&T trim)	550	YES		2	2	E	*	*						F
12-040	Western Pottery	Environmental Dual Flush EL	B812 DF bowl, T8-ULF-DF tank	550	YES	WS	2	2	E		*			HET			F
13-074	American Standard	Colony FitRight EL	2435.012: 3189.016 bowl, 4003.016 tank; NOTE: this combination is also sold as 2453.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	600	YES		2	2	E		*						F
13-082	American Standard	Colony FitRight EL (10-inch rough-in)	2485.010: 3189.016 bowl, 4006.016 tank	600	YES		2	2	E		*						F
13-076	American Standard	Colony FitRight EL (lined tank)	3189.016 bowl, 4003.516 tank (lined)	600	YES		2	2	E		*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
13-078	American Standard	Colony FitRight EL ADA	2437.012: 3191.016 bowl, 4003.016 tank	600	YES		2	2	E	*	*					F	
13-088	American Standard	Colony FitRight EL ADA (10-inch rough-in)	2487.010: 3191.016 bowl, 4006.016 tank	600	YES		2	2	E	*	*					F	
13-083	American Standard	Colony FitRight EL ADA (lined tank)	2437.500: 3191.016 bowl, 4003.516 tank (lined)	600	YES		2	2	E	*	*					F	
13-084	American Standard	Colony FitRight RF (10-inch rough-in)	2486.010: 3190.016 bowl, 4006.016 tank	600	YES		2	2	R		*					F	
13-077	American Standard	Colony FitRight RF (lined tank)	3190 bowl, 4003.516 tank (lined)	600	YES		2	2	R		*					F	
16-124	American Standard	Fairfield EL ADA (one-piece)	2862.016 (one-piece - UPC bar code 3305673431)	600	YES		1	3	E	*	*					F	
12-113 & 12-116	American Standard	FloWise Dual Flush EL ADA	<b>SOLD IN 4 COMBINATIONS - 2480.216, 2484.216, 2566.216 and 2778.516:</b> each combination with 3073 bowl, 4035 tank.	600	YES	WS	2		E	*	*			HET		F	
15-135	American Standard	FloWise Dual Flush RF	2489.216: 3074.216 bowl, 4035.216 tank	600	YES	WS	2	-	R		*			HET		F	
15-136	American Standard	FloWise Dual Flush RF (lined tank)	2489.516: 3074.216 bowl, 4035.516 tank (lined)	600	YES	WS	2	-	R		*			HET		F	
13-076	American Standard	Horizon EL COMPLETE	3474.500: 3189.016 bowl, 4003.516 tank (lined) NOTE: this combination is sold as a "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	600	YES		2	2	E		*					F	
13-080 & 13-087	American Standard	Monarch RF	<b>2436.012:</b> 3190.016 bowl, 4003.016 tank; NOTE: this combination is also sold as <b>3510.000</b> , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	600	YES		2	2	R		*					F	
13-077 & 13-079	American Standard	Monarch RF (lined tank)	<b>3510.500:</b> 3190.016 bowl, 4003.516 tank (lined); This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	600	YES		2	2	R		*					F	
8-511	Briggs	Altima III RF	4232: 4320 bowl, 4430 tank	600	YES		2	2	R		*					F	
11-090	Briggs	Kingsley RF	6083-130 (one piece)	600	YES		1	3	R		*					F	
7-536	Briggs	Maelstrom EL	4395 bowl, 4490 tank	600	YES		2	3	E		*					F	
7-537	Briggs	Maelstrom EL ADA	4398 bowl, 4490 tank	600	YES		2	3	E	*	*					F	
10-113	Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	YES	WS	2	-	R		*			HET		F	
7-513	Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	YES	WS	2	-	R		*			HET		F	
7-524	Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600	YES		2	-	R		*			HET		F	
7-528	Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	YES	WS	2	-	R		*			HET		F	
11-053	Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	YES	WS	2	-	R		*			HET		F	
11-054	Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	YES	WS	2	-	R	*	*			HET		F	
15-054	Cerapure Industries	None RF ADA (one-piece)	102B	600	YES		1		R	*					HET	F	
13-120	Chelini	Champlain EL (lined tank)	B215E bowl, T2306 tank (lined)	600	YES		2	3	E		*					F	
13-119	Chelini	Champlain RF (lined tank)	B215R bowl, T2306 tank (lined)	600	YES		2	3	R		*					F	
13-066	Chelini	Marriot RF (lined tank)	B1215R bowl, TDF1246 tank (lined)	600	YES	WS	2	2.5	R		*			HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
16-109	Chelini - Cobban	Cabot Tall Boy RF ADA	B1517R bowl, T10348 tank	600	YES	WS	2	3	R	*					HET		
16-002	Chelini - Cobban	Victoriana EL	B315E3 bowl, T3348 tank	600	YES	WS	2	3	E						HET		
16-068	Colceramica	Forzazul RF	3002 bowl, 4463 tank (lined tank)	600	YES		2	2	R						HET		F
16-094	Conrac	Clancy RF ADA	5730BIVU: B5730BIVU bowl, T5730BIVU tank	600	YES		2	3	R	*					HET		F
11-079	Conrac	None EL	4722BET bowl, 4721BFTU tank	600	YES		2	2	E		*						F
11-076	Conrac	None EL ADA	4722BIT bowl, 4721BFT tank (lined)	600	YES		2	2	E	*	*						F
11-077	Conrac	None EL ADA	4722BIT bowl, 4721BFTU tank	600	YES		2	2	E	*	*						F
11-082	Conrac	None RF	4710BFT (lined tank)	600	YES		1	2.5	R		*						F
11-085	Conrac	None RF	4710BFZU (one piece)	600	YES		1	2.5	R		*		HET				F
11-080	Conrac	None RF	4720BFZ combination (lined tank)	600	YES		2	2	R		*		HET				F
11-074	Conrac	None RF	4722BFT bowl, 4721BFT tank (lined)	600	YES		2	2	R		*						F
14-060	Conrac	None RF (lined tank)	5720BFZ: B5720BFZ bowl, T5720BFZ tank (lined)	600	YES	WS	2	2	R		*			HET			F
WS-11	Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	YES	WS	2	-	R		*			HET			F
11-004	Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	YES	WS	2	3	R						HET		F
13-016	Crane	Eco Saratoga EL ADA	31983: 3815 bowl, 31964 tank	600	YES	WS	2	2	E	*	*			HET			F
13-015	Crane	Eco Saratoga EL ADA	31996: 3815 bowl, 31966 tank (insulated)	600	YES	WS	2	2	E	*	*			HET			F
WS-11	Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	YES	WS	2		R		*			HET			F
14-119	Crane	Economiser EL	3837: 3827 bowl, 3612NS tank	600	YES		2	-	E						HET	R	F
14-120	Crane	Economiser RF	3836: 3826 bowl, 3612NS tank	600	YES		2	-	R						HET	R	F
16-052	Dolphin Plumbing Industrial	None EL	Z15E15 bowl, S17248 tank	600	YES	WS	2	3	E						HET		
16-051	Dolphin Plumbing Industrial	None EL	Z15E15 bowl, S18246 tank	600	YES		2	2	E		*			HET			
16-050	Dolphin Plumbing Industrial	None EL (one-piece)	L1315E346 (one-piece)	600	YES	WS	1	3	E		*			HET			
16-048	Dolphin Plumbing Industrial	None EL ADA	Z22E16 bowl, S18246 tank	600	YES		2	2	E	*	*			HET			
16-046	Dolphin Plumbing Industrial	None RF	Z15R15 bowl, S17248 tank	600	YES	WS	2	2	R						HET		
13-078	Eljer	Calloway EL ADA	091-2775: 3191.416 bowl, 4003.416 tank	600	YES		2	2	E	*	*						F
13-083D	Eljer	Calloway EL ADA (lined tank)	091-2775: 3191.416 bowl, 4003.456 tank (lined)	600	YES		2	2	E	*	*						F
13-080	Eljer	Calloway RF	<b>091-2760: 3190.416 bowl, 4003.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, &amp; installation mat's as one item or SKU.</b>	600	YES		2	2	R		*						F
13-077 & 13-079D	Eljer	Calloway RF (12" rough-in)	091-2760: 3190.416 bowl, 4003.456 tank	600	YES		2	2	R		*						F
9-007	Eljer	Canterbury EL (one piece)	081-3025 (one-piece)	600	YES		1	3	E		*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
9-006	Eljer	Toronto Patriot EL	091-2025: 131-2125 bowl; 141-2020 tank	600			2	2	E		*					F	
10-078	Foremost	Colonade - EL ADA	TL-6010E: LL-6010-E bowl, T-6010 tank	600			2	3	E	*	*					F	
14-064	Foremost	HET EL ADA	TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank)	600	YES	WS	2	3	E	*				HET		F	
14-077	Foremost	HET EL ADA	TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T-7600HC-HET-*1 tank	600	YES	WS	2	3	E	*				HET		F	
13-137 & 14-109	Foremost	HET EL ADA (one-piece)	TL-10PB-HET-E (one-piece)	600	YES	WS	1	3	E	*				HET		F	
14-082	Foremost	HET RF ADA (lined tank)	TL-7637HC-*L: LL-7637HC bowl, T-7637-*L tank (lined tank)	600	YES	WS	2	3	R	*				HET		F	
14-062	Foremost	None EL ADA (lined tank)	TL-10PA-HET-E (one-piece- lined tank)	600	YES		1	3	E	*				HET		F	
14-113	Foremost	None RF (lined tank)	TL-5207-*L2: LL-5207-*2 bowl, T-5207-*L2 tank (lined)	600	YES	WS	2	3	R					HET		F	
16-090	Foremost	None RF ADA	AO1-005887R: LL-887R bowl, T1-005 tank	600	YES		2	3	R	*				HET		F	
11-073	Foremost	Total - RF	TT-2010-*L: LL-2010 bowl, T-2010 tank (lined)	600	YES	WS	2	2.5	R		*			HET		F	
10-059	Gerber	Allerton EL (12-inch rough-in)	20-004: 21-572 bowl, 28-580 tank	600			2	2	E		*					F	
12-058	Gerber	Avalanche EL (10-inch rough-in)	21-810: 21-862 bowl, 28-895 tank	600	YES		2	3	E		*					F	
12-060	Gerber	Avalanche EL (14-inch rough-in)	21-814: 21-862 bowl, 28-894 tank	600	YES		2	3	E		*					F	
10-063	Gerber	Brianne EL	21-013 (one-piece)	600	YES		1	-	E			*				F	
16-103	Gerber	Maxwell Dual-Flush EL (10" rough-in)	DF-21-110: 21-162 bowl (UPC bar code 671052047339), DF-28-195 tank (UPC bar code 671052047840)	600	YES		2	2	E		*			HET		F	
15-151	Gerber	Maxwell Dual-Flush EL (12" r.i.-insulated tank)	DF-21-112: 21-162 bowl, DF-28-192 tank (insulated)	600	YES		2	2	E		*			HET		F	
15-152	Gerber	Maxwell Dual-Flush EL ADA (12' rough-in - insulated tank)	DF-21-118: 21-128 bowl, DF-28-192 tank (insulated)	600	YES		2	2	E	*	*			HET		F	
16-104	Gerber	Maxwell Dual-Flush Ergoheight EL ADA (10" rough-in)	DF-21-117: 21-128 bowl (UPC bar code 671052047314), DF-28-195 tank (UPC bar code 671052047840)	600	YES		2	2	E	*	*			HET		F	
16-102	Gerber	Maxwell Dual-Flush RF (10" rough-in)	DF-21-100: 21-152 bowl (UPC bar code 671052047307), DF-28-195 tank (UPC bar code 671052047840)	600	YES		2	2	R		*			HET		F	
15-148	Gerber	Maxwell Dual-Flush RF (12" rough-in - insulated tank)	DF-21-102: 21-152 bowl, DF-28-192 tank (insulated)	600	YES		2	2	R		*			HET		F	
15-149	Gerber	Maxwell Dual-Flush RF (12" rough-in)	DF-21-102: 21-152 bowl, DF-28-190 tank	600	YES	WS	2	2	R		*			HET		F	
15-154	Gerber	Maxwell LX EL (12" rough-in - insulated tank)	21-112: 21-162 bowl, 28-192 tank (insulated)	600	YES		2	2	E		*					F	
14-101	Gerber	Maxwell LX EL ADA	21-118: 21-128 bowl, 28-190 tank	600			2	2	E	*	*					F	
16-107	Gerber	Maxwell LX EL ADA (10" rough-in)	21-117: 21-128 bowl (UPC bar code 671052047314), 28-195 tank (UPC bar code 671052047321)	600	YES		2	2	E	*	*					F	
15-155	Gerber	Maxwell LX EL ADA (12" r.i.-insulated tank)	21-118: 21-128 bowl, 28-192 tank (insulated)	600	YES		2	2	E	*	*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
16-105	Gerber	Maxwell LX RF (10" rough-in)	21-100: 21-152 bowl (UPC bar code 671052047307), 28-195 tank (UPC bar code 671052047321)	600	YES		2	2	R		*					F	
15-153	Gerber	Maxwell LX RF (12" rough-in - insulated tank)	21-102: 21-152 bowl, 28-192 tank (insulated)	600	YES		2	2	R		*					F	
10-069	Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, 28-494 tank	600			2	2	R		*					F	
15-159RN	Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-380 tank	600	YES		2	-	E	*			HET			F	
9-023	Gerber	Viper EL ADA	21-517: 21-528 bowl, 28-595 tank	600			2	2	E	*	*					F	
12-086	Gerber	Viper EL ADA	21-518: 21-528 bowl, 28-592 tank (insulated)	600			2	2	E	*	*					F	
9-027	Gerber	Viper EL ADA	21-524: 21-528 bowl, 28-594 tank	600			2	2	E	*	*					F	
9-028	Gerber	Viper EL ADA	21-524: 21-528 bowl, EH28-594 tank (pedestal flush valve)	600	YES		2	2	E	*	*					F	
9-011	Gerber	Viper RF	21-500: 21-552 bowl, 28-595 tank	600			2	2	R		*					F	
9-013	Gerber	Viper RF	21-502: 21-552 bowl, 28-590 tank	600			2	2	R		*					F	
9-014	Gerber	Viper RF	21-502: 21-552 bowl, EH28-590 tank (pedestal flush valve)	600	YES		2	2	R		*					F	
12-053	Gerber	Viper RF	21-502: 21-552 bowl, EH28-592 tank (insulated) (pedestal flush valve)	600	YES		2	2	R		*					F	
9-015	Gerber	Viper RF	21-504: 21-552 bowl, 28-594 tank	600			2	2	R		*					F	
10-079	Home Depot - Pegasus (by Foremost)	Colonade EL ADA	Home Depot SKUs: 160-406 bowl, 152-143 tank	600			2	3	E	*	*					F	
12-023	Home Depot - Pegasus (by Niagara)	Westminster EL ADA	Home Depot SKUs 160-753 bowl, 164-146 tank (Also sold in All-In-One combination package as Home Depot SKU 266-868 and UPC Code 732291344678)	600	YES		2	3	E	*	*					F	
14-010	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 266-868	600	YES		2	3	E	*	*					F	
16-044	INAX	None EL ADA	C-610S-MC-US	600	YES	WS	2	2	E	*				HET		F	
16-041	INAX	None EL ADA (NOTE: 1.28g/4.8L for the full flush - 0.8g/3.0L for reduced flush)	C-620S-MC-US:	600	YES	WS	2	2	E	*	1.28g 4.8L		HET			F	
16-043	INAX	None EL ADA (NOTE: 1.28g/4.8L for the full flush - 0.8g/3.0L for reduced flush)	C-621S-MC-US	600	YES	WS	2	2	E	*	1.28g 4.8L		HET			F	
16-042	INAX	None EL ADA (NOTE: 1.28g/4.8L for the full flush - 0.8g/3.0L for reduced flush)	C-622S-MC-US	600	YES	WS	2	2	E	*	1.28g 4.8L		HET			F	
15-025	Kohler	Highline EL ADA	K-3611: 4298 bowl, 4632 tank	600	YES		2	3	E	*	*					F	
13-063	Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	600	YES	WS	2	2.5	E		*		HET			F	
16-158	Kohler	Persuade EL ADA	K-3723: 4353 bowl, 4441 tank	600	YES	WS	2	2	E	*	*		HET			F	
12-024	Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	YES	WS	1	-	E	*				HET		F	
12-071	Mansfield	705NS ONE-PIECE EL	70501002 (one-piece)	600	YES		1	3	E		*					F	
5-503RN	Mansfield	Magnum EL	722	600			1	3	E		*					F	
15-010	Mansfield	None EL	382 bowl, 386 tank	600			2	3	E		*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
15-009	Mansfield	None EL ADA	384 bowl, 386 tank	600			2	3	E	*	*						F
12-008	Mansfield/Colceramica	Reo EL ADA	186 bowl, 187 tank	600	YES		2	3	E	*	*						F
16-085RN	Niagara	Flapperless Muskoka EL ADA	N2217: 2217 bowl, 2217 tank	600	YES		2	-	E	*	*						F
16-037	OPS - Original Pacific Supply	None EL	T/X-66891E:	600	YES	WS	2	3	E							HET	F
16-034	OPS - Original Pacific Supply	None EL	T/X-6810E:	600	YES		2	3	E		*						F
16-038	OPS - Original Pacific Supply	None EL ADA	T/X-66891H:	600	YES	WS	2	3	E	*						HET	F
16-035	OPS - Original Pacific Supply	None EL ADA	T/X-3400:	600	YES		2	3	E	*	*						F
16-036	OPS - Original Pacific Supply	None RF	T/X-66891:	600	YES	WS	2	3	R							HET	F
16-131	Penguin	None EL ADA	012-1.6: 012 bowl, 012 tank	600	YES		2	3	E	*	*						F
13-072	Porcher (American Standard)	L'Expression II (one-piece)	97520 (one-piece)	600	YES		1	2	E		*						F
15-051	Price Pfister	None EL	VTP-E20W (one-piece)	600	YES		1	3	E		*					HET	F
15-026	Price Pfister	None RF	VTP-E40 (one piece)	600	YES		1	3	R		*					HET	F
7-537	PROFLO	None EL ADA	PF8201 bowl; PF8212 tank	600	YES		2	3	E	*	*						F
16-018	PROFLO	None EL	PF1401 bowl, PF5112 tank (R&T trim)	600	YES		2	2	E		*						F
16-020	PROFLO	None EL	PF1401 bowl, PF5512 tank (Fluidmaster trim)	600	YES		2	2	E		*						F
7-536	PROFLO	None EL	PF8200 bowl; PF8212 tank	600	YES		2	3	E		*						F
16-018 & 16-020	PROFLO	None EL	PFCT101	600	YES		2	2	E		*						F
8-511	PROFLO	None III RF	PF1200 bowl; PF3112 tank	600	YES		2	2	R		*						F
16-052	Rona	None EL	70235000	600	YES	WS	2	3	E							HET	F
16-050	Rona	None EL (one-piece)	70235002 (one-piece)	600	YES	WS	1	3	E							HET	F
16-163	Toto	Carlyle II EL ADA (one-piece)	CST614CEF(G) OR MS614164CEF(G) (one-piece) UPC Bar Code 739268172852	600	YES		1	3	E	*						HET	F
11-061	Toto	EcoDrake EL	CST744E(G): C744E(G) bowl, ST743E tank	600	YES	WS	2	3	E							HET	F
14-106	Toto	EcoLloyd EL ADA (one-piece)	CST934EF OR MS934214EF OR MS934304EF OR MW934***EF (one-piece)	600	YES	WS	1	3	E	*						HET	F
14-112	Toto	EcoSoiree EL ADA (one-piece)	CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece)	600	YES	WS	1	3	E	*						HET	F
16-017	Tynan Plumbing	Cascade EL	4213: 0213 bowl, 1212 tank (R&T trim)	600	YES		2	2	E		*						F
16-097	Tynan Plumbing	Cascade EL	4213: 0213 bowl, 1212 tank (Fluidmaster trim)	600	YES		2	2	E		*						F
14-028	Villeroy & Boch	Twist EL ADA	5W05-01: SC05-01 bowl, 5D02-U1 tank	600	YES		2	3	E	*	*						F
9-048	VitrA	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5402 tank	600	YES	WS	2	2	E	*						HET	F
13-036	Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	600	YES	WS	2	3	R							HET	F
10-049	Vortens-Lamosa	Rhodos EL ADA	3123V bowl, 3436SPS tank	600	YES		2	2	E	*	*						F
13-035	Vortens-Lamosa	Vienna ELX	3113 bowl, 3436 tank	600	YES	WS	2	2	E		*					HET	F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
11-063	Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	YES	WS	2	2	R		*		HET			F	
10-052	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	YES	WS	2	2	R		*		HET			F	
14-RN	Toto	Carlyle EL	CST874S(G) OR MS874114S(G) OR MW874***S(G)	625			1	3	E		*					F	
13-122	Caroma	Sydney Low Profile 270 RF ADA	609177 bowl, 622330 tank	650	YES	WS	2	-	R	*	*		HET			F	
11-116 & 12-003	Caroma	Sydney Smart 305 RF (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	YES	WS	2	-	R		1.2g 4.5L		HET			F	
16-136	Conrac	Camri EL	5720BEWU: 5722BEW bowl, 5721BEWU tank	650	YES		2	3	E		*		HET			F	
11-078	Conrac	None EL	4722BET bowl, 4721BFT tank (lined)	650	YES		2	2	E		*					F	
13-138 & 14-108	Foremost	HET EL ADA (one-piece)	TL-10PA-HET-E (one-piece)	650	YES	WS	1	3	E	*				HET		F	
15-020	Foremost	None EL ADA	AO1-803807-E: LL-807-E bowl, T1-803 tank	650	YES	WS	2	3	E	*				HET		F	
14-063	Foremost	None EL ADA (one-piece - lined tank)	TL-10PB-HET-E (one-piece- lined tank)	650	YES	WS	1	3	E	*				HET		F	
15-019	Foremost	None RF ADA	AO1-803807-R: LL-807-R bowl, T1-803 tank	650	YES	WS	2	3	R	*				HET		F	
14-042	Niagara	None EL ADA	331-725: 331-725B bowl, 331-725T tank	650	YES		2	3	E	*				HET		F	
14-RN	Toto	Carusoe RF	CST715: C715 bowl, ST706 tank	650			2	2	R		*					F	
14-RN	Toto	Dalton EL ADA	CST734F: C734F bowl, ST733 tank	650			2	2	E	*	*					F	
14-RN	Toto	Clayton EL ADA (formerly Baldwin)	CST7845F: C7845F bowl, ST7845 tank	675			2	3	E	*	*					F	
14-RN	Toto	Willingham EL (formerly Plymouth)	CST924F OR MS924154F OR MW924***F	675	YES		1	3	E		*					F	
8-536	Caroma	Adelaide 270 CC Cube RF	834000 bowl, 814790 tank	700	YES	WS	2	-	R		*		HET			F	
8-537	Caroma	Adelaide 270 CC Standard RF	834000 bowl, 814328 tank	700	YES	WS	2	-	R		*		HET			F	
12-006	Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	YES	WS	2	-	R	*	*		HET			F	
12-005	Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	YES	WS	2	-	R	*	*		HET			F	
13-069	Caroma	Bondi 305 EL	609130 bowl, 726350 tank	700	YES	WS	2	-	E		*		HET			F	
12-002	Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	YES	WS	2	-	R		*		HET			F	
14-025	Caroma	Caravelle One-Piece RF	989646	700	YES	WS	1	-	R		*		HET			F	
12-004	Caroma	Colonial 270 RF ADA	605320 bowl, 625070 tank	700	YES	WS	2	-	R	*	*		HET			F	
15-089	Ceralux/Mancesa/Colceramica	Forzazul RF	3002 bowl, 4463 tank	700	YES		2	2	R					HET		F	
14-067	Conrac	Chloe RF (1 piece - lined tank)	5710BFT (one-piece - lined tank)	700	YES		1	2	R		*					F	
14-061	Conrac	Colin EL (lined tank)	5720BEZ: B5720BEZ bowl, T5720BEZ tank (lined)	700	YES	WS	2	2	E		*		HET			F	
16-133	Conrac	Craig RF	5720BFWU: 5722BFW bowl, 5721BFWU tank	700	YES		2	3	R		*		HET			F	
15-050	Foremost	None EL ADA (lined tank)	TL-5207HC-*L2: LL-5207HC-*2 bowl, T-5207-*L2 (lined tank)	700	YES	WS	2	3	E	*				HET		F	
11-092	Foremost	Regent RF (one-piece - lined tank)	TL-5200-*L (one piece with lined tank)	700	YES		1	2	R		*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
15-110	Foremost	None RF (lined tank)	TL-1207-*L2: LL-1207-*2 bowl, T-1207-*L2 tank (lined tank)	700	YES	WS	2	3	R						HET	F	
14-083	Lowe's (by Foremost)	Aquasource Traditional Design RF	SKU#0000164 (Foremost#TL-6800RW-LO)	700	YES		2	2	R		*					F	
14-033	Mansfield	Maverick	111 bowl, 112 tank	700	YES	WS	2	3							HET	F	
14-034	Mansfield	None RF	113 bowl, 112 tank	700	YES	WS	2	3	R						HET	F	
8-530	Rona	Rona Collection	SKU#2003354 (Foremost #TL-8267-WL)	700	YES	WS	2	2.5	S		*			HET		F	
11-125	Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	YES	WS	2	3	E	*					HET	F	
11-124	Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	YES	WS	2	3	E	*					HET	F	
7-515	Toto	Neorest 600 EL	MS990CGR**	700	YES		1	-	E		*					F	
14-RN	Toto	Ultramax EL	CST854S OR MS854114S OR MW854***S	700	YES		1	3	E		*					F	
13-053	Villeroy & Boch	Aveo Dual-Flush EL	6614.10 bowl, 7724-U1 tank	700	YES	WS	2	2.5	E		*			HET		F	
14-RN	American Standard	Cadet EL	2333: 4098 tank, 3099 bowl	750	YES		2	-	E		*					F	
10-021	American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	YES	WS	2	3	E						HET	F	
16-022	Briggs	Maelstrom HET EL	4685: 4115 bowl (UPC 671021377770), 4494 tank (UPC 671021377749)	750	YES	WS	2	3	E						HET	F	
16-021	Briggs	Maelstrom HET RF	4680: 4110 bowl (UPC 671021376216), 4494 tank (UPC 671021377749)	750	YES	WS	2	3	R						HET	F	
16-009	Contrac	Caden EL (1-piece - lined tank)	5710BET (one-piece - lined tank)	750	YES		1	2	E		*					F	
14-115	Foremost	AIO (All-In-One) EL ADA	AIO 7800HET-LO: AIO B7800HET-LO bowl, AIO T7800HET-LO tank	750	YES	WS	2	3	E	*					HET	F	
14-072	Foremost	Astoria EL ADA(lined tank)	TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined)	750	YES	WS	2	3	E	*					HET	F	
16-145	Foremost	Dual-To-Go RF (lined tank)	TL-8237-*L: LL-8237 bowl, T-8237-*L tank (lined)	750	YES		2	2	R		*			HET		F	
13-140	Foremost	Genie EL (lined tank)	TL-2010E-*L, LL-2010E bowl, T-2010-*L tank (lined)	750	YES		2	2	E					HET		F	
16-088	Foremost	Moline EL	TL-8267-*L: LL-8267 bowl, T-8267-*L tank (lined)	750	YES	WS	2	2.5	S		*			HET		F	
15-099	Foremost	None RF	AO1-681685R: LL-685R bowl, T1-681 tank	750	YES		2	2	R		*					F	
14-083	Foremost	None RF	TL-6800R*-LO: LL-6800-R*-MI bowl, T-6800-*S tank	750	YES		2	2	R		*					F	
11-093	Foremost	Premier EL (one-piece - lined tank)	TL-5100-*L (one piece with lined tank)	750	YES		1	2	E		*					F	
14-078	Foremost	Premier/Lilas RF (one-piece)	TL-5101-*L1 (one-piece)	750	YES		1	2	R		*					F	
13-142	Foremost	Regent RF (one-piece - lined tank)	TL-5210-*L (one piece - lined tank)	750	YES	WS	1	2	R					HET		F	
16-146	Foremost	Viva RF ADA (lined tank)	TL-8316-*L: LL-8316 bowl, T-8316-*L tank (lined)	750	YES		2	3	R	*					HET	F	
14-085	Foremost	Rona Toilet-to-Go (TTG) RF	TL-8257-*L1-TTG: LL-8257-*1 bowl, T-8257-*L1 tank (lined tank)	750	YES		2	2	R		*					F	
14-115	Lowe's	Aquasource HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	750	YES	WS	2	3	E	*					HET	F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
15-099	Lowe's	Aquasource RF	SKU#0213217 ( Foremost # A01-681685R*) UPC CODE: 721015353331	750	YES		2	2	R		*					F	
12-007	Mansfield/Colceramica	Essence EL ADA	184 bowl, 185 tank	750	YES		2	3	E	*	*					F	
15-089	Mansfield/Colceramica	Forzazul RF	3002 bowl, 4463 tank	750	YES		2	2	R					HET		F	
14-085	Rona	Rona TTG (Toilet-to-Go) RF	SKU#20035002 (Foremost#TL-8257-WL1)	750	YES		2	2	R		*					F	
15-012	Saniflo	Saniflush RF ADA (lined tank)	SF03B bowl, SF01T tank (lined)	750	YES	WS	2	2	R	*	*				R	F	
15-091RN	VitrA	Altantis EL	5051 bowl, 6853 tank	750	YES		2	2	E		*					F	
15-086RN	VitrA	Corina EL (one-piece)	5178	750	YES		1	3	E		*					F	
15-166	Winfield	None EL ADA	T3611: TB3611 bowl, TK3611 tank	750	YES		2	3	E	*	*					F	
7-521	American Standard	Cadet 3 EL (10" rough-in)	2383.010: 3014 bowl, 4019 tank	800	YES		2	3	E		*					F	
7-541	American Standard	Cadet 3 EL (12" rough-in)	2383.500: 3014 bowl, 4021.500 (lined tank)	800	YES		2	3	E		*					F	
12-101	American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	YES	WS	2	3	R					HET		F	
13-085	American Standard	Cadet EL	2462.016: 3481.016 bowl, 4142.016 tank	800	YES		2	-	E		*					F	
13-086	American Standard	Cadet EL ADA	2467.016: 3483.016 bowl, 4142.016 tank	800	YES		2	-	E	*	*					F	
12-102	American Standard	Champion 4 EL (one-piece)	2004 (one-piece)	800	YES		1	3	E		*					F	
11-097	American Standard	Champion 4 EL ADA (one-piece)	2034.314 (one-piece); NOTE: this one-piece fixture is also sold as 2034.014, which is the same fixture but with a seat.	800	YES		1	3	E	*	*					F	
12-099	American Standard	Evolution 2 RF (insulated tank)	2425.500: 3061.016 bowl, 4061.500 tank (lined)	800	YES		2	2	R		*					F	
12-103	American Standard	Evolution 2 EL	2427.012: 3063.016 bowl, 4061.016 tank	800	YES		2	2	E		*					F	
12-100	American Standard	Evolution 2 RF	2426.012: 3061.016 bowl, 4061.016 tank	800	YES		2	2	R		*					F	
13-089	American Standard	Evolution2 FloWise RF	2752.128: 3061.428 bowl, 4061.428 tank	800	YES	WS	2	2	R					HET		F	
12-112	American Standard	FloWise Dual Flush EL (insulated tank)	SOLD IN 3 COMBINATIONS - 2479.516, 2779.516 and 2476.516: each combination with 3067 bowl, 4035.516 tank(lined)	800	YES	WS	2	2	E		*			HET		F	
14-RN	American Standard	Glenwall EL (wall mount-ADA possible)	3402 bowl, 4098 tank	800	YES		2	-	E	*	*				R	W	
13-089	American Standard	Mainstream FloWise RF	3468.128: sold as a COMPLETE package, which includes bowl, tank, seat, & installation mat's as one item or SKU. Includes 3061.428 bowl, 4061.428 tank	800	YES	WS	2	2	R					HET		F	
10-054	Aquadis	Liverpool EL ADA	FI 629 bowl, FL 610 tank	800	YES		2	2	E	*	*					F	
11-089	Briggs	Kingsley EL	6087 (one piece)	800	YES		1	3	E		*					F	
7-525	Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	YES	WS	2	-	E	*	*			HET		F	
8-538	Caroma	Caravelle One-Piece RF ADA	989668	800	YES	WS	1	-	R	*	*			HET		F	
14-035	Caroma	Profile Smart 305 RF (NOTE: 1.2g/4.5L for the full flush - 0.8g/3.0L for reduced flush)	609151A bowl, 840420 tank	800	YES	WS	2	-	R		1.2g 4.5L			HET		F	
11-052	Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	YES	WS	2	-	E		*			HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
15-053	Cerapure Industries	None EL ADA (one-piece)	C8813/PF2001HE	800	YES		1		E	*	*						F
13-007	Chelini	Bournelli RF (lined tank)	1415 R bowl, 14206 tank (lined)	800	YES		2	2	R		*						F
14-079	Chelini	Cabot RF ADA (lined tank)	B1516R bowl, T10348 tank (lined tank)	800	YES	WS	2	3	R	*					HET		F
14-047	Chelini	Marriot EL ADA (lined tank)	B1216E bowl, TDF1246 tank (lined tank)	800	YES	WS	2	2	E	*	*			HET			F
16-001	Chelini	Verrazano EL ADA (lined tank)	B1118E bowl, T11206 tank	800	YES		2	2	E	*	*						F
13-117	Chelini	Verrazano RF ADA (lined tank)	B1118R bowl, T11206 tank	800	YES		2	2	R	*	*						F
16-108	Chelini - Cobban	Cabot Tall Boy EL ADA	B1517E bowl, T10348 tank	800	YES	WS	2	3	E	*					HET		F
16-011 & 16-040	Condy's Mid-North Sales	None RF ADA	90255	800	YES	WS	2	3	R	*	*			HET			F
16-039	Condy's Mid-North Sales	None RF ADA	9025D:	800	YES	WS	2	3	R	*					HET		F
14-065	Contrac	Cain EL (lined tank)	5720BEV: B5720BEV bowl, T5720BEV tank (lined)	800	YES	WS	2	3	E						HET		F
14-066	Contrac	Calum RF (lined tank)	5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	YES	WS	2	3	R						HET		F
13-126	Contrac	Captiva EL ADA	4710BIV	800	YES	WS	1	3	E	*					HET		F
15-108	Contrac	Cleo EL ADA	5720BOY: B5720BOY bowl, T5720BOY tank	800	YES	WS	2	-	E	*				HET			F
14-068	Contrac	Cullen EL ADA (lined tank)	5720BIZ: B5720BIZ bowl, T5720BIZ tank (lined)	800	YES	WS	2	2	E	*	*			HET			F
11-023	Crane	Classic III EL ADA	31512: 31852 bowl, 31822 tank	800	YES		2	3	E	*	*						F
13-014	Crane	Eco Galaxy/Cranada EL ADA	31009: 3815 bowl, 31590 tank	800	YES	WS	2	2	E	*	*			HET			F
13-013	Crane	Eco Galaxy/Cranada EL ADA	31069: 3815 bowl, 31593 tank (insulated)	800	YES	WS	2	2	E	*	*			HET			F
12-101D	Crane	Eco Opus III RF	2384328: 3011.328 bowl, 4021.328 tank	800	YES	WS	2	3	R						HET		F
11-015	Crane	Opus III EL	31672: 31572 bowl, 31552 tank	800	YES		2	3	E								F
11-003	Crane	Opus III EL ADA	31682: 31582 bowl, 31552 tank	800	YES		2	3	E	*	*						F
11-013	Crane	SureFlush EL	31362: 31202 bowl, 31242 tank	800	YES		2	3	E		*						F
11-012	Crane	Sureflush EL	31363: 31202 bowl, 31243 tank	800	YES		2	3	E		*						F
11-010	Crane	Sureflush RF	31353: 31192 bowl, 31243 tank	800	YES		2	3	R		*						F
14-093	Danze	Cirtangular EL ADA	DC023330 bowl, DC022321 tank	800	YES	WS	2	3	E	*					HET		F
15-145	Danze	Orrington EL ADA (12" rough-in - one-piece)	DC011323 (one-piece)	800	YES	WS	1	3	E	*					HET		F
15-146	Danze	Orrington EL ADA (12" rough-in)	DC013330 bowl, DC012323 tank	800	YES	WS	2	3	E	*					HET		F
15-147	Danze	Ziga Zaga EL ADA (12" rough-in - one-piece)	DC031321 (one-piece)	800	YES	WS	1	3	E	*					HET		F
16-049	Dolphin Plumbing Industrial	None EL (one-piece)	L1315E306 (one-piece)	800	YES		1	3	E		*						F
13-089D	Eljer	Belmont RF COMPLETE	091-0800: 3061.428 bowl, 4061.428 tank	800	YES	WS	2	2	R						HET		F
9-009	Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800	YES		2	-	E						HET		F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
9-010	Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800	YES		2	-	E	*							F
12-026	Eljer	Sanborn EL	091-0425: 131-0425 bowl, 141-0420 tank	800			2	2	E		*						F
12-025	Eljer	Sanborn RF	091-0420: 131-0420 bowl, 141-0420 tank	800			2	2	R		*						F
9-004	Eljer	Toronto Patriot EL ADA	091-2075: 131-2175 bowl; 141-2020 tank	800			2	2	E	*	*						F
16-144	Foremost	Castille EL ADA (lined tank)	TL-7247-*L: LL-7247 bowl, T-7247-*L tank (lined)	800	YES		2	2	E	*	*						F
13-141	Foremost	Europa EL (one-piece with lined tank)	TL-8271E-*L (one-piece - lined tank)	800	YES	WS	1	2	E					HET			F
15-117	Foremost	None EL ADA	AO1-054777E: LL777E bowl, T1-054 tank	800	YES	WS	2	3	E	*					HET		F
15-114	Foremost	None EL ADA	AO2-058777E: LL-777E bowl, T2-058 tank	800	YES	WS	2	3	E	*	*			HET			F
15-103	Foremost	None EL ADA	AO4-035177E: LL-177E bowl, T4-035 tank	800	YES	WS	2	-	E	*				HET			F
15-104	Foremost	None EL ADA	AO4-045177E: LL-177E bowl, T4-045 tank	800	YES	WS	2	-	E	*				HET			F
15-100	Foremost	None EL ADA	AO4-215177E: LL-177E bowl, T4-215 tank	800	YES	WS	2	-	E	*				HET			F
15-102	Foremost	None EL ADA	AO4-425177E: LL-177E bowl, T4-425 tank	800	YES	WS	2	-	E	*				HET			F
15-101	Foremost	None EL ADA	AO4-825177E: LL-177E bowl, T4-825 tank	800	YES	WS	2	-	E	*				HET			F
15-115	Foremost	None RF	AO1-203824R: LL-824R bowl, T1-203 tank	800	YES	WS	2	3	R						HET		F
15-112	Foremost	None RF	TT-8207-*L2: LL-8207-*2 bowl; T-8207-*L2 tank (lined)	800	YES		2	2	R		*						F
14-111	Foremost	None RF (lined tank)	TL-8207-*L4: LL-8207-*4 bowl, T-8207-*L4 tank (lined)	800	YES	WS	2	3	R						HET		F
15-121	Foremost	None RF ADA	AO1-054777R: LL-777R bowl, T1-054 tank	800	YES	WS	2	3	R	*					HET		F
15-118	Foremost	None RF ADA	AO2-058777R: LL-777R bowl, T2-058 tank	800	YES	WS	2	3	R	*	*			HET			F
14-074	Foremost	Odessa RF (one-piece - lined tank)	TL-8260-*L (one-piece with lined tank)	800	YES	WS	1	2	S		*			HET			F
10-084 & 13-148	Foremost	Westminster - RF	TL-6800-*L: T-6800-*L bowl, LL-6800 tank (lined)	800	YES		2	2	R		*						F
16-157	Foremost	Eclipse EL (one-piece-lined tank)	TL-8165-*L (one-piece - lined tank)	800	YES		1	3	E						HET		F
13-133	Foremost	Home Depot - Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036)	800	YES	WS	2	3	E	*					HET		F
15-109	Foremost	None EL ADA	AO4-045167E: LL-167E bowl, T4-045 tank	800	YES	WS	2	-	E	*				HET			F
12-046	Gerber	Allerton EL	21-010 (one-piece)	800			2	2	E		*						F
10-061	Gerber	Allerton EL ADA (10-inch rough-in)	20-008: 21-577 bowl, 28-585 tank	800			2	2	E	*	*						F
14-088	Gerber	Allerton EL ADA (12-inch rough - lined tank)	20-007: 21-577 bowl, LT28-580 tank (lined tank)	800			2	2	E	*	*						F
10-060	Gerber	Allerton EL ADA (12-inch rough-in)	20-002: 21-577 bowl, 28-580 tank	800			2	2	E	*	*						F
10-097	Gerber	Allerton EL ADA (14-inch rough-in)	20-009: 21-577 bowl, 28-584 tank	800			2	2	E		*						F
10-058	Gerber	Allerton RF (10-inch rough-in)	20-002: 21-542 bowl, 28-585 tank	800			2	2	R		*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
16-101	Gerber	Avalanche 1.28 EL (10-inch rough-in)	HE-21-810: HE-21-862 bowl (UPC bar code 671052047031), HE-28-895 tank (UPC bar code 671052047062)	800	YES		2	3	E							HET	F
16-100	Gerber	Avalanche 1.28 EL (12-inch rough-in - lined tank)	HE-21-812: HE-21-862 bowl (UPC bar code 671052047031), HE-28-892 tank (lined tank - UPC bar code 671052047796)	800	YES		2	3	E							HET	F
16-099	Gerber	Avalanche 1.28 EL (12-inch rough-in)	HE-21-812: HE-21-862 bowl (UPC bar code 671052047031), HE-28-890 tank (UPC bar code 671052047055)	800	YES		2	3	E							HET	F
14-089	Gerber	Avalanche 1.28 EL ADA	HE-21-818: HE-21-828 bowl, HE-28-890 tank	800	YES	WS	2	3	E	*						HET	F
15-144	Gerber	Avalanche 1.28 EL ADA (10-inch rough-in)	HE-21-817: HE-21-828 bowl, HE-28-895 tank	800	YES		2	3	E	*						HET	F
15-141	Gerber	Avalanche 1.28 RF (10-inch rough-in)	HE-21-800: HE-21-852 bowl, HE-28-895 tank	800	YES	WS	2	3	R							HET	F
15-143	Gerber	Avalanche 1.28 RF (12-inch rough-in - lined tank)	HE-21-802: HE-21-852 bowl, HE-28-892 tank (lined)	800	YES	WS	2	3	R							HET	F
15-142	Gerber	Avalanche 1.28 RF (12-inch rough-in)	HE-21-802: HE-21-852 bowl, HE-28-890 tank	800	YES		2	3	R							HET	F
12-059	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-890 tank	800	YES		2	3	E		*						F
12-063	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-892 tank (insulated)	800	YES		2	3	E		*						F
12-055	Gerber	Avalanche RF (10-inch rough-in)	21-800: 21-852 bowl, 28-895 tank	800	YES		2	3	R		*						F
12-056	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-890	800	YES		2	3	R		*						F
12-062	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-892 (insulated)	800	YES		2	3	R		*						F
12-057	Gerber	Avalanche RF (14-inch rough-in)	21-804: 21-852 bowl, 28-894 tank	800	YES		2	3	R		*						F
10-104	Gerber	Brianne EL ADA (12-inch rough-in)	20-013: 21-183 bowl, 28-183 tank	800	YES		2	3	E	*	*						F
14-091	Gerber	Brianne RF (lined tank)	20-014: 21-184 bowl, LT28-183 tank (lined tank)	800	YES		2	3	R		*						F
12-125	Gerber	Logan Square EL (12-inch rough-in)	20-016: 21-532 bowl, 28-530 tank	800	YES		2	3	E		*						F
14-104	Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	800	YES	WS	2		E							HET	R F
15-156	Gerber	Ultra Flush EL (rear discharge)	21-310: 21-374 bowl, 28-380 tank	800	YES		2	-	E								R F
15-RN	Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	YES	WS	2	-	E	*						HET	F
15-RN	Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	YES	WS	2	-	E	*						HET	F
15-RN	Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	YES	WS	2	-	E	*						HET	F
15-RN	Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	YES	WS	2	-	E	*						HET	F
15-RN	Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	YES	WS	2	-	E	*						HET	R F
15-157	Gerber	Ultra Flush EL ADA (w/bedpan lugs)	21-319: 21-329 bowl, 28-380 tank	800	YES		2	-	E	*							F
9-017	Gerber	Viper EL	21-510: 21-562 bowl, 28-595 tank	800			2	2	E		*						F
9-018	Gerber	Viper EL	21-510: 21-562 bowl, EH28-595 tank (pedestal flush valve)	800	YES		2	2	E		*						F
9-019	Gerber	Viper EL	21-512: 21-562 bowl, 28-590 tank	800			2	2	E		*						F
12-087	Gerber	Viper EL	21-512: 21-562 bowl, 28-592 tank	800			2	2	E		*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
9-020	Gerber	Viper EL	21-512: 21-562 bowl, EH28-590 tank (pedestal flush valve)	800	YES		2	2	F		*					F	
9-021	Gerber	Viper EL	21-514: 21-562 bowl, 28-594 tank	800			2	2	F		*					F	
9-024	Gerber	Viper EL ADA	21-517: 21-528 bowl, EH28-595 tank (pedestal flush valve)	800	YES		2	2	E	*	*					F	
9-025	Gerber	Viper EL ADA	21-518: 21-528 bowl, 28-590 tank	800			2	2	F	*	*					F	
9-026	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-590 tank (pedestal flush valve)	800	YES		2	2	F	*	*					F	
12-088	Gerber	Viper RF	21-502: 21-552 bowl, 28-592 tank	800			2	2	R		*					F	
16-098	Gerber	Wicker Park Ergoheight EL ADA	20-020: 21-186 bowl (UPC bar code 671052047161), 28-186 tank (UPC bar code 671052047178)	800	YES		2	3	E	*				HET		F	
13-133	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (Sold combined as Home Depot SKU 780-036 - UPC code 721015350491)	800	YES	WS	2	3	E	*				HET		F	
11-106	Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. (Also sold in All-In-One combination package as Home Depot SKU 331-725 --- Replaced by another product: Glacier Bay All-In-One with UPC Code 732291222518)	800	YES	WS	2	-	E	*				HET		F	
16-025	Kohler	Archer Class 5 EL (one-piece)	K-3639 (one-piece) UPC bar code 650531897381	800	YES	WS	1	3	E					HET		F	
10-047	Kohler	Archer EL ADA	K-3517: 4295 bowl, 4493 tank	800	YES		2	3	E	*	*					F	
15-073RN	Kohler	Bancroft EL ADA	K-3487: 4281 bowl, 4633 tank	800	YES		2	3	E	*	*					F	
12-018	Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	YES	WS	2	-	E					HET	R	F	
15-074RN	Kohler	Cimarron EL ADA	K-3489 (one-piece)	800	YES		1	3	E	*	*					F	
10-109	Kohler	Cimarron Eco-Smart EL ADA	K-3496-HE: 4286 bowl, 4634-HE tank	800	YES	WS	2	3	E	*				HET		F	
10-046	Kohler	Gabrielle EL ADA	K-3513 (one-piece)	800	YES		1	3	E	*	*					F	
15-077RN	Kohler	Highline Pressure Lite EL ADA	K-3493: 4304 bowl, 4645 tank	800	YES		2	-	E	*	*					F	
15-071RN	Kohler	Memoirs Classic EL	K-3451 (Classic tank lid)	800	YES		1	3	E		*					F	
15-072RN	Kohler	Memoirs Stately EL	K-3453 (Stately tank lid)	800	YES		1	3	E		*					F	
15-075RN	Kohler	Purist EL	K-3492 Power-Assisted	800	YES		1	-	E		*					F	
8-550	Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	YES	WS	2	2	R		*			HET		F	
13-003b & 16-029	Kohler	Sterling Stinson EL	402075: 402070 bowl (UPC bar code 650531843333), 402071 tank (UPC bar code 650531654205)	800	YES		2	2	E		*					F	
16-118	Kohler	Sterling Windham EL	402081: 403215 bowl, 404555 tank (NOTE: also sold as 404700 when included as part of a complete package with bowl, tan, and other materials)	800	YES	WS	2	2	E					HET		F	
15-088	Kohler	Wellworth EL	K-3575: 4198 bowl, 4436 tank (NOTE: this fixture is also sold as K-11498 when included as part of the "COMPLETE SOLUTION" package)	800	YES	WS	2	3	E					HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed			
		250 grams to 475 grams																
		500 grams and more																
		Type/technology of toilet fixture																
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
		4-L (1.1-gal) Pressure-assist (HET)																
		Gravity-fed & Vacuum-assist																
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																
		Model Name	Model Number															
16-120	Kohler	Sterling Riverton EL (lined tank)	402084: 403215 bowl, 404552 tank (lined) (NOTE: also sold as 404701 when included as part of a complete package with bowl, tan, and other materials)	800	YES	WS	2	2	E									F
15-082	Lefroy Brooks	None EL ADA	C531222(LW6000)/ C600152(LW6001)	800	YES	WS	2	3	E	*								F
14-024	Mansfield/Colceramica	Enso EL ADA	177 bowl, 178 tank	800	YES	WS	2	2.5	E	*	*			HET				F
9-039	Mansfield/Colceramica	Stafford EL	105 bowl, 106 tank	800	YES		2	3	E		*							F
13-064	Niagara	Claremont EL ADA (Flapperless)	N4417 bowl, N4415T tank	800	YES		2	-	E	*								F
10-023	Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank.	800	YES	WS	2	-	E	*								F
13-028	Niagara	Flapperless RF	N2216: 2216BC bowl, 2216LPT tank	800	YES		2	-	R		*							F
15-076	Niagara	PowerOne RF	N2310R: N2310R bowl, N2310T tank	800	YES	WS	2	-	R					HET				F
16-033	OPS - Original Pacific Supply	None RF	T/X-6810:	800	YES		2	3	R		*							F
10-137	Porcher (American Standard)	Veneto II EL (one-piece)	97220 (one-piece)	800	YES		1	3	E		*							F
13-004	PreCon Solutions	None	1003 EL (one-piece)	800	YES		1	2	E		*							F
13-109	PROFLO	None EL ADA	PF6101 bowl, PF6112HE tank (Fluidmaster fill valve)	800	YES	WS	2	3	E	*						HET		F
15-085	Roca	Dama Senso ADA	59361 bowl, 59570 tank	800	YES			2.5	S	*	*			HET				F
15-044	Roca	Happening Dual-Flush ADA	65361 bowl, 65570 tank	800	YES		2	2.5	S	*	*			HET				F
13-141	Rona	Europa EL	SKU#7369129 (Foremost #TL-8271E-WL)	800	YES		1	2	E					HET				F
16-049	Rona	None EL (one-piece)	70235001 (one-piece)	800	YES		1	3	E		*							
15-100	Seasons (HD Supply)	None EL ADA	SE10058 bowl, SE10057 tank (same as Foremost A04-215177E: LL-177E bowl, T4-215 tank; also HD Supply Facilities Maint. Nos. 564856 and 564854, respectively)	800	YES	WS	2	-	E	*				HET				F
16-010	Tangshan Cielo Ceramics	None RF ADA	0025D:	800	YES	WS	2	3	R	*						HET		F
15-RN	Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	YES	WS	2	2	E		*			HET				F
12-083	Toto	Drake II EL ADA (Formerly Gwyneth Two-Piece)	CST454CEF(G): C454CEF(G) bowl, ST454E tank	800	YES	WS	2	3	E	*						HET		F
13-143	Toto	Neorest 550 EL	MS980CMG#**	800	YES	WS	1	-	E			*		HET				F
16-164	Toto	Vespin II EL ADA	CST474CEF(G): CT474CEF(G) bowl, ST454E tank. UPC Bar code for combination: 739268172739	800	YES		2	3	E	*						HET		F
13-108	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (Fluidmaster fill valve)	800	YES	WS	2	3	E	*						HET		F
15-092RN	VitrA	Altantis RF	5050 bowl, 6853 tank	800	YES		2	2	R		*							F
14-023	VitrA	Corina EL ADA	5032 bowl, 5070 tank	800	YES		2	3	E	*	*							F
9-047	VitrA	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5402 tank	800	YES	WS	2	2	R	*						HET		F
8-503	VitrA	Serenada EL ADA	4219-003-5265	800	YES		1	3	E	*	*							F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
13-031	Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	YES	WS	2	3	E						HET	F	
13-034	Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	YES	WS	2	3	E						HET	F	
13-029	Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	800	YES	WS	2	3	R						HET	F	
13-029	Vortens-Lamosa	Superio RF	3213 bowl, 3475 tank	800	YES	WS	2	3	R						HET	F	
9-053	Vortens-Lamosa	Vienna L EL (ballcock-float arm fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464V)	800			2	2	E		*					F	
9-052	Vortens-Lamosa	Vienna L EL (pilot fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464R)	800	YES		2	2	E		*					F	
8-552	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464 tank	800	YES		2	2	R		*					F	
15-011	WaterRidge-Milim G&G Ceramics	WaterRidge EL ADA	C21079C, 191575 tank	800	YES	WS	2	3	E	*	*			HET			
15-049	Western Pottery	None EL ADA	817DF: 817 bowl, T8-DF tank	800	YES	WS	2	2.5	E	*				HET		F	
10-139	Western Pottery	Typhoon 830 EL	830: B830 bowl, T8ULF-HP tank	800			2	3	E		*					F	
16-113RN	Zurn	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	YES	WS	2	-	E			*		HET		F	
16-111RN	Zurn	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	800	YES	WS	2	-	E					HET		F	
16-112RN	Zurn	EcoVantage EL	Z5570	800	YES		2	-	E			*				F	
15-094RN	VitrA	Corina RF	5068 bowl, 5070 tank	825	YES		2	3	R		*					F	
10-001	American Standard	Doral Classic Champion EL ADA	2058.014: 3225 bowl, 4281 tank	850	YES		2	3	E	*	*					F	
7-514	Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	850	YES	WS	2	-	E	*	*			HET		F	
14-037	Caroma	Sydney Smart 270 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609100 bowl, 622322 tank	850	YES	WS	2	-	E		1.2g 4.5L			HET		F	
13-121	Caroma	Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	850	YES	WS	2	-	E	*	1.2g 4.5L			HET		F	
14-039	Caroma	Sydney Smart 270 RF (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609159 bowl, 622322 tank	850	YES	WS	2	-	R		1.2g 4.5L			HET		F	
14-038	Caroma	Sydney Smart 270 RF ADA (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609177 bowl, 622322 tank	850	YES	WS	2	-	R	*	1.2g 4.5L			HET		F	
14-114	Foremost	AIO (All-In-One) EL	AIO250EW-LO: AIO B250EW-LO bowl, AIO T250EW-LO tank	850	YES		2	2	E		*					F	
14-110	Foremost	AIO (All-In-One) RF	AIO250RW-LO: AIO B250RW-LO bowl, AIO T250RW-LO tank	850	YES		2	2	R		*					F	
16-140RN	Foremost	Gemini Dual-Flush RF (lined tank)	TL-2005-*L: LL-2005 bowl, T-2005-*L tank (lined)	850	YES	WS	2	2	R		*			HET		F	
15-116	Foremost	None EL ADA	AO2-158777E: LL-777E bowl, T2-158 tank	850	YES	WS	2	2	E	*	*			HET		F	
15-111	Foremost	None EL ADA (lined tank)	TT-8297-*L2: LL-8207HC-*2 bowl; T-8207-*L2 tank (lined)	850	YES		2	2	E	*	*					F	
15-021	Foremost	None RF	AO2-7851-HET-R: LL-0051-R bowl, T-7800-HET tank	850	YES	WS	2	3	R					HET		F	
8-540 & 16-140RN	Home Depot - Pegasus/Glacier Bay (by Foremost)	Dual-Flush RF	Home Depot SKU 131-926	850	YES	WS	2	-	R		*			HET		F	
14-114	Lowe's	Aquasource EL	SKU#0000184 (Foremost # AIO250EW-LO)	850	YES		2	2	E		*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
14-110	Lowe's	Aquasource RF	SKU#0000187 (Foremost #AIO 250RW-LO) UPC code 721015352013	850	YES		2	2	R		*					F	
15-021	Lowe's (by Foremost)	Aquasource RF	0104502	850	YES	WS	2	3	R					HET		F	
11-114	PROFLO	None EL	PF9401 bowl; PF9412 tank	850	YES	WS	2	3	E					HET		F	
15-045	Roca	Hall Dual-Flush	67361 bowl, 67570 tank	850	YES		2	2.5	S	*	*			HET		F	
8-539 & 1614ORN	Rona	Gemini Dual Flush RF	SKU# 7369067 (Foremost #TL-2005-*L)	850	YES	WS	2	2	R		*			HET		F	
15-015	Saniflo	Saniflush EL ADA (lined tank)	SF04B bowl, SF01T tank (lined)	850	YES	WS	2	2	E	*	*				R	F	
11-113	Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	YES	WS	2	3	E					HET		F	
15-093RN	VitrA	Corina EL	5069 bowl, 5070 tank	850	YES		2	3	E		*					F	
15-014	Xiamen Lota International Co.	None RF ADA	CT-202: CF202 bowl, TA-202 tank	850	YES	WS	2	3	R	*				HET			
10-126	American Standard	FloWise Dual Flush EL	2479.216 (this combination also sold as 2476.216 when with a slow-close seat): 3067 bowl, 4035.216 tank	900	YES	WS	2	2	E		*			HET		F	
14-RN	American Standard	Titan EL ADA	2839.016: 3892.016 bowl, 4337.016 tank	900	YES		2	3	E	*	*					F	
16-023	Briggs	Maelstrom HET EL ADA	4688: 4118 bowl (UPC 671021377800), 4494 tank (UPC 671021377749)	900	YES	WS	2	3	E	*				HET		F	
10-112	Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	YES	WS	2	-	E	*	*			HET		F	
11-051	Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	YES	WS	2	-	R	*	*			HET		F	
14-036	Caroma	Sydney Smart 305 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609130 bowl, 622322 tank	900	YES	WS	2	-	E		1.2g 4.5L			HET		F	
14-026	Caroma	Sydney Smart RF Rear Outlet (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609450 bowl, 622322 tank	900	YES	WS	2	-	R		1.2g 4.5L			HET	R	F	
14-RN	Crane	Titan EL ADA	32032: 32013 bowl, 32006 tank	900	YES		2	3	E	*	*					F	
14-RN	Eljer	Titan EL ADA	091-0777: 131-0777 bowl, 141-0777 tank	900	YES		2	3	E	*	*					F	
13-132	Foremost	HET RF ADA (lined tank)	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	YES	WS	2	3	R	*				HET		F	
15-119	Foremost	None RF ADA	AO2-158777R: LL-777R bowl, T2-158 tank	900	YES	WS	2	2	R	*	*			HET		F	
16-156	Foremost	Moline RF ADA (one piece-lined tank)	TL-8265-*L (one-piece - lined tank)	900	YES		1	2	R	*	*			HET		F	
13-129	Foremost	Westminster EL	TL-6800E-WN, LL-6800-EWN Bowl T-6800-WN Tank	900	YES		2	3	E		*					F	
16-152RN	Gerber	Ultra Flush RF (10" rough-in)	21-300: 21-342 bowl, 28-385 tank	900	YES		2	-	R		*					F	
16-153RN	Gerber	Ultra Flush RF (14" rough-in)	21-304: 21-342 bowl, 28-384 tank	900	YES		2	-	R		*					F	
13-132	Home Depot - Glacier Bay (by Foremost)	Glacier Bay RF ADA	HD SKU 535-904 - UPC bar code 721015414346: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	YES	WS	2		R					HET		F	
14-075	Home Depot - Pegasus (by Foremost)	None EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim) Home Depot SKU 331-725	900	YES		2	3	E	*				HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)		Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)	
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist			
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
11-070	Mansfield	Quantum EL	144 bowl, 153 tank	900	YES	WS	2	-	E	*				HET		R	W
14-040	PROFLO	None EL	PF1601 bowl, PF1612 tank	900	YES	WS	2	-	E					HET			F
13-104	PROFLO	None EL	PF6101 bowl; PF6112HE tank (R&T fill valve)	900	YES	WS	2		E						HET		F
14-041	PROFLO	None EL ADA	PF1603 bowl, PF1612 tank	900	YES	WS	2	-	E	*				HET			F
13-113	PROFLO	None EL ADA	PF6201 bowl; PF6212HE tank	900	YES	WS	2		E						HET		F
13-106	PROFLO	None EL ADA	PF6101 bowl, PF6112 tank	900	YES		2	3	E	*	*						F
11-112	PROFLO	None RF	PF9400 bowl; PF9412 tank	900	YES	WS	2	3	R						HET		F
12-015	Quality Craft	Alexis HET Dual Flush Toilet in Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	YES	WS	2	3	E	*	*			HET			F
12-014	Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	YES	WS	2	3	E	*					HET		F
12-009	Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900	YES		2	3	E	*					HET		F
12-011	Quality Craft	None - EL ADA	3001/3004 (insulated tank)	900	YES		2	3	E	*	*			HET			F
13-132	Rona	HET TTG RF ADA	SKU#7369128 (Foremost #TL-7600HC-HETR-*L (lined tank) (Fluidmaster tank trim)	900	YES	WS	2	3	R	*					HET		F
14-RN	Toto	Drake EL	CST744S: C744S or C744E bowl, ST743S tank	900	YES		2	3	E		*						F
11-062	Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	YES	WS	2	3	E	*					HET		F
13-107	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (Fluidmaster fill valve)	900	YES	WS	2	3	E	*					HET		F
13-101	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (R&T fill valve)	900	YES	WS	2	3	E	*					HET		F
13-102	Tynan Plumbing	Avoca EL ADA	4301: 0320 bowl, 1331 tank	900	YES		2	3	E	*	*						F
13-103	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (R&T fill valve)	900	YES	WS	2	3	E	*					HET		F
13-105	Tynan Plumbing	Foyle EL ADA	4332: 0321 bowl, 1332 tank	900	YES		2	3	E	*	*						F
14-031	Tynan Plumbing	Louth EL	4510: 7510 bowl, 1712 tank	900	YES	WS	2	-	E						HET		F
14-032	Tynan Plumbing	Louth EL ADA	4512: 7512 bowl, 1712 tank	900	YES	WS	2	-	E	*					HET		F
11-111	Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	YES	WS	2	3	R						HET		F
13-112	Tynan Plumbing	Nore EL ADA	4346: 0346 bowl, 1346 tank	900	YES	WS	2	3	E	*					HET		F
14-027	Villeroy & Boch	Elody EL	5W01-01: 5C01-01 bowl, 5D01-U1 tank	900	YES		2	3	E		*						F
15-047	Western Pottery	None EL	832HET: B832 bowl, T8-HET tank	900	YES	WS	2	2.5	E						HET		F
15-046	Western Pottery	None RF	822HET: B822 bowl, T8-HET tank	900	YES	WS	2	2.5	R						HET		F
7-506	Zurn	EcoVantage EL ADA	Z5551: Z5551 bowl, Z5551 tank	900	YES		2	3	E	*	*						F
12-027	Mansfield	Prestigio 4 EL	704 (one-piece)	950	YES	WS	1	-	E						HET		F
13-111	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)	950	YES	WS	2	3	E	*					HET		F
13-098	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (R&T fill valve)	950	YES	WS	2		E						HET		F
13-100	PROFLO	None EL ADA	PF8503 bowl, PF8512 tank	950	YES		2	3	E	*	*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
12-013	Quality Craft	Alexis ULF Toilet in a Box - EL ADA	30012K: 3001 bowl, 3002 tank (insulated)	950	YES		2	3	E	*	*					F	
12-010	Quality Craft	None - EL ADA	3001/3002 (insulated tank)	950	YES		2	3	E	*	*					F	
14-075	Seasons (HD Supply)	None EL	SE10040 bowl, SE10039 tank (Same as Foremost HET 7600 elongated bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564832, respectively)	950	YES	WS	2		E					HET		F	
13-110	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (Fluidmaster fill valve)	950	YES	WS	2	3	E	*				HET		F	
13-097	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (R&T fill valve)	950	YES	WS	2	3	E	*				HET		F	
13-099	Tynan Plumbing	MacLair EL ADA	4314: 0314 bowl, 1330 tank	950	YES		2	3	E	*	*					F	
15-013	Xiamen Lota International Co.	None EL ADA	CT-201: CF201 bowl, TA-201 tank	950	YES	WS	2	3	E	*				HET		F	
14-134	American Standard	Antiquity Cadet 3 EL (one-piece)	2907.016 (one-piece)	1,000	YES		1	3	E		*					F	
15-040	American Standard	Boulevard EL ADA (one-piece)	2891.128 (one-piece)	1,000	YES	WS	1	3	E	*				HET		F	
15-039	American Standard	Boulevard EL ADA (one-piece)	2891.016 (one-piece)	1,000	YES		1	3	E	*	*					F	
7-517	American Standard	Cadet 3 COMPLETE RF (10" rough-in)	2384.310: "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3011 bowl, 4019 tank	1,000	YES		2	3	R		*						
16-162RN	American Standard	Cadet 3 EL (12" rough-in)	2383.012: 3014 bowl, 4021 tank (unlined tank)	1,000	YES		2	3	E		*					F	
7-520	American Standard	Cadet 3 EL (14" rough-in)	2383.014: 3014 bowl, 4027 tank	1,000	YES		2	3	E		*					F	
7-518	American Standard	Cadet 3 EL ADA (10" rough-in)	2386.010: 3016 bowl, 4019 tank	1,000	YES		2	3	E	*	*					F	
7-523	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.012: 3016 bowl, 4021 tank (unlined tank); NOTE: this combination is also sold as 3305.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	YES		2	3	E	*	*					F	
7-542	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.500: 3016 bowl, 4021.500 (lined tank)	1,000	YES		2	3	E	*	*					F	
7-516	American Standard	Cadet 3 EL ADA (14" rough-in)	2386.014: 3016 bowl, 4027 tank	1,000	YES		2	3	E	*	*					F	
12-108	American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	YES	WS	2	3	E					HET		F	
WS-15	American Standard	Cadet 3 FloWise EL (10" rough-in)	2833.128: 3014.128 bowl, 4019.128 tank	1,000	YES	WS	2	3	E					HET		F	
15-137	American Standard	Cadet 3 FloWise EL (10" rough-in)	3379.128: 3014.128 bowl, 4019.128 tank	1,000	YES	WS	2	3	E					HET		F	
14-052	American Standard	Cadet 3 Flowise EL (lined tank)	2832.513: 3014.128 bowl, 4021.513 tank(lined)	1,000	YES	WS	2	3	E					HET		F	
12-107 & 12-114	American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128 AND 3329.128, both of which are identified as the "COMPLETE" packages and include bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	YES	WS	2	3	E	*				HET		F	
15-134	American Standard	Cadet 3 FloWise EL ADA	2836.128: 3016.128 bowl, 4019.128 tank	1,000	YES	WS	2	3	E	*				HET		F	
14-054	American Standard	Cadet 3 Flowise EL ADA (lined tank)	2835.513: 3016.128 bowl, 4021.513 tank(lined)	1,000	YES	WS	2	3	E	*				HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
14-055	American Standard	Cadet 3 Flowise EL ADA (one-piece; lined tank)	2403.513 (one piece; lined tank)	1,000	YES	WS	1	3	E	*				HET		F	
16-148	American Standard	Cadet 3 Flowise RF (10" rough-in)	2830.128: 3011.128 bowl (UPC bar code 3305671073), 4019.128 tank (UPC bar code 3305675148)	1,000	YES	WS	2	3	R					HET		F	
14-053	American Standard	Cadet 3 Flowise RF (lined tank)	2829.513: 3011.128 bowl, 4021.513 tank(lined)	1,000	YES	WS	2	3	R					HET		F	
14-130	American Standard	Cadet 3 Flowise RF ADA	2758.128: 3005.128 bowl, 4021.128 tank	1,000	YES	WS	2	3	R	*	*			HET		F	
15-041	American Standard	Cadet 3 FloWise RF ADA	3377.128: 3005.128 bowl, 4021.128 tank	1,000	YES	WS	2	3	R	*				HET		F	
16-127	American Standard	Cadet 3 Flowise RF ADA (10" rough-in)	2849.128: 3005.128 bowl (UPC bar code 3305671898), 4019.128 tank (UPC bar code 3305675148)	1,000	YES	WS	2	3	R	*				HET		F	
15-132	American Standard	Cadet 3 FloWise RF ADA (lined tank)	2758.513: 3005.128 bowl, 4021.513 tank (lined)	1,000	YES	WS	2	3	R	*				HET		F	
7-517	American Standard	Cadet 3 RF (10" rough-in)	2384.010: 3011 bowl, 4019 tank NOTE: this combination is also sold as 2384.310, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	YES		2	3	R		*					F	
7-522	American Standard	Cadet 3 RF (12" rough-in)	2384.012: 3011 bowl, 4021 tank; NOTE: this combination is also sold as 2880.000 AND as 2852.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	YES		2	3	R		*					F	
7-543	American Standard	Cadet 3 RF (12" rough-in)	2384.500: 3011 bowl, 4021.500 (lined tank)	1,000	YES		2	3	R		*					F	
7-519	American Standard	Cadet 3 RF (14" rough-in)	2384.014: 3011 bowl, 4027 tank	1,000	YES		2	3	R		*					F	
12-109	American Standard	Cadet 3 RF (insulated tank)	2880.500: 3011.016 bowl, 4021.500 tank (lined); NOTE: this combination is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	YES		2	3	R		*					F	
12-117	American Standard	Cadet 3 RF (insulated tank)	2882.000 Toilet in a Box (A "COMPLETE" package that includes bowl, tank, seat, and installation mat's as one item or SKU)	1,000	YES		2	3	R		*					F	
14-056	American Standard	Cadet 3 RF ADA	2755.016: 3005.016 bowl, 4021.016 tank	1,000	YES		2	3	R	*	*					F	
15-129	American Standard	Cadet 3 RF ADA (10" rough-in)	2756.016: 3005.016 bowl, 4019.016 tank	1,000	YES		2	3	R	*	*					F	
15-131	American Standard	Cadet 3 RF ADA (14" rough-in)	2757.016: 3005.016 bowl, 4027.016 tank	1,000	YES		2	3	R	*	*					F	
14-127	American Standard	Cadet 3 Right Height RF ADA (lined)	2755.500: 3005.016 bowl, 4021.016 tank (lined)	1,000	YES		2	3	R	*	*					F	
10-007	American Standard	Champion 4 EL	2018.214: 3121 bowl, 4266 tank	1,000	YES		2	3	E		*					F	
11-100	American Standard	Champion 4 EL	2018.504: 3121.016 bowl, 4266.504 (lined tank)	1,000	YES		2	3	E		*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
13-073	American Standard	Champion 4 EL ADA	2002.014: 3225 bowl, 4266 tank; NOTE: this combination is also sold as 2586.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	YES		2	3	E	*	*						F
11-099	American Standard	Champion 4 EL ADA	2002.504: 3225.016 bowl, 4266.504 tank(lined)	1,000	YES		2	3	E	*	*						F
13-093	American Standard	Champion 4 EL ADA	2586.500: 3225.016 bowl, 4266.504 tank(lined)	1,000	YES		2	3	E	*	*						F
10-022 & 12-118	American Standard	Champion 4 RF	2023.214: 3110 bowl, 4266 tank; NOTE: this combination is also sold as 2585.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	YES		2	3	R		*						F
11-101	American Standard	Champion 4 RF	2023.504: 3110.016 bowl, 4266.504 tank(lined)	1,000	YES		2	3	R		*						F
13-091	American Standard	Champion 4 RF	2585.500: 3110.016 bowl, 4266.504 tank(lined)	1,000	YES		2	3	R		*						F
15-RN	American Standard	Champion Right Height EL ADA	2002: 3225 bowl, 4260 tank	1,000	YES		2	3	E	*	*						F
15-057RN	American Standard	Champion Select EL	2087: 3121 bowl, 4272 tank	1,000	YES		2	3	E		*						F
15-058RN	American Standard	Champion Select EL ADA	2057: 3225 bowl, 4272 tank	1,000	YES		2	3	E	*	*						F
15-059RN	American Standard	Champion Select RF	2035: 3110 bowl, 4272 tank	1,000	YES		2	3	R		*						F
10-128	American Standard	Compact Cadet 3 EL	2431.010: 3046.016 bowl, 4019.016 tank; NOTE: this combination is also sold as 2447.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	YES		2	3	E		*						F
13-090	American Standard	Compact Cadet 3 EL ADA (one-piece)	2403.500 (one-piece): NOTE: this fixture also sold as 2568.500 as part of the "COMPLETE" package and includes seat and installation mat's as one item or SKU	1,000	YES		1	3	E	*	*						F
10-127	American Standard	Compact Cadet 3 FloWise EL ADA	SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)	1,000	YES	WS	1	3	E	*	*				HET		F
10-011	American Standard	Compact Cadet 3 One Piece EL ADA	2403.012 (one-piece); NOTE: this combination is also sold as 2568.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat's as one item or SKU.	1,000	YES		1	3	E	*	*						F
10-015	American Standard	Doral Champion 4 EL	2368.014: 3121 bowl, 4272 tank	1,000	YES		2	3	E		*						F
10-003	American Standard	Doral Champion 4 EL ADA	2367.014: 3225 bowl, 4272 tank	1,000	YES		2	3	E	*	*						F
10-020	American Standard	Doral Champion 4 RF	2369.014: 3110 bowl, 4272 tank	1,000	YES		2	3	R		*						F
15-060RN	American Standard	Doral Champion EL	2368.014: 3121 bowl, 4272 tank	1,000	YES		2	3	E		*						F
15-061RN	American Standard	Doral Champion EL ADA	2367.014: 3225 bowl, 4272 tank	1,000	YES		2	3	E	*	*						F
15-062RN	American Standard	Doral Champion RF	2369.014: 3110 bowl, 4272 tank	1,000	YES		2	3	R		*						F
10-019	American Standard	Doral Classic Champion 4 EL OR Williamsburg Champion 4 EL	2074.014: 3121 bowl, 4281 tank	1,000	YES		2	3	E		*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
10-014	American Standard	Doral Classic Champion 4 RF OR Williamsburg Champion RF	2076.014: 3110 bowl, 4281 tank	1,000	YES		2	3	R		*						F
15-063RN	American Standard	Doral Classic/Williamsburg EL	2074.014: 3121 bowl, 4281.016 tank	1,000	YES		2	3	E		*						F
15-064RN	American Standard	Doral Classic/Williamsburg EL ADA	2058.014: 3225 bowl, 4281.016 tank	1,000	YES		2	3	E	*	*						F
15-065RN	American Standard	Doral Classic/Williamsburg RF	2076.014: 3110 bowl, 4281.016 tank	1,000	YES		2	3	R		*						F
15-042	American Standard	EcoFusion EL ADA	3380.216: 3710.216 bowl, 4349.216 tank	1,000	YES	WS	2	2	E	*	*			HET			F
12-105	American Standard	Evolution 2 EL (insulated tank)	2427.500: 3063.016 bowl, 4061.500 tank (lined)	1,000	YES		2	2	E		*						F
12-104	American Standard	Evolution 2 EL ADA	2428.012: 3068.016 bowl, 4061.016 tank	1,000	YES		2	2	E	*	*						F
12-106	American Standard	Evolution 2 EL ADA (insulated tank)	2428.500: 3068.016 bowl, 4061.500 tank (lined)	1,000	YES		2	2	E	*	*						F
16-073	American Standard	Evolution 2 FloWise EL	2753.128: 3063.128 bowl (UPC bar code 3305682549), 4061.128 tank (UPC bar code 3305682543)	1,000	YES	WS	2	2	E						HET		F
16-076	American Standard	Evolution 2 FloWise EL (lined tank)	2753.513: 3063.128 bowl (UPC bar code 3305682549), 4061.513 tank (lined) (UPC bar code 3305682546)	1,000	YES	WS	2	2	E						HET		F
16-074	American Standard	Evolution 2 FloWise EL ADA	2754.128: 3068.128 bowl (UPC bar code 3305682540), 4061.128 tank (lined) (UPC bar code 3305682543)	1,000	YES	WS	2	2	E	*					HET		F
16-075	American Standard	Evolution 2 FloWise EL ADA (lined tank)	2754.513: 3068.128 bowl (UPC bar code 3305682540), 4061.513 tank (lined) (UPC bar code 3305682546)	1,000	YES	WS	2	2	E	*					HET		F
16-077	American Standard	Evolution 2 FloWise RF (lined tank)	2752.513: 3061.128 bowl (UPC bar code 3305682552), 4061.513 tank (lined) (UPC bar code 3305682546)	1,000	YES	WS	2	2	R						HET		F
15-043	American Standard	FloWise EL ADA COMPLETE	3378.128: 3016.128 bowl, 4021.128 tank	1,000	YES	WS	2	3	E	*					HET		F
15-123	American Standard	Flowise RF	2880.128: 3011.128 bowl, 4021.128 tank	1,000	YES	WS	2	3	R						HET		F
14-132	American Standard	H2Option Siphonic Dual Flush EL	2887.216: 3706.216 bowl, 4339.216 tank	1,000	YES	WS	2	2	E		*			HET			F
15-125	American Standard	H2Option Siphonic Dual Flush EL (lined tank)	2887.516: 3706.216 bowl, 4339.516 tank (lined)	1,000	YES	WS	2	-	E		*			HET			F
14-131	American Standard	H2Option Siphonic Dual Flush EL ADA	2886.216: 3705.216 bowl, 4339.216 tank	1,000	YES	WS	2	2	E	*	*			HET			F
15-124	American Standard	H2Option Siphonic Dual Flush EL ADA (lined tank)	2886.516: 3705.216 bowl, 4339.516 tank (lined)	1,000	YES	WS	2	-	E	*	*			HET			F
14-133	American Standard	H2Option Siphonic Dual Flush RF	2889.216: 3708.216 bowl, 4339.216 tank	1,000	YES	WS	2	2	R		*			HET			F
15-126	American Standard	H2Option Siphonic Dual Flush RF (lined tank)	2889.516: 3708.216 bowl, 4339.516 tank (lined)	1,000	YES	WS	2	-	R		*			HET			F
12-105 & 14-084	American Standard	Mainstream Complete EL (insulated tank)	3469.500: a COMPLETE package, which includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3063.416 bowl, 4061.516 tank (lined)	1,000	YES		2	2	E		*						F
15-RN	American Standard	Oakmont Champion EL ADA	2738: 3101 bowl, 4272 tank	1,000	YES		2	3	E	*	*						F
10-004	American Standard	Oakmont Champion 4 EL	2625.014: 3153 bowl, 4272 tank	1,000	YES		2	3	E		*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
15-RN	American Standard	Oakmont Champion 4 EL	2625: 3153 bowl, 4272 tank	1,000	YES		2	3	E		*					F	
10-017	American Standard	Oakmont Champion 4 EL ADA	2738.014: 3101 bowl, 4272 tank	1,000	YES		2	3	E	*	*					F	
10-008	American Standard	Oakmont Champion 4 RF	2627.014: 3167 bowl, 4272 tank	1,000	YES		2	3	R		*					F	
15-RN	American Standard	Oakmont Champion 4 RF	2627: 3167 bowl, 4272 tank	1,000	YES		2	3	R		*					F	
15-122	American Standard	Savona EL (one-piece)	2097.012 (one-piece)	1,000	YES		1	3	E		*					F	
10-009	American Standard	Skyline Champion 4 EL	2219.014: 3121 bowl, 4077 tank	1,000	YES		2	3	E		*					F	
16-161RN	American Standard	Skyline Champion 4 EL ADA	3225 bowl, 4077 tank	1,000	YES		2	3	E	*	*					F	
16-160RN	American Standard	Skyline Champion 4 RF	3110 bowl, 4077 tank	1,000	YES		2	3	R		*					F	
14-125	American Standard	Studio Cadet 3 EL	2588.016: 3014.016 bowl, 4202.016 tank	1,000	YES		2	3	E		*					F	
14-126	American Standard	Studio Cadet 3 EL (lined tank)	2588.500: 3014.016 bowl, 4202.500 tank (lined)	1,000	YES		2	3	E		*					F	
14-129	American Standard	Studio Cadet 3 EL ADA	2589.016: 3016.016 bowl, 4202.016 tank	1,000	YES		2	3	E	*	*					F	
14-128	American Standard	Studio Cadet 3 EL ADA (lined tank)	2589.500: 3016.016 bowl, 4202.500 tank (lined)	1,000	YES		2	3	E	*	*					F	
14-121	American Standard	Studio Cadet 3 RF	2587.016: 3011.016 bowl, 4202.016 tank	1,000	YES		2	3	R		*					F	
14-124	American Standard	Studio Cadet 3 RF (lined tank)	2587.500: 3011.016 bowl, 4202.500 tank (lined)	1,000	YES		2	3	R	*	*					F	
14-123	American Standard	Studio Cadet 3 RF ADA	2579.016: 3005.016 bowl, 4202.016 tank	1,000	YES		2	3	R	*	*					F	
14-122	American Standard	Studio Cadet 3 RF ADA (lined tank)	2579.500: 3005.016 bowl, 4202.500 tank (lined)	1,000	YES		2	3	R	*	*					F	
10-145	American Standard	Titan EL	2841.016: 3893.016 bowl, 4337.016 tank	1,000	YES		2	3	E		*					F	
8-515	American Standard	Titan EL ADA (one piece)	2782.016 (one-piece)	1,000	YES		1	3	E	*	*					F	
10-144	American Standard	Titan RF	2845.016: 3895.016 bowl, 4337.016 tank	1,000	YES		2	3	R		*					F	
8-519	American Standard	Titan Triangle EL	2842.016: 3893.016 bowl, 4338.016 tank	1,000	YES		2	3	E		*					F	
8-520	American Standard	Titan Triangle EL ADA	2840.016: 3892.016 bowl, 4338.016 tank	1,000	YES		2	3	E	*	*					F	
8-517	American Standard	Titan Triangle RF	2846.016: 3895.016 bowl, 4338.016 tank	1,000	YES		2	3	R		*					F	
16-069	American Standard	Town Square EL ADA (one-piece)	2817.128: 3071.128 bowl (UPC bar code 3305682080), 4216.128 tank (UPC bar code 3305682085)	1,000	YES	WS	2	3	E	*					HET	F	
15-128	American Standard	Town Square EL ADA (one-piece)	2847.128 (one-piece)	1,000	YES	WS	1	3	E	*					HET	F	
16-070	American Standard	Town Square EL ADA (one-piece)	2817.016: 3071.016 bowl (UPC bar code 3305681656), 4216.016 tank (UPC bar code 3305681661)	1,000	YES		2	3	E	*	*					F	
15-127	American Standard	Town Square EL ADA (one-piece)	2847.016 (one-piece)	1,000	YES		1	3	E	*	*					F	
10-010	American Standard	Townsend Champion 4 EL ADA	2733.014: 3177 bowl, 4281 tank	1,000	YES		2	3	E	*	*					F	
10-002	American Standard	Townsend Champion 4 RF ADA	2735.014: 3180 bowl, 4281 tank	1,000	YES		2	3	R	*	*					F	
10-012	American Standard	Tropic Cadet 3 Right Height EL ADA	2459.016: 3016 bowl, 4007 tank	1,000	YES		2	3	E	*	*					F	
15-130	American Standard	Tropic Cadet 3 Right Height RF ADA	2791.016: 3005.016 bowl, 4007.016 tank	1,000	YES		2	3	R	*	*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
15-133	American Standard	Tropic Cadet 3 Right Height RF ADA (lined tank)	2791.516: 3005.016 bowl, 4007.516 tank (lined)	1,000	YES		2	3	R	*	*						F
13-096	American Standard	Tropic EL	2457.516: 3014 bowl, 4007.516 tank (lined tank)	1,000	YES		2	2.5	E		*						F
13-071	American Standard	Tropic EL ADA	2459.516: 3016 bowl, 4007.516 tank (lined tank)	1,000	YES		2	2.5	E	*	*						F
15-030	American Standard	Tropic EL ADA (one-piece)	2786.128 (one-piece)	1,000	YES	WS	1	3	E	*				HET			F
15-029	American Standard	Tropic EL ADA (one-piece)	2786.016 (one-piece)	1,000	YES		1	3	E	*	*						F
15-028	American Standard	Tropic RF	2455.516: 3011 bowl, 4007.516 tank (lined tank)	1,000	YES		2	2.5	R		*						F
10-018	American Standard	Tropic/Triumph Cadet 3 EL	2457.016: 3014 bowl, 4007 tank	1,000	YES		2	3	E		*						F
15-027	American Standard	Tropic/Triumph Cadet 3 RF	2455.016: 3011 bowl, 4007 tank	1,000	YES		2	3	R		*						F
	American Standard	Yorkville EL	2320: 3120 bowl, 4099 tank	1,000	YES		2	-	E			*				R	F
13-075	American Standard	Yorkville EL ADA	2878.016: 3703.016 bowl, 4142.016 tank	1,000	YES		2	-	E	*		*				R	F
14-005	Axent-Regatta Water Co.	Mirabelle/Bellina EL	6002.002: 6002.012.02 bowl, 6002.024.02 tank	1,000	YES		2	3	E		*						F
14-006	Axent-Regatta Water Co.	Mirabelle/Edgewater EL ADA (one-piece)	6001.001 (one piece)	1,000	YES		1	3	E	*	*						F
14-007	Axent-Regatta Water Co.	Mirabelle/Peninsula EL ADA (one piece)	6003.001 (one-piece)	1,000	YES		1	3	E	*	*						F
14-004	Axent-Regatta Water Co.	Mirabelle/Soiree EL	6004.002: 6004.012.02 bowl, 6004.024.02 tank	1,000	YES		2	3	E		*						F
8-533	Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	YES	WS	2	-	E	*	*			HET			F
10-114	Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	YES	WS	2	-	R		*			HET			F
16-086	Cascadian	None RF ADA	C920 bowl, T901 tank	1,000	YES	WS	2	3	R	*					HET		F
14-049	Cascadian	Toscana EL ADA	C930 bowl, T901 tank	1,000	YES	WS	2	3	E	*					HET		F
13-024	Chelini	Cabot EL (lined tank)	B1015E bowl, T10306 tank (lined)	1,000	YES		2	3	E		*						F
14-020	Chelini	Cabot EL ADA (lined tank)	B1516E bowl, T10348 tank (lined tank)	1,000	YES	WS	2	3	E	*					HET		F
13-027	Chelini	Cabot RF (lined tank)	B1015R bowl, T10306 tank (lined)	1,000	YES		2	3	R		*						F
13-006	Chelini	Champlain EL ADA (lined tank)	218E bowl, T2306 tank (lined)	1,000	YES		2	3	E	*	*						F
13-118	Chelini	Champlain EL ADA (lined tank)	B216E bowl, T2306 tank (lined)	1,000	YES		2	3	E	*	*						F
14-048	Chelini	Champlain EL ADA (lined tank)	B216R bowl, T2306 tank (lined tank)	1,000	YES		2	3	E	*	*						F
16-031	Commericalizadora Ceramica	Fiero K Green AI EL	50352 bowl, 5102 tank	1,000	YES	WS	2	3	E						HET		F
16-080	Commericalizadora Ceramica	Fiero K Green EL ADA	50354 bowl, 5102 tank	1,000	YES		2	3	E	*					HET		F
16-078	Commericalizadora Ceramica	Fiero K Green RF	50353 bowl, 5102 tank	1,000	YES		2	3	R						HET		F
14-069	Conrac	Ciara (1 piece - lined tank)	5710BLT (one-piece - lined tank)	1,000	YES	WS	1	2	S		*			HET			F
14-070	Conrac	Clint EL (1 piece - lined tank)	5710BEZ (one-piece - lined tank)	1,000	YES	WS	1	2	E		*			HET			F
14-071	Conrac	None EL ADA (lined tank)	5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	YES	WS	2	3	E	*					HET		F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)		Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist		
		250 grams to 475 grams														
		500 grams and more														
Type/technology of toilet fixture		Model Name	Model Number													
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																
12-108D	Crane	Eco Opus III EL	2383328: 3014.328 bowl, 4021.328 tank	1,000	YES	WS	2	3	E					HET		F
14-052D	Crane	Eco Opus III EL (lined tank)	2383358: 3014.328 bowl, 4021.358 tank(lined)	1,000	YES	WS	2	3	E					HET		F
12-107 & 12-114D	Crane	Eco Opus III EL ADA	2386328: 3016.328 bowl, 4021.328 tank;	1,000	YES	WS	2	3	E	*				HET		F
14-054D	Crane	Eco Opus III EL ADA (lined tank)	2386358: 3016.328 bowl, 4021.358 tank (lined)	1,000	YES	WS	2	3	E	*				HET		F
14-053D	Crane	Eco Opus III RF (lined tank)	2384358: 3011.328 bowl, 4021.358 tank(lined)	1,000	YES	WS	2	3	R					HET		F
11-028	Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	YES	WS	2	-	E			*		HET		F
WS-11	Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	YES	WS	2	-	E	*		*		HET		F
11-038	Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000	YES		2	-	E					HET		F
11-039	Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000	YES		2	-	E					HET		F
11-040	Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000	YES		2	-	E	*				HET		F
11-030	Crane	Ecomiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	YES	WS	2		R			*		HET		F
11-029	Crane	Economiser Bigfoot EL	31135: 31125 bowl, 3612 tank	1,000	YES		2	-	E			*				F
11-019	Crane	Economiser EL	3832: 3822 bowl, 3612 tank	1,000	YES		2	-	E			*				F
10-039	Crane	Economiser EL	3835: 3825 bowl, 3612 tank	1,000	YES		2	-	E			*				F
10-031	Crane	Economiser EL ADA	3838: 3828 bowl, 3612 tank	1,000	YES		2	-	E	*		*				F
11-025	Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	YES	WS	2	-	E					HET		F
WS-11	Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	YES	WS	2	-	E	*				HET		F
11-026	Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	YES	WS	2	-	R					HET		F
11-027	Crane	Economiser One Bigfoot RF	31134: 31124 bowl, 3612 tank	1,000	YES		2	-	R			*				F
10-035	Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000	YES		2	-	E					HET		F
10-034	Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000	YES		2	-	E	*				HET		F
10-037	Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000	YES		2	-	R					HET		F
10-038	Crane	Economiser RF	3834: 3824 bowl, 3612 tank	1,000	YES		2	-	R			*				F
10-036	Crane	Sureflush EL	31352: 31192 bowl, 31242 tank	1,000	YES		2	3	E		*					F
11-011	Crane	SureFlush EL ADA	31372: 31212 bowl, 31242 tank	1,000	YES		2	3	E	*	*					F
11-014	Crane	Sureflush EL ADA	31373: 31212 bowl, 31243 tank	1,000	YES		2	3	E	*	*					F
11-002	Crane	SureFlush RF	31352: 31192 bowl, 31242 tank	1,000	YES		2	3	R		*					F
10-145	Crane	Titan EL	32022: 32008 bowl, 32006 tank	1,000	YES		2	3	E		*					F
8-514	Crane	Titan EL (one piece)	081-0755	1,000	YES		1	3	E		*					F
8-515	Crane	Titan EL ADA (one piece)	32018	1,000	YES		1	3	E	*	*					F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
8-518	Crane	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	YES		2	3	E		*					F	
8-521	Crane	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	YES		2	3	E	*	*					F	
8-516	Crane	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	YES		2	3	R		*					F	
10-144	Crane	Titan RF	32012: 32004 bowl, 32006 tank	1,000	YES		2	3	R		*					F	
8-519	Crane	Titan Triangle EL	32062: 32008 bowl, 32026 tank	1,000	YES		2	3	E		*					F	
8-520	Crane	Titan Triangle EL ADA	32035: 32013 bowl, 32026 tank	1,000	YES		2	3	E	*	*					F	
8-517	Crane	Titan Triangle RF	32052: 32004 bowl, 32026 tank	1,000	YES		2	3	R		*					F	
12-064	Danze	Cirtangular EL ADA	DC023230 bowl, DC022221 tank	1,000	YES		2	3	E	*	*					F	
12-127	Danze	Orrington EL ADA	DC013230 bowl, DC012223 tank	1,000	YES		2	3	E	*	*					F	
12-065	Danze	Orrington EL ADA (one-piece)	DC011223 (one-piece)	1,000	YES		1	3	E	*	*					F	
14-094	Danze	Ziga Zaga EL ADA	DC031221 (one-piece)	1,000	YES		1	3	E	*	*					F	
14-021	DKDC	Total Flush EL ADA	TF1000: B1000 bowl, T1000 tank	1,000	YES		2	3	E	*	*			HET		F	
16-053	Dolphin Plumbing Industrial	None RF ADA	Z58R16 bowl, S19348 tank (lined tank)	1,000	YES	WS	2	3	R	*	*			HET		F	
8-527	Duravit	Caro EL	010101 bowl; 092410 tank	1,000			2	3	E		*					F	
8-526	Duravit	Duraplus EL	010201 bowl; 092510 tank	1,000			2	3	E		*					F	
14-043	ECO-FITT (by Niagara)	Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank	1,000	YES	WS	2	2.5	E	*	*		HET			F	
12-129 & 15-007b	ECO-FITT (by Niagara)	Elongated HET ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank	1,000	YES	WS	2	3	E	*	*			HET		F	
12-036	ECO-FITT (by Niagara)	Power One EL	N2310: 2310B bowl, 2310T tank	1,000	YES	WS	2	-	E		*			HET		F	
7-523	Eljer	Diplomat EL ADA (12" rough-in)	091-3275: 3016.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	YES		2	3	E	*	*					F	
12-109	Eljer	Diplomat RF (insulated tank)	091-0161: 3011.016 bowl, 4021.500 tank (lined)	1,000	YES		2	3	R		*					F	
7-542	Eljer	Diplomat EL ADA (12" rough-in)	091-3276: 3016 bowl, 4021.500 (lined tank)	1,000	YES		2	3	E	*	*					F	
7-522	Eljer	Diplomat RF (12" rough-in)	091-0160: 3011.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	YES		2	3	R		*					F	
10-128	Eljer	Diplomat Spacesaver EL	091-3925: 3046.416 bowl, 4019.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	YES		2	3	E		*					F	
9-008	Eljer	PR Titan RF (one piece)	081-0750	1,000	YES		1	3	R		*					F	
14-133D	Eljer	Somerville Dual Flush RF (siphonic)	091-6100: 3708.416 bowl, 4339.416 tank	1,000	YES	WS	2	2	R		*		HET			F	
16-071	Eljer	Stratus EL ADA	091-1285: 3016.428 bowl, 4007.428 tank (UPC bar code 3305682509 sold as a COMPLETE unit)	1,000	YES	WS	2	3	E	*	*			HET		F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name		Model Number													
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)		6-L (1.1-gal) Pressure-assist (HET)		Gravity-fed & Vacuum-assist		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.											
16-072	Eljer	Stratus RF	091-1280: 3011.428 bowl, 4007.428 tank (UPC bar code 3305682508 sold as a COMPLETE unit)	1,000	YES	WS	2	3	R							F	
10-145	Eljer	Titan EL	091-0755: 131-0755 bowl, 141-0777 tank	1,000	YES		2	3	E		*					F	
8-514	Eljer	Titan EL (one piece)	081-0755	1,000	YES		1	3	E		*					F	
8-515	Eljer	Titan EL ADA (one piece)	081-0777; NOTE: This one-piece fixture is also sold as a COMPLETE package and includes toilet fixture, seat, & installation mat's as one item noted as 081-0777-001BW	1,000	YES		1	3	E	*	*					F	
8-518	Eljer	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	YES		2	3	E		*					F	
8-521	Eljer	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	YES		2	3	E	*	*					F	
8-516	Eljer	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	YES		2	3	R		*					F	
10-144	Eljer	Titan RF	091-0750: 131-0750 bowl, 141-0777 tank	1,000	YES		2	3	R		*					F	
8-519	Eljer	Titan Triangle EL	091-3755: 131-0755 bowl; 141-3777 tank	1,000	YES		2	3	E		*					F	
8-520	Eljer	Titan Triangle EL ADA	091-3777: 131-0777 bowl; 141-3777 tank	1,000	YES		2	3	E	*	*					F	
8-517	Eljer	Titan Triangle RF	091-3750: 131-0750 bowl; 141-3777 tank	1,000	YES		2	3	R		*					F	
7-534	Eljer	Toronto Savoy EL ADA	091-1265: 131-2175 bowl, 141-0260 tank	1,000			2	2	E	*	*					F	
12-016	Foremost	AIO (All-In-One) RF ADA	AIO1000-R: AIOB1000-R bowl, AIOT1000 tank	1,000	YES	WS	2	-	R	*	*		HET			F	
12-017	Foremost	AIO (All-In-One) EL ADA	AIO1000-E: AIOB1000-E bowl, AIOT1000 tank	1,000	YES	WS	2	-	E	*	*		HET			F	
11-094	Foremost	Aragon IV - EL (one-piece - lined tank)	TL-6300E-*LN (one-piece, lined tank)	1,000	YES		1	2	E		*					F	
9-044 & 13-147	Foremost	Gemini Dual-Flush ADA (one-piece)	TL-2100-*L (one-piece)	1,000	YES	WS	1	2	S	*	*		HET			F	
16-159	Foremost	HET EL ADA	TL-7600HC-HET: LL-7600HC-HET bowl, T-7600-HET tank	1,000	YES	WS	2	3	E	*	*			HET		F	
16-084	Foremost	HET EL ADA	TL-7600HC-HET-*L ; LL-7600HC-HET bowl , T-7600-HET-*L tank (Lined) (R&T tank trims) UPC 721015415800	1000	YES	WS	2	3	E	*	*			HET		F	
16-087	Foremost	HET EL ADA	TL-7600HC-HET-*1 ; LL-7600HC-HET-*1 bowl , T-7600-HET-*1 tank (Huیدا tank trims)	1000	YES		2	3	E	*	*			HET		F	
13-130 & 16-084	Foremost	HET EL ADA (lined tank)	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	1,000	YES	WS	2	3	E	*	*			HET		F	
14-073	Foremost	HET EL ADA (one-piece)	HB-800-ADA (one-piece)	1,000	YES	WS	1	3	E	*	*		HET			F	
13-131	Foremost	HET RF ADA	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET tank (unlined tank) (Fluidmaster tank trim)	1,000	YES	WS	2	3	R	*	*			HET		F	
13-128	Foremost	Iris EL (one-piece)	TL-4000 (one piece)	1,000	YES		1	3	E		*					F	
16-147	Foremost	Minuet RF (lined tank)	TL-8410-*L: LL-8410 bowl, T-8410-*L tank (lined)	1,000	YES		2	2	R		*					F	
14-014	Foremost	None EL (one piece, All-In-One package)	TL-4000-*L and TL-4310-*LM sold as All-In-One package (one-piece) (lined tank)	1,000	YES		1	3	E		*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
15-016	Foremost	None EL ADA	TT-8297-*L3 (NOTE: This is an all-in-one package that includes bowl, tank, and accessories)	1,000	YES		2	2	E	*	*						F
15-017	Foremost	None RF	TT-8207-*L3 (NOTE: This is an all-in-one package that includes bowl, tank, and accessories)	1,000	YES		2	2	R		*						F
13-130 & 16-084	Foremost	Total Smart HET EL ADA	TT-8295-*L: LL-7600-HET bowl, T-7600-HET-*L tank (NOTE: This the All-In-One version of the TL-7600HC-HET-*L fixture shown above)	1,000	YES	WS	2	3	E	*				HET			F
9-045	Foremost	Tuxedo EL ADA (one-piece)	TL-5300E-*L (one-piece) (ALSO sold as TL-5310-*LM)	1,000	YES		1	2	E	*	*						F
16-143	Foremost	Valletta RF (lined tank)	TL-8640-*L: LL-8640 bowl, T-8640-*L tank (lined)	1,000	YES		2	2	R		*						F
14-058	Foremost	Premier EL ADA (lined tank)	LL-8207HC-*3: LL-8207HC-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8297-*L3)	1,000	YES		2	2	E	*	*						F
14-059	Foremost	Premier RF (lined tank)	LL-8207-*3: LL-8207-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8207-*L3)	1,000	YES		2	2	R		*						F
13-134	Foremost	Total Advantage EL (one-piece - lined tank)	TT-2000E-*L (one-piece - lined tank)	1,000	YES	WS	1	2	E				HET				F
10-095	Gerber	Allerton EL (10-inch rough-in)	20-005: 21-572 bowl, 28-585 tank	1,000			2	2	E		*						F
14-087	Gerber	Allerton EL (12-inch rough-in - lined tank)	20-004: 21-572 bowl, LT28-580 tank (lined tank)	1,000			2	2	E		*						F
14-086	Gerber	Allerton RF (12-inch rough-in - lined tank)	20-001: 21-542 bowl, LT28-580 tank (lined tank)	1,000			2	2	R		*						F
10-057	Gerber	Allerton RF (12-inch rough-in)	20-001: 21-542 bowl, 28-580 tank	1,000			2	2	R		*						F
10-094	Gerber	Allerton RF (14-inch rough-in)	20-003: 21-542 bowl, 28-584 tank	1,000			2	2	R		*						F
9-029	Gerber	Avalanche EL ADA	21-817: 21-828 bowl, 28-895 tank	1,000	YES		2	3	E	*	*						F
9-030	Gerber	Avalanche EL ADA	21-818: 21-828 bowl, 28-890 tank	1,000	YES		2	3	E	*	*						F
9-031	Gerber	Avalanche EL ADA	21-824: 21-828 bowl, 28-894 tank	1,000	YES		2	3	E	*	*						F
12-047	Gerber	Brianne EL	21-011 (one-piece)	1,000	YES		2	3	E		*						F
14-092	Gerber	Brianne EL (12-inch rough-in - lined tank)	20-015: 21-185 bowl, LT28-183 tank (lined tank)	1,000	YES		2	3	E		*						F
10-105	Gerber	Brianne EL (12-inch rough-in)	20-015: 21-185 bowl, 28-183 tank	1,000	YES		2	3	E		*						F
14-090	Gerber	Brianne EL ADA (12-inch rough-in - lined tank)	20-013: 21-183 bowl, LT28-183 tank (lined tank)	1,000	YES		2	3	E	*	*						F
10-062	Gerber	Brianne RF	20-014: 21-184 bowl, 28-183 tank	1,000	YES		2	3	R		*						F
12-126	Gerber	Logan Square EL (10-inch rough-in)	20-017: 21-532 bowl, 28-535 tank	1,000	YES		2	3	E		*						F
12-124	Gerber	Logan Square EL ADA (10-inch rough-in)	20-019: 21-538 bowl, 28-535 tank	1,000	YES		2	3	E	*	*						F
14-096	Gerber	Logan Square EL ADA (12-inch rough-in - lined tank)	20-018: 21-538 bowl, LT28-530 tank (lined tank)	1,000	YES		2	3	E	*	*						F
12-123	Gerber	Logan Square EL ADA (12-inch rough-in)	20-018: 21-538 bowl, 28-530 tank	1,000	YES		2	3	E	*	*						F
14-102	Gerber	Picturesque EL ADA (12-inch rough-in - lined tank)	20-010: 21-180 bowl, LT28-180 tank (lined tank)	1,000	YES		2	3	E	*	*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)		Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist		
		250 grams to 475 grams														
		500 grams and more														
Type/technology of toilet fixture		Model Name	Model Number													
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																
12-052	Gerber	Picturesque EL ADA (12-inch rough-in)	20-010: 21-180 bowl, 28-180 tank	1,000	YES		2	3	E	*	*					F
14-103	Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	1,000	YES	WS	2	-	E		*		HET		R	F
15-RN	Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	YES	WS	2	-	E		*		HET			F
15-RN	Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	YES	WS	2	-	E		*		HET			F
15-RN	Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000	YES	WS	2	-	E	*	*		HET			F
15-RN	Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	YES	WS	2	-	E	*	*		HET			F
15-RN	Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	YES	WS	2	-	E	*	*		HET		R	F
15-158RN	Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-380 tank	1,000	YES		2	-	E	*	*		HET			F
16-151RN	Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	YES	WS	2	-	R		*		HET			F
16-155RN	Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	YES	WS	2	-	R		*		HET			F
15-RN	Gerber	Ultra Flush EL	21-312: 21-372 bowl, 28-380 tank	1,000	YES		2	-	E		*					F
15-RN	Gerber	Ultra Flush EL	21-314: 21-372 bowl, 28-384 tank	1,000	YES		2	-	E		*					F
15-RN	Gerber	Ultra Flush EL ADA	21-311: 21-372 bowl, 28-385 tank	1,000	YES		2	-	E	*	*					F
15-RN	Gerber	Ultra Flush EL ADA	21-317: 21-377 bowl, 28-385 tank	1,000	YES		2	-	E	*	*					F
15-RN	Gerber	Ultra Flush EL ADA	21-318: 21-377 bowl, 28-380 tank	1,000	YES		2	-	E	*	*					F
15-RN	Gerber	Ultra Flush EL ADA	21-324: 21-377 bowl, 28-384 tank	1,000	YES		2	-	E	*	*					F
15-RN	Gerber	Ultra Flush EL ADA (rear discharge)	21-325: 21-375 bowl, 28-380 tank	1,000	YES		2	-	E	*	*				R	F
16-150RN	Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	YES	WS	2	-	R				HET			F
16-154RN	Gerber	Ultra Flush RF (14" rough-in)	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	YES	WS	2	-	R				HET			F
10-083	Home Depot	Aragon IV EL	Home Depot SKU 511-028 (one-piece, lined tank)	1,000	YES		1	2	E		*					F
14-043	Home Depot - Glacier Bay	Glacier Bay Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold in Combined All-In-One package by Home Depot SKU 215-583 - UPC Code 732291231619)	1,000	YES	WS	2	2.5	E	*	*		HET			F
12-067, 12-070, & 13-009	Home Depot - Glacier Bay (by Niagara)	All-In-One RF ADA	Home Depot SKU 303-635: 303-635 bowl, 140-911 tank (Also sold as All-In-One package by Home Depot UPC CODE 732291338240)	1,000	YES		2	2	R	*	*					F
14-011	Home Depot - Glacier Bay (by Niagara)	Glacier Bay Ecologic RF ADA (All-In-One package)	Home Depot SKU 779-923: N2225RB bowl, N2225T tank (Sold as combined All-In-One package by Home Depot: UPC CODE 732291222549)	1,000	YES	WS	2	-	R	*			HET			F
12-129 & 15-007b	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (All-In-One package)	Home Depot SKU 331-725 UPC Bar Code: 732291222518	1,000	YES	WS	2	3	E	*			HET			F
9-046	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	Home Depot SKU 464-747 (one-piece)	1,000	YES		1	2	E	*	*					F
13-068	Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless - All-In-One package)	N2228: N2228B bowl, N2228T tank. (Also sold in Combined All-In-One package as Home Depot SKU 840-565 - UPC Code 732291222822)	1,000	YES	WS	2	-	E	*			HET			F
13-067	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	HD SKU 780-036 - Two-piece fixture sold combined as "All In One" - UPC Code 732291344685	1,000	YES	WS	2	3	E	*			HET			F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
		Type/technology of toilet fixture															
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)															
		4-L (1.1-gal) Pressure-assist (HET)															
		Gravity-fed & Vacuum-assist															
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.															
		Model Name	Model Number														
12-036	Home Depot (by Niagara)	Power One EL	Home Depot SKU 385-195 - UPC Bar Code 732291231015 (Also available as Niagara N2310: 2310B bowl, 2310T tank)	1,000	YES	WS	2	-	E								F
12-069	Jacuzzi	Era EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU BK37959 (Also sold as Lowe's SKU 86426)	1,000	YES		2	3	E	*	*						F
13-037	Jacuzzi	Espree HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ36959 (Also sold as Lowe's SKU 48624)	1,000	YES	WS	2	3	E	*					HET		F
8-512	Jacuzzi	Maxima EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ37959 (Also sold as Lowe's SKU 49238)	1,000	YES		2	3	E	*	*						F
14-057	Jacuzzi	Perfecta HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU GU04959 (Also sold as Lowe's SKU 312978)	1,000	YES	WS	2	3	E	*					HET		F
12-066	Jacuzzi	Perfecta RF ADA (toilet in a box)	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU EZ33959 (Also sold as Lowe's SKU 130294)	1,000	YES		2	3	R	*	*						F
15-022	Jacuzzi	Prescott HET EL ADA	GV80	1,000	YES	WS	2	3	E	*					HET		F
13-010	Kohler	Cimarron Class 6 EL ADA	K-3589: 4309 bowl, 4418 tank - NOTE: this fixture is also sold as K-11456 when included as part of the "COMPLETE SOLUTION" package.	1,000	YES		2	3	E	*	*						F
13-032	Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451, K-11813, and K-11823 when included as part of the "COMPLETE SOLUTION" package	1,000	YES	WS	2	3	E	*					HET		F
15-024	Kohler	Cimarron RF ADA	K-3497: 4287 bowl, 4634 tank - NOTE: this fixture is also sold as K-11465 when included as part of the "COMPLETE SOLUTION" package.	1,000	YES		2	3	R	*	*						F
9-049	Kohler	Devonshire EL ADA	K-3503: 4288 bowl, 4708 tank	1,000	YES		2	3	E	*	*						F
12-074	Kohler	Kelston EL ADA	K-3755: 4306 bowl, 4469 tank; NOTE: this fixture also sold as K-11453 AND K-11844 when included as part of the "COMPLETE SOLUTION" package	1,000	YES	WS	2		E	*					HET		F
12-075	Kohler	Kelston EL ADA	K-3754: F4306 bowl, F4474 tank; Note this fixture also sold as K-11452 when included as part of the "COMPLETE SOLUTION" package.	1,000	YES		2		E	*	*						F
12-019	Kohler	Memoirs Classic EL ADA	K-3515: 4294 bowl, 4491 tank; NOTE: this fixture is also sold as K-11461 when included as part of the "COMPLETE SOLUTION" package.	1,000	YES		2	3	E	*	*						F
12-020	Kohler	Memoirs Classic RF ADA	K-3509: 4289 bowl, 4491 tank	1,000	YES		2	3	R	*	*						F
12-022	Kohler	Memoirs Stately EL ADA	K-3526: 4294 bowl, 4492 tank; NOTE: this fixture is also sold as K-11968 when included as part of the "COMPLETE SOLUTION" package.	1,000	YES		2	3	E	*	*						F
12-021	Kohler	Memoirs Stately RF ADA	K-3511: 4289 bowl, 4492 tank	1,000	YES		2	3	R	*	*						F
9-050	Kohler	Portrait EL ADA	K-3506 (one-piece)	1,000	YES		1	3	E	*	*						F
7-545	Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	YES	WS	1	-	E	*		*-at 1.4-g			HET		F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
16-028	Kohler	Sterling Stinson EL	402076: 403070 bowl (UPC bar code 650531843333), 402091 tank (UPC bar code 650531843302) (NOTE: also sold as 404702 when included as part of a complete package)	1,000	YES	WS	2	2	E								F
14-029 & 16-119	Kohler	Sterling Windham EL	402215: 404215 bowl OR 403215 bowl, 404515 tank	1,000	YES		2	2	E		*						F
12-073	Kohler	Wellworth EL	K-3574: 4293 bowl, 4632 tank (NOTE: this fixture is also sold as K-11473 when included as part of the "COMPLETE SOLUTION" package)	1,000	YES		2	3	E		*						F
7-508	Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	YES	WS	2	-	E					HET			F
15-069RN	Kohler	Wellworth Pressure Lite EL	K-3505: 4303 bowl, 4645 tank	1,000	YES		2	-	E			*					F
16-110	Kohler	Wellworth RF	K-3577: 4197 bowl, 4436 tank (NOTE: this fixture is also sold as K-11497 when included as part of the "COMPLETE SOLUTION" package)	1,000	YES	WS	2	3	R						HET		
15-090	Kohler	Devonshire EL ADA	K-3678: 4288 bowl, 4446 tank	1,000	YES	WS	2	3	E	*					HET		F
7-509	Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	YES	WS	2	-	E	*				HET			F
16-121	Kohler	Sterling Riverton EL (lined tank)	402522: 403215 bowl, 404522 tank (lined)	1,000	YES		2	2	E		*						F
12-097 & 15-023	Kohler	Wellworth RF	K-3576: 4299 bowl, 4632 tank (NOTE: this fixture is also sold as K-11471 when included as part of the "COMPLETE SOLUTION" package)	1,000	YES		2	3	R		*						F
11-068	Mansfield	EcoQuantum - EL	144 bowl, 119 tank	1,000	YES	WS	2	-	E	*		*		HET		R	W
10-125	Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	YES	WS	2	-	E			*		HET			F
10-123	Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	YES	WS	2	-	E	*		*		HET			F
10-124	Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	YES	WS	2	-	R			*		HET			F
14-001	Mansfield	Maverick	114 bowl, 112 tank	1,000	YES	WS	2	3	E	*					HET		F
11-069	Mansfield	None - EL	144 bowl, 123 tank	1,000	YES		2	-	E	*		*				R	W
10-121	Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	YES	WS	2	-	E					HET			F
10-119	Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	YES	WS	2	-	E					HET		R	F
10-120	Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	YES	WS	2	-	E	*				HET			F
10-122	Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	YES	WS	2	-	R					HET			F
14-005	Mirabelle (by Ferguson)	Boca Raton EL	MIRBR240 bowl, MIRBR200 tank	1,000	YES		2	3	E		*						F
14-006	Mirabelle (by Ferguson)	Cordoba EL ADA (one-piece)	MIRCO241 (one-piece)	1,000	YES		1	3	E	*	*						F
14-007	Mirabelle (by Ferguson)	Key West EL ADA (one piece)	MIRKW241 (one-piece)	1,000	YES		1	3	E	*	*						F
14-004	Mirabelle (by Ferguson)	St. Augustine EL	MIRSA240 bowl, MIRSA200 tank	1,000	YES		2	3	E		*						F
12-067, 12-070, & 13-009	Niagara	All-In-One RF ADA	Home Depot SKUs: 303-635 bowl, 140-911 tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291338240)	1,000	YES		2	-	R	*	*						F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
13-060	Niagara	Cottage Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	1,000	YES	WS	2	-	E	*				HET		F	
14-043	Niagara	Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold at Home Depot in a Combination All-In-One package as HD SKU 215-583 - UPC Bar Code 732291231619)	1,000	YES	WS	2	2.5	E	*	*			HET		F	
14-105	Niagara	Dual Flush EL ADA	N2328: N2328B bowl, N2328T tank	1,000	YES	WS	2	2.5	E	*	*			HET		F	
12-038	Niagara	Ecologic RF ADA	N2225R: N2225RB bowl, N2225T tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291222549) (NOTE: This model previously listed as Model N2225R-165)	1,000	YES	WS	2	-	R					HET		F	
12-129 & 15-007b	Niagara	EL HET ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank	1,000	YES	WS	2	3	E	*				HET		F	
12-036	Niagara	Power One EL	N2310: 2310B bowl, 2310T tank	1,000	YES	WS	2	-	E					HET		F	
13-008	Niagara	Simcoe RF	N4416: N4416 bowl, N4415T tank	1,000	YES		2	-	R					HET		F	
14-135	Porcher (American Standard)	Archive EL (one-piece)	97920-60 (one-piece)	1,000	YES		1	3	E		*					F	
15-037	Porcher (American Standard)	Archive EL ADA (one-piece)	97920-28 (one-piece)	1,000	YES	WS	1	3	E	*				HET		F	
15-035	Porcher (American Standard)	Chapeau EL ADA (one-piece)	97820-28 (one-piece)	1,000	YES	WS	1	3	E	*				HET		F	
15-036	Porcher (American Standard)	Chapeau EL ADA (one-piece)	97820-60 (one-piece)	1,000	YES		1	3	E	*	*					F	
16-126	Porcher (American Standard)	Lutezia EL ADA	90550-28: 40550 bowl (UPC bar code 2161001859), 41350-28 tank (UPC bar code 2161001162)	1,000	YES	WS	2	3	E	*				HET		F	
16-125	Porcher (American Standard)	Lutezia EL ADA	90550-60: 40550 bowl (UPC bar code 2161001859), 41350-60 tank (UPC bar code 2161000374)	1,000	YES		2	3	E	*	*					F	
15-031	Porcher (American Standard)	Ovale EL ADA	90750-28: 41750-28 bowl, 40750-28 tank	1,000	YES	WS	2	3	E	*				HET		F	
15-032	Porcher (American Standard)	Ovale EL ADA	90750-60: 41750-60 bowl, 40750-60 tank	1,000	YES		2	3	E	*	*					F	
15-139	Porcher (American Standard)	Ovale EL ADA (one-piece)	97620-28 (one-piece)	1,000	YES	WS	1	3	E	*				HET		F	
15-140	Porcher (American Standard)	Ovale EL ADA (one-piece)	97620-60 (one-piece)	1,000	YES		1	3	E	*	*					F	
15-038	Porcher (American Standard)	Ovale RF ADA	90850-28: 41850-28 bowl, 40750-28 tank	1,000	YES	WS	2	3	R	*				HET		F	
15-033	Porcher (American Standard)	Ovale RF ADA	90850-60: 41850-60 bowl, 40750-60 tank	1,000	YES		2	3	R	*	*					F	
15-138	Porcher (American Standard)	Veneto III EL (one-piece)	97320-28 (one-piece)	1,000	YES	WS	1	3	E					HET		F	
15-034	Porcher (American Standard)	Veneto III EL (one-piece)	97320-60 (one-piece)	1,000	YES		1	3	E		*					F	
13-115	Price Pfister	None EL	VTP-E51: C-5518 bowl, S-5518 tank	1,000	YES	WS	2	3	E		*			HET		F	
13-061	Price Pfister	None EL ADA	VTP-E31: C-1003 bowl, S-1003 tank	1,000	YES		2	3	E	*	*			HET		F	
13-062	Price Pfister	Treviso EL ADA	VTP-E21W: C-1003 bowl, S-1004 tank	1,000	YES	WS	2	3	E	*	*			HET		F	
15-084b & 16-054	Price Pfister	Bernini EL	VTP-E11W	1,000	YES	WS	2	3	E		*			HET		F	
9-002	RAK Ceramics	Windsor EL	WE20 bowl, W120 tank	1,000	YES		2	3	E		*					F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
Type/technology of toilet fixture		Model Name	Model Number														
6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)																	
4-L (1.1-gal) Pressure-assist (HET)																	
Gravity-fed & Vacuum-assist																	
NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.																	
9-045	Rona	Chateau EL	SKU#7369130 (Foremost #TL-5300E-WL)	1,000	YES		1	2	E	*	*					F	
9-044 & 13-147	Rona	Gemini Dual Flush ADA	SKU#7369068 (Foremost # TL-2100-*)	1,000	YES	WS	1	2	S	*	*		HET			F	
13-128	Rona	Iris EL	SKU#7369070 (Foremost #TL-4000)	1,000	YES		1	3	E		*					F	
12-017	Seasons (HD Supply)	Dual Flush EL ADA	SE 10056 bowl, SE10055 tank (Same as Foremost AIOB1000-E bowl, AIOB1000 tank; also HD Supply Facilities Maint Nos. 564852 and 564851, respectively)	1,000	YES	WS	2		E	*		*	HET			F	
13-131	Seasons (HD Supply)	None RF	SE10041 bowl, SE10039 tank (Same as Foremost HET 7600 round bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564833, respectively)	1,000	YES	WS	2	3	R	*				HET		F	
13-022	St Thomas Creations	Arlington EL ADA	6119.130 (one-piece)	1,000	YES		1	3	E	*	*					F	
13-021	St Thomas Creations	Arlington II EL ADA	6119.030: 6119.033 bowl, 6119.024 tank	1,000	YES		2	3	E	*	*					F	
13-020	St Thomas Creations	Barrymore II EL ADA	6171.030: 6171.033 bowl, 6171.024 tank	1,000	YES		2	3	E	*	*					F	
13-051	St Thomas Creations	Celebration EL ADA	6131.130 (one-piece)	1,000	YES		1	3	E	*	*					F	
13-018	St Thomas Creations	Malibu EL ADA	6116.130 (one-piece)	1,000	YES		1	3	E	*	*					F	
13-017	St Thomas Creations	Palermo EL ADA	6006.130 (one-piece)	1,000	YES		1	3	E	*	*					F	
13-025	St Thomas Creations	Palermo EL ADA	6137.030: 6137.033 bowl, 6137.024 tank	1,000	YES		2	3	E	*	*					F	
13-026	St Thomas Creations	Palermo RF ADA	6137.310: 6137.313 bowl, 6137.024 tank	1,000	YES		2	3	R	*	*					F	
13-019	St Thomas Creations	Presley EL ADA	6401.030: 6401.033 bowl, 6401.024 tank	1,000	YES		2	3	E	*	*					F	
13-023	St Thomas Creations	Richmond/Neo-Venetian II EL ADA	6125.030: 6123.033 bowl, 6125.024 tank	1,000	YES		2	3	E	*	*					F	
13-052	St Thomas Creations	Richmond/Neo-Venetian II EL ADA (one-pc)	6125.130 OR 6123.130 (one-piece)	1,000	YES		1	3	E	*	*					F	
11-110	Tynan Plumbing	MacLair EL	4313: 0313 bowl, 1330FET3 tank	1,000	YES		2	3	E		*					F	
11-109	Tynan Plumbing	MacLair RF	4312: 0312 bowl, 1330FET3 tank	1,000	YES		2	3	R		*					F	
12-035	Villeroy & Boch	Strada EL	5W00-01: 5C00-01 bowl, 5D01-U1 tank	1,000	YES		2	3	E		*					F	
12-128	Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	YES	WS	2	3	E	*				HET		F	
13-033	Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	1,000	YES	WS	2	3	E	*				HET		F	
10-050	Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	YES	WS	2	-	E	*	*		HET			F	
13-033	Vortens-Lamosa	Superio EL ADA	3140 bowl, 3475 tank	1,000	YES	WS	2	3	E	*				HET		F	
8-553	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	YES	WS	2	-	E	*				HET		F	
15-048	Western Pottery	None EL ADA	872HET: B872 bowl, T8-HET tank	1,000	YES	WS	2	2.5	E	*				HET		F	
10-138	Western Pottery	Typhoon 820 RF	820: B820 bowl, T8ULF-HP tank	1,000			2	3	R		*					F	
10-140	Western Pottery	Typhoon 870 EL ADA	870: B870 bowl, T8ULF-HP tank	1,000			2	3	E	*	*					F	
10-142	Western Pottery	Wrangler EL	432PF: B432PF bowl, T4ULF-PF tank	1,000	YES		2	-	E			*				F	
10-141	Western Pottery	Wrangler EL ADA	472PF: B472PF bowl, T4ULF-PF tank	1,000	YES		2	-	E	*		*				F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Meets Los Angeles specification (SPS) for water savings sustainability (adjustability maximum & pilot fill valve)	Certified to meet U.S. EPA WaterSense Specification	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush (includes full flush on a dual-flush fixture)	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	High-Efficiency Toilets (HETs)			Rear Discharge (Back Outlet)	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP column & score)											Dual-Flush	Single-Flush Max 1.28-G (4.8L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity Fed		
		250 grams to 475 grams															
		500 grams and more															
		Type/technology of toilet fixture															
		6-L (1.6-gal) Pressure- or power-assist (includes dual-flush HETs)															
		4-L (1.1-gal) Pressure-assist (HET)															
		Gravity-fed & Vacuum-assist															
		NOTE: Flushometer valve/bowl combinations tested for MaP are no longer included in this appendix and instead may be found listed in Appendix D.															
		Model Name	Model Number														
10-117 & 12-120	Western Pottery	Wrangler One EL	B432PF-1: 432 PF bowl, ULF-T4 tank (1.0 gpf)	1,000	YES	WS	2	-	F								F
16-115RN	Zurn	EcoVantage Dual Flush EL ADA	Z5562: Z5560 bowl, Z5562 tank	1,000	YES	WS	2	-	F	*		*	HET				F
16-114RN	Zurn	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	1,000	YES	WS	2	-	F	*			HET				F
16-116RN	Zurn	EcoVantage EL ADA	Z5560	1,000	YES		2	-	F	*		*					F
8-510	Zurn	None EL	Z-HPT/Z5552: Z5552 bowl; Z5551 tank	1,000	YES		2	3	F		*						F

Notes: RF – Round-front toilet bowl  
 EL – Elongated-front toilet bowl  
 S - Special bowl design  
 ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.  
 NM - Not measured: WaterSense-certified fixtures that were not Maximum Performance (MaP) tested; these fixtures meet the minimum 350 gram waste removal threshold  
 WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense  
 SPS - Qualified to the Los Angeles Supplementary Purchase Specification for flush volume adjustability  
 G - Gallons per Flush  
 L - Litres per Flush  
 RN - Renewed Listing