

Maximum Performance (MaP) of UNAR-Compliant High-Efficiency Toilet Fixtures (HETs)

Sorted by Manufacturer

December 22, 2009 Listing

Line item changes or additions to the 15+th Edition MaP listing are noted below with a red block on the right margin → →

Note: Compiling this listing is a service of the international Alliance for Water Efficiency and the California Urban Water Conservation Council. All of the fixtures on this list are believed to meet the requirements of the U.S. EPA WaterSense specification for HETs, although there is no guarantee of such. Those that have been reported to be fully certified to WaterSense by recognized laboratories are identified in the (green) WaterSense column below. NOTE: This listing is NOT the official list of the U.S. EPA's WaterSense Program. For a full description of WaterSense, go to: <http://www.epa.gov/watersense/>

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E)	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		500 grams and more														
		Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)																
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
15-040	American Standard	Boulevard EL ADA (one-piece)	2891.128 (one-piece)	1,000	WS	1	3	E	*					HET	F	
WS-15	American Standard	Cadet 3 FloWise EL	2431.128: 3046.128 bowl, 4019.128 tank	NM	WS	2		E						HET	F	
WS-15	American Standard	Cadet 3 FloWise EL	2447.128: 3046.128 bowl, 4019.128 tank ('COMPLETE' version; includes bowl, tank, seat & installation matls as one item)	NM	WS	2		E						HET	F	
12-108	American Standard	Cadet 3 FloWise EL	2832.128: 3014.128 bowl, 4021.128 tank	1,000	WS	2	3	E						HET	F	
WS-15	American Standard	Cadet 3 FloWise EL (10" rough-in)	2833.128: 3014.128 bowl, 4019.128 tank	1,000	WS	2	3	E						HET	F	
15-137	American Standard	Cadet 3 FloWise EL (10" rough-in)	3379.128: 3014.128 bowl, 4019.128 tank	1,000	WS	2	3	E						HET	F	
14-052	American Standard	Cadet 3 FloWise EL (lined tank)	2832.513: 3014.128 bowl, 4021.513 tank(lined)	1,000	WS	2	3	E						HET	F	
12-107 & 12-114	American Standard	Cadet 3 FloWise EL ADA	2835.128: 3016.128 bowl, 4021.128 tank; NOTE: this combination is also sold as 3305.128, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	WS	2	3	E	*					HET	F	
15-134	American Standard	Cadet 3 FloWise EL ADA	2836.128: 3016.128 bowl, 4019.128 tank	1,000	WS	2	3	E	*					HET	F	
14-054	American Standard	Cadet 3 FloWise EL ADA (lined tank)	2835.513: 3016.128 bowl, 4021.513 tank(lined)	1,000	WS	2	3	E	*					HET	F	
14-055	American Standard	Cadet 3 FloWise EL ADA (one-piece; lined tank)	2403.513 (one piece; lined tank)	1,000	WS	1	3	E	*					HET	F	
12-101	American Standard	Cadet 3 FloWise RF	2829.128: 3011.128 bowl, 4021.128 tank	800	WS	2	3	R						HET	F	
14-053	American Standard	Cadet 3 FloWise RF (lined tank)	2829.513: 3011.128 bowl, 4021.513 tank(lined)	1,000	WS	2	3	R						HET	F	
14-130	American Standard	Cadet 3 FloWise RF ADA	2758.128: 3005.128 bowl, 4021.128 tank	1,000	WS	2	3	R	*	*				HET	F	
15-041	American Standard	Cadet 3 FloWise RF ADA	3377.128: 3005.128 bowl, 4021.128 tank	1,000	WS	2	3	R	*					HET	F	
15-132	American Standard	Cadet 3 FloWise RF ADA (lined tank)	2758.513: 3005.128 bowl, 4021.513 tank (lined)	1,000	WS	2	3	R	*					HET	F	
WS-14	American Standard	Cadet Flowise EL	2462.100: 3481.100 bowl, 4142.100 tank	NM	WS	2	-	E						HET	F	
WS-14	American Standard	Cadet Flowise EL ADA	2467.100: 3483.100 bowl, 4142.100 tank	NM	WS	2	-	E	*					HET	F	
10-127	American Standard	Compact Cadet 3 FloWise EL ADA	SOLD IN 3 COMBINATIONS (one-piece toilet) - 2403.128, 2568.128 and 2403.500 (lined tank)	1,000	WS	1	3	E	*					HET	F	
15-042	American Standard	EcoFusion EL ADA	3380.216: 3710.216 bowl, 4349.216 tank	1,000	WS	2	2	E	*	*				HET	F	

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		Type/technology of toilet fixture														
		6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)														
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
16-073	American Standard	Evolution 2 FloWise EL	2753.128: 3063.128 bowl (UPC bar code 3305682549), 4061.128 tank (UPC bar code 3305682543)	1,000	WS	2	2	F							HET	F
16-076	American Standard	Evolution 2 FloWise EL (lined tank)	2753.513: 3063.128 bowl (UPC bar code 3305682549), 4061.513 tank (lined) (UPC bar code 3305682546)	1,000	WS	2	2	E							HET	F
16-074	American Standard	Evolution 2 FloWise EL ADA	2754.128: 3068.128 bowl (UPC bar code 3305682540), 4061.128 tank (lined) (UPC bar code 3305682543)	1,000	WS	2	2	E	*						HET	F
16-075	American Standard	Evolution 2 FloWise EL ADA (lined tank)	2754.513: 3068.128 bowl (UPC bar code 3305682540), 4061.513 tank (lined) (UPC bar code 3305682546)	1,000	WS	2	2	E	*						HET	F
16-077	American Standard	Evolution 2 FloWise RF (lined tank)	2752.513: 3061.128 bowl (UPC bar code 3305682552), 4061.513 tank (lined) (UPC bar code 3305682546)	1,000	WS	2	2	R							HET	F
13-089	American Standard	Evolution2 FloWise RF	2752.128: 3061.428 bowl, 4061.428 tank	800	WS	2	2	R							HET	F
10-126	American Standard	FloWise Dual Flush EL	2479.216 (this combination also sold as 2476.216 when with a slow-close seat): 3067 bowl, 4035.216 tank	900	WS	2	2	E		*				HET		F
12-112	American Standard	FloWise Dual Flush EL (insulated tank)	SOLD IN 3 COMBINATIONS - 2479.516, 2779.516 and 2476.516: each combination with 3067 bowl, 4035.516 tank(lined)	800	WS	2	2	E		*				HET		F
12-113 & 12-116	American Standard	FloWise Dual Flush EL ADA	SOLD IN 4 COMBINATIONS - 2480.216, 2484.216, 2566.216 and 2778.516: each combination with 3073 bowl, 4035 tank.	600	WS	2		E	*	*				HET		F
12-111 & 12-115	American Standard	FloWise Dual Flush EL ADA (insulated tank)	SOLD IN 3 COMBINATIONS - 2480.516, 2484.516 and 2566.516: each combination with 3073 bowl, 4035.516 tank (lined)	500	WS	2	2	E	*	*				HET		F
15-135	American Standard	FloWise Dual Flush RF	2489.216: 3074.216 bowl, 4035.216 tank	600	WS	2	-	R		*				HET		F
15-136	American Standard	FloWise Dual Flush RF (lined tank)	2489.516: 3074.216 bowl, 4035.516 tank (lined)	600	WS	2	-	R		*				HET		F
10-021	American Standard	FloWise EL	2073.014: 3018 bowl, 4023.014 tank	750	WS	2	3	E							HET	F
15-043	American Standard	FloWise EL ADA COMPLETE	3378.128: 3016.128 bowl, 4021.128 tank	1,000	WS	2	3	E	*						HET	F
15-123	American Standard	Flowise RF	2880.128: 3011.128 bowl, 4021.128 tank	1,000	WS	2	3	R							HET	F
14-132	American Standard	H2Option Siphonic Dual Flush EL	2887.216: 3706.216 bowl, 4339.216 tank	1,000	WS	2	2	E		*				HET		F
15-125	American Standard	H2Option Siphonic Dual Flush EL (lined tank)	2887.516: 3706.216 bowl, 4339.516 tank (lined)	1,000	WS	2	-	E		*				HET		F
14-131	American Standard	H2Option Siphonic Dual Flush EL ADA	2886.216: 3705.216 bowl, 4339.216 tank	1,000	WS	2	2	E	*	*				HET		F
15-124	American Standard	H2Option Siphonic Dual Flush EL ADA (lined tank)	2886.516: 3705.216 bowl, 4339.516 tank (lined)	1,000	WS	2	-	E	*	*				HET		F
14-133	American Standard	H2Option Siphonic Dual Flush RF	2889.216: 3708.216 bowl, 4339.216 tank	1,000	WS	2	2	R		*				HET		F
15-126	American Standard	H2Option Siphonic Dual Flush RF (lined tank)	2889.516: 3708.216 bowl, 4339.516 tank (lined)	1,000	WS	2	-	R		*				HET		F

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)		Type/technology of toilet fixture									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.														
	500 grams and more															
Make	Model Name	Model Number														
13-089	American Standard	Mainstream FloWise RF	3468.128: sold as a COMPLETE package, which includes bowl, tank, seat, & installation mat'ls as one item or SKU. Includes 3061.428 bowl, 4061.428 tank	800	WS	2	2	R						HET	F	
16-069	American Standard	Town Square EL ADA (one-piece)	2817.128: 3071.128 bowl (UPC bar code 3305682080), 4216.128 tank (UPC bar code 3305682085)	1,000	WS	2	3	E	*					HET	F	
15-128	American Standard	Town Square EL ADA (one-piece)	2847.128 (one-piece)	1,000	WS	1	3	E	*					HET	F	
15-030	American Standard	Tropic EL ADA (one-piece)	2786.128 (one-piece)	1,000	WS	1	3	E	*					HET	F	
WS-14	American Standard	Yorkville EL	2876.100: 3701.100 bowl, 4142.100 tank	NM	WS	2	-	E						HET	R	
WS-14	American Standard	Yorkville EL ADA	2878.100: 3703.100 bowl, 4142.100 tank	NM	WS	2	-	E	*					HET	R	
10-055	Aquadis	Tytane EL	TY350 (one piece)	350		1	2	E		*				HET	F	
14-030	Aquasenses - Chongqing Swell Holding	Aquasenses RF	ES22114: ES2214 bowl, ES3214 tank	350	WS	2		R						HET	F	
WS-12	Axent-Regatta Water Co.	None EL ADA	AT1203-xx	NM	WS	2		E	*					HET	F	
WS-15	Axent-Regatta Water Co.	None RF	AT1201-xx	NM	WS	2		R						HET	F	
11-087	Bolina	Italiana EL	3031: 3031 bowl, 3031 tank	400		2	2	E		*				HET	F	
16-022	Briggs	Maelstrom HET EL	4685: 4115 bowl (UPC 671021377770), 4494 tank (UPC 671021377749)	750		2	3	E						HET	F	
16-023	Briggs	Maelstrom HET EL ADA	4688: 4118 bowl (UPC 671021377800), 4494 tank (UPC 671021377749)	900		2	3	E	*					HET	F	
16-021	Briggs	Maelstrom HET RF	4680: 4110 bowl (UPC 671021376216), 4494 tank (UPC 671021377749)	750		2	3	R						HET	F	
WS-12	Briggs	None EL	4208: 4375 bowl, 4484 tank	NM	WS	2		E		*				HET	F	
WS-16	Briggs	None EL	4213: 4378 bowl, 4488 tank	NM	WS	2		E		*				HET	F	
WS-12	Briggs	None RF	4207: 4370 bowl, 4484 tank	NM	WS	2		R		*				HET	F	
8-536	Caroma	Adelaide 270 CC Cube RF	834000 bowl, 814790 tank	700	WS	2	-	R		*				HET	F	
8-537	Caroma	Adelaide 270 CC Standard RF	834000 bowl, 814328 tank	700	WS	2	-	R		*				HET	F	
12-006	Caroma	Adelaide 270 EH Cube RF ADA	825500 bowl, 814790 tank	700	WS	2	-	R	*	*				HET	F	
12-005	Caroma	Adelaide 270 EH Standard RF ADA	825500 bowl, 814328 tank	700	WS	2	-	R	*	*				HET	F	
10-113	Caroma	Bondi 270 CC RF	609159 bowl, 726350 tank	600	WS	2	-	R		*				HET	F	
11-050	Caroma	Bondi 270 EL	609100 bowl, 726350 tank	550	WS	2	-	E		*				HET	F	
10-112	Caroma	Bondi 270 EL ADA	609120 bowl, 726350 tank	900	WS	2	-	E	*	*				HET	F	
11-049	Caroma	Bondi 270 RF ADA	609177 bowl, 726350 tank	550	WS	2	-	R	*	*				HET	F	
10-110	Caroma	Bondi 305 CC RF	609151 bowl, 726350 tank	450	WS	2	-	R		*				HET	F	
13-069	Caroma	Bondi 305 EL	609130 bowl, 726350 tank	700	WS	2	-	E		*				HET	F	
12-002	Caroma	Brisbane 270 RF	833900 bowl, 810266 tank	700	WS	2	-	R		*				HET	F	
9-032	Caroma	Caravelle 270 EL	609100 bowl, 629435 tank	500	WS	2	-	E		*				HET	F	
7-525	Caroma	Caravelle 270 EL ADA	609120 bowl, 629435 tank	800	WS	2	-	E	*	*				HET	F	

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)		Type/technology of toilet fixture									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.														
	500 grams and more															
Make	Model Name	Model Number														
	Caroma	Caravelle 270 RF	989760: 609159 bowl, 629435 tank	NM	WS	2	-	R		*		HET			F	
	Caroma	Caravelle 270 RF ADA	989770: 609177 bowl, 629435 tank	NM	WS	2	-	R	*	*		HET			F	
7-526	Caroma	Caravelle 305 EL	609130 bowl, 629435 tank	500	WS	2	-	E		*		HET			F	
	Caroma	Caravelle 305 RF	989680: 609151 bowl, 629435 tank	NM	WS	2	-	R		*		HET			F	
14-025	Caroma	Caravelle One-Piece RF	989646	700	WS	1	-	R		*		HET			F	
8-538	Caroma	Caravelle One-Piece RF ADA	989668	800	WS	1	-	R	*	*		HET			F	
7-513	Caroma	Colonial 270 RF	605310 bowl, 625070 tank	600	WS	2	-	R		*		HET			F	
12-004	Caroma	Colonial 270 RF ADA	605320 bowl, 625070 tank	700	WS	2	-	R	*	*		HET			F	
14-035	Caroma	Profile Smart 305 RF (NOTE: 1.2g/4.5L for the full flush - 0.8g/3.0L for reduced flush)	609151A bowl, 840420 tank	800	WS	2	-	R		1.2g 4.5L		HET			F	
7-527	Caroma	Reflections 270 EL	609100 bowl, 629530 tank	500		2	-	E		*		HET			F	
7-524	Caroma	Reflections 305 RF	609151 bowl, 629530 tank	600		2	-	R		*		HET			F	
11-052	Caroma	Royale 270 EL	609100 bowl, 624530 tank	800	WS	2	-	E		*		HET			F	
7-514	Caroma	Royale 270 EL ADA	609120 bowl, 624530 tank	850	WS	2	-	E	*	*		HET			F	
7-528	Caroma	Royale 270 RF	609159 bowl, 624530 tank	600	WS	2	-	R		*		HET			F	
11-051	Caroma	Royale 270 RF ADA	609177 bowl, 624530 tank	900	WS	2	-	R	*	*		HET			F	
	Caroma	Royale 305 EL	609130 bowl, 629530 tank	NM	WS	2	-	E		*		HET			F	
	Caroma	Royale 305 RF	609151 bowl, 624530 tank	NM	WS	2	-	R		*		HET			F	
11-055	Caroma	Sydney 270 EL	609100 bowl, 622320 tank	500	WS	2	-	E		*		HET			F	
8-533	Caroma	Sydney 270 EL ADA	609120 bowl, 622320 tank	1,000	WS	2	-	E	*	*		HET			F	
11-053	Caroma	Sydney 270 RF	609159 bowl, 622320 tank	600	WS	2	-	R		*		HET			F	
11-054	Caroma	Sydney 270 RF ADA	609177 bowl, 622320 tank	600	WS	2	-	R	*	*		HET			F	
10-115	Caroma	Sydney 305 EL	609130 bowl, 622320 tank	500	WS	2	-	E		*		HET			F	
10-114	Caroma	Sydney 305 RF	609151A bowl, 622320 tank	1,000	WS	2	-	R		*		HET			F	
12-093	Caroma	Sydney Low Profile 270 EH EL ADA	609120 bowl, 622330 tank	550	WS	2	-	E	*	*		HET			F	
13-125	Caroma	Sydney Low Profile 270 EL	609100 bowl, 622330 tank	550	WS	2	-	E		*		HET			F	
13-123	Caroma	Sydney Low Profile 270 RF	609159 bowl, 622330 tank	550	WS	2	-	R		*		HET			F	
13-122	Caroma	Sydney Low Profile 270 RF ADA	609177 bowl, 622330 tank	650	WS	2	-	R	*	*		HET			F	
13-124	Caroma	Sydney Low Profile 305 EL	609130 bowl, 622330 tank	550	WS	2	-	E		*		HET			F	
12-068	Caroma	Sydney Low Profile 305 RF	609151A bowl, 622330 tank	500	WS	2	-	R		*		HET			F	
14-037	Caroma	Sydney Smart 270 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609100 bowl, 622322 tank	850	WS	2	-	E		1.2g 4.5L		HET			F	
13-121	Caroma	Sydney Smart 270 EL ADA (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609120 bowl, 622322 tank	850	WS	2	-	E	*	1.2g 4.5L		HET			F	
14-039	Caroma	Sydney Smart 270 RF (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609159 bowl, 622322 tank	850	WS	2	-	R		1.2g 4.5L		HET			F	

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP score)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	350 grams to 475 grams		NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	500 grams and more															
	Type/technology of toilet fixture															
Make	Model Name	Model Number	6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)			4-L (1.1-gal) Pressure-assist (HET)			Gravity-fed & Vacuum-assist							
14-038	Caroma	Sydney Smart 270 RF ADA (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609177 bowl, 622322 tank	850	WS	2	-	R	*	1.2g 4.5L		HET			F	
14-036	Caroma	Sydney Smart 305 EL (NOTE: 1.3g/4.9L full flush - 0.9g/3.4L reduced flush)	609130 bowl, 622322 tank	900	WS	2	-	E		1.2g 4.5L		HET			F	
11-116 & 12-003	Caroma	Sydney Smart 305 RF (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609151A bowl, 622322 tank	650	WS	2	-	R		1.2g 4.5L		HET			F	
14-026	Caroma	Sydney Smart RF Rear Outlet (NOTE: 1.28-gpf full flush - 0.8-gpf reduced flush)	609450 bowl, 622322 tank	900	WS	2	-	R		1.2g 4.5L		HET		R	F	
10-116	Caroma	Walvit EL (ADA optional)	604119 bowl, 227001 tank (concealed in-wall)	500		2	-	E	*	*		HET		R	W	
WS-16	Cascadian	None RF	C920 bowl, T901 tank	NM	WS	2	3	R						HET	F	
14-049	Cascadian	Regal/Toscana EL ADA	C930 bowl, T901 tank	1,000	WS	2	3	E	*					HET	F	
15-089	Ceralux/Mancesa/Colceramica	Forzazul RF	3002 bowl, 4463 tank	700		2	2	R						HET	F	
WS-13	Ceramica Industrial De Taubate Ltd	Nina EL	111: bowl model unknown, 815 tank	NM	WS	2		E						HET	F	
WS-13	Ceramica Industrial De Taubate Ltd	Twister EL	151: 151 bowl, 855 tank	NM	WS	2		E						HET	F	
WS-13	Ceramica Industrial De Taubate Ltd	Twister RF	150: 150 bowl, 855 tank	NM	WS	2		R						HET	F	
WS-14	Cerapure Industries	None EL	CT-3008	NM	WS	2		E						HET	F	
WS-14	Cerapure Industries	None EL ADA	CT-6008D	NM	WS	2		E	*			HET			F	
WS-12	Cerapure Industries	None EL ADA (one-piece)	C-3432D	NM	WS	1		E	*	*		HET			F	
WS-14	Cerapure Industries	None RF	CT-3007	NM	WS	2		R						HET	F	
15-054	Cerapure Industries	None RF ADA (one-piece)	102B	600		1		R	*					HET	F	
14-046	Chelini	Bournelli RF (lined tank)	B1415R bowl, T14248 tank (lined tank)	500	WS	2	2	R						HET	F	
14-020	Chelini	Cabot EL ADA (lined tank)	B1516E bowl, T10348 tank (lined tank)	1,000	WS	2	3	E	*					HET	F	
14-079	Chelini	Cabot RF ADA (lined tank)	B1516R bowl, T10348 tank (lined tank)	800	WS	2	3	R	*					HET	F	
14-080	Chelini	Marriot EL (lined tank)	B1215E bowl, TDF1246 tank (lined tank)	400	WS	2	2.5	E		*		HET			F	
14-047	Chelini	Marriot EL ADA (lined tank)	B1216E bowl, TDF1246 tank (lined tank)	800	WS	2	2	E	*	*		HET			F	
13-066	Chelini	Marriot RF (lined tank)	B1215R bowl, TDF1246 tank (lined)	600	WS	2	2.5	R		*		HET			F	
16-068	Colceramica	Forzazul RF	3002 bowl, 4463 tank (lined tank)	600		2	2	R						HET	F	
16-031	Commericalizadora Ceramica	Fiero K Green AL EL	50352 bowl, 5102 tank	1,000		2	3	E						HET	F	
16-032	Commericalizadora Ceramica	Royalty Green EL ADA	50349 bowl, 51049 tank	500		2	3	E	*					HET	F	
14-065	Contrac	Cain EL (lined tank)	5720BEV: B5720BEV bowl, T5720BEV tank (lined)	800	WS	2	3	E						HET	F	
14-066	Contrac	Calum RF (lined tank)	5720BFV: B5720BFV bowl, T5720BFV tank (lined)	800	WS	2	3	R						HET	F	
13-126	Contrac	Captiva EL ADA	4710BIV	800	WS	1	3	E	*					HET	F	
13-127	Contrac	Carter EL ADA	4720BIV: bowl and tank nos. not provided	550	WS	2	3	E	*					HET	F	
14-069	Contrac	Clara (1 piece - lined tank)	5710BLT (one-piece - lined tank)	1,000	WS	1	2	S		*		HET			F	
14-070	Contrac	Clint EL (1 piece - lined tank)	5710BEZ (one-piece - lined tank)	1,000	WS	1	2	E		*		HET			F	
14-061	Contrac	Colin EL (lined tank)	5720BEZ: B5720BEZ bowl, T5720BEZ tank (lined)	700	WS	2	2	E		*		HET			F	

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP score)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)		
	Make	Type/technology of toilet fixture										Model Name	Model Number	Dual-Flush			Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity
		6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)																
		4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																		
14-068	Contrac	Colten EL ADA (lined tank)	5720BIZ: B5720BIZ bowl, T5720BIZ tank (lined)	800	WS	2	2	E	*	*		HET			F			
15-108	Contrac	None EL ADA	5720BOY: B5720BOY bowl, T5720BOY tank	800	WS	2	-	E	*				HET		F			
14-071	Contrac	None EL ADA (lined tank)	5720BOV: B5720BOV bowl, T5720BOV tank (lined)	1,000	WS	2	3	E	*					HET	F			
11-084	Contrac	None RF	4710BFZ (one piece with insulated tank)	500		1	2.5	R		*					F			
11-085	Contrac	None RF	4710BFZU (one piece)	600		1	2.5	R		*					F			
11-080	Contrac	None RF	4720BFZ combination (lined tank)	600		2	2	R		*					F			
11-081	Contrac	None RF	4720BFZU combination	550		2	2	R		*					F			
14-060	Contrac	None RF (lined tank)	5720BFZ: B5720BFZ bowl, T5720BFZ tank (lined)	600	WS	2	2	R		*					F			
WS-11	Crane	Eco Galaxy/Cranada EL	31008: 3372 bowl, 31590 tank	500	WS	2	-	E		*					F			
13-014	Crane	Eco Galaxy/Cranada EL ADA	31009: 3815 bowl, 31590 tank	800	WS	2	2	E	*	*					F			
13-013	Crane	Eco Galaxy/Cranada EL ADA	31069: 3815 bowl, 31593 tank (insulated)	800	WS	2	2	E	*	*					F			
WS-11	Crane	Eco Galaxy/Cranada RF	31007: 3352 bowl, 31590 tank	500	WS	2	-	R		*					F			
WS-11	Crane	Eco Galaxy/Cranada RF	31067: 3352 bowl, 31593 tank (insulated)	600	WS	2	-	R		*					F			
12-108D	Crane	Eco Opus III EL	2383328: 3014.328 bowl, 4021.328 tank	1,000	WS	2	3	E						HET	F			
14-052D	Crane	Eco Opus III EL (lined tank)	2383358: 3014.328 bowl, 4021.358 tank(lined)	1,000	WS	2	3	E						HET	F			
12-107 & 12-114D	Crane	Eco Opus III EL ADA	2386328: 3016.328 bowl, 4021.328 tank;	1,000	WS	2	3	E	*					HET	F			
14-054D	Crane	Eco Opus III EL ADA (lined tank)	2386358: 3016.328 bowl, 4021.358 tank (lined)	1,000	WS	2	3	E	*					HET	F			
12-101D	Crane	Eco Opus III RF	2384328: 3011.328 bowl, 4021.328 tank	800	WS	2	3	R						HET	F			
11-004	Crane	Eco Opus III RF	31692: 31562 bowl, 31542 tank	600	WS	2	3	R						HET	F			
WS-11	Crane	Eco Opus III RF	31693: 31562 bowl, 31543 tank (insulated)	NM	WS	2	3	R						HET	F			
14-053D	Crane	Eco Opus III RF (lined tank)	2384358: 3011.328 bowl, 4021.358 tank(lined)	1,000	WS	2	3	R						HET	F			
WS	Crane	Eco Saratoga Dual RF	31970: 3352 bowl, 31960 tank	NM	WS	2		R						HET	F			
WS-11	Crane	Eco Saratoga EL	31973: 3372 bowl, 31964 tank	500	WS	2		E		*				HET	F			
WS	Crane	Eco Saratoga EL	31980: 3372 bowl, 31960 tank	NM	WS	2		E						HET	F			
WS	Crane	Eco Saratoga EL	31986: 3372 bowl, 31966 tank (insulated)	NM	WS	2		E						HET	F			
13-016	Crane	Eco Saratoga EL ADA	31983: 3815 bowl, 31964 tank	600	WS	2	2	E	*	*				HET	F			
13-015	Crane	Eco Saratoga EL ADA	31996: 3815 bowl, 31966 tank (insulated)	600	WS	2	2	E	*	*				HET	F			
WS-11	Crane	Eco Saratoga RF	31972: 3352 bowl, 31964 tank	600	WS	2		R		*				HET	F			
WS	Crane	Eco Saratoga RF	31976: 3352 bowl, 31966 tank (insulated)	NM	WS	2		R						HET	F			
11-028	Crane	Ecomiser Bigfoot EL	38345: 31125 bowl, 31500 tank	1,000	WS	2	-	E			*			HET	F			
WS-11	Crane	Ecomiser Bigfoot EL ADA	38355: 31128 bowl, 31500 tank	1,000	WS	2	-	E	*		*			HET	F			
WS	Crane	Ecomiser Dual EL	38370: 3827 bowl, 31500 tank	NM	WS	2	-	E			*			HET	R F			
WS	Crane	Ecomiser Dual EL ADA	38400: 3830 bowl, 31500 tank	NM	WS	2	-	E	*		*			HET	R F			

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP score) 350 grams to 475 grams NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. 500 grams and more Type/technology of toilet fixture 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)						
												Make	Model Name	Model Number			Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity			
11-038	Crane	EcoMiser EL	38340: 3824 bowl, 31500 tank	1,000		2	-	E						F								
11-039	Crane	EcoMiser EL	38350: 3825 bowl, 31500 tank	1,000		2	-	E						F								
11-040	Crane	EcoMiser EL ADA	38380: 3828 bowl, 31500 tank	1,000		2	-	E	*					F								
11-030	Crane	Ecomiser One Bigfoot RF	38335: 31124 bowl, 31500 tank	1,000	WS	2		R		*		HET		F								
14-119	Crane	Economiser EL	3837: 3827 bowl, 3612NS tank	600		2	-	E					R	F								
11-025	Crane	Economiser One Bigfoot EL	31885: 31125 bowl, 31612 tank	1,000	WS	2	-	E						F								
WS-11	Crane	Economiser One Bigfoot EL ADA	31888: 31128 bowl, 31612 tank	1,000	WS	2	-	E	*					F								
11-026	Crane	Economiser One Bigfoot RF	31884: 31124 bowl, 31612 tank	1,000	WS	2	-	R						F								
10-035	Crane	Economiser One EL	31945: 3825 bowl, 31612 tank	1,000		2	-	E						F								
10-034	Crane	Economiser One EL ADA	31948: 3828 bowl, 31612 tank	1,000		2	-	E	*					F								
10-037	Crane	Economiser One RF	31944: 3824 bowl, 31612 tank	1,000		2	-	R						F								
14-120	Crane	Economiser RF	3836: 3826 bowl, 3612NS tank	600		2	-	R					R	F								
14-093	Danze	Cirtangular EL ADA	DC023330 bowl, DC022321 tank	800	WS	2	3	E	*					F								
15-145	Danze	Orrington EL ADA (12" rough-in - one-piece)	DC011323 (one-piece)	800	WS	1	3	E	*					F								
15-146	Danze	Orrington EL ADA (12" rough-in)	DC013330 bowl, DC012323 tank	800	WS	2	3	E	*					F								
15-147	Danze	Ziga Zaga EL ADA (12" rough-in - one-piece)	DC031321 (one-piece)	800	WS	1	3	E	*					F								
14-021	DKDC	Total Flush EL ADA	TF1000: B1000 bowl, T1000 tank	1,000		2	3	E	*					F								
WS-15	Dolphin Plumbing Industrial	None	L1315E346	NM	WS	1		E				HET										
WS-15	Dolphin Plumbing Industrial	None	Z15E15 bowl, S17246 tank	NM	WS	2		E				HET										
WS-15	Dolphin Plumbing Industrial	None	Z15E16 bowl, S17246 tank	NM	WS	2		E				HET										
WS-15	Dolphin Plumbing Industrial	None	Z15R15 bowl, S17246 tank	NM	WS	2		R				HET										
WS-15	Dolphin Plumbing Industrial	None	Z15R16 bowl, S17248 tank	NM	WS	2		R					HET									
16-052	Dolphin Plumbing Industrial	None EL	Z15E15 bowl, S17248 tank	600	WS	2	3	E						HET								
16-051	Dolphin Plumbing Industrial	None EL	Z15E15 bowl, S18246 tank	600		2	2	E	*			HET										
16-048	Dolphin Plumbing Industrial	None EL	Z22E16 bowl, S18246 tank	600		2	2	E	*			HET										
16-050	Dolphin Plumbing Industrial	None EL (one-piece)	L1315E346 (one-piece)	600		1	3	E	*			HET										
16-046	Dolphin Plumbing Industrial	None RF	Z15R15 bowl, S17248 tank	600	WS	2	2	R					HET									
16-047	Dolphin Plumbing Industrial	None RF	Z15R15 bowl, S18246 tank	500		2	2	R	*			HET										
16-053	Dolphin Plumbing Industrial	None RF	Z58R16 bowl, S19348 tank (lined tank)	1,000		2	3	R					HET									
12-030	Duravit	2nd Floor (ADA optional)	220509 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*		HET		R W								
12-032	Duravit	Caro (ADA optional)	015609 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*		HET		R W								
8-544	Duravit	Darling	020709 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	R	*	*		HET		R W								
WS-13	Duravit	D-Code	011701 bowl, 092720 tank	NM	WS	2							HET	F								
13-070	Duravit	D-Code	220909 bowl, used with in-wall tank	500	WS	2		S	*	*		HET		R W								

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
	Make	Flush performance (MaP score)										Type/technology of toilet fixture	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist			Single-Flush Max 1.28 G (4.8 L) Gravity
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.														
		500 grams and more															
Model Name	Model Number																
WS-15	Duravit	D-Code (one-piece)	011301 (one-piece)	NM	WS	1										F	
12-031	Duravit	Foster (ADA optional)	017509 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*			HET			R	W
WS-13	Duravit	Happy D	017009 bowl, 091010 tank	NM	WS	2				*			HET				F
WS-15	Duravit	Happy D EL	011201 bowl, 092910 tank	NM	WS	2		E							HET		F
6-605	Duravit	Happy D RF	017009 bowl, 091000-05 tank	600		2	2	R	*	*			HET			R	W
6-604	Duravit	Happy D Wallmount RF	017109 bowl, 111.335 in-wall tank (Geberit)	600	WS	2	2	R	*	*			HET			R	W
WS-16	Duravit	Pura Vida	211909 bowl, 1087270 tank	NM	WS	2		S		*			HET				F
12-033	Duravit	Starck 2 (ADA optional)	016009 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*			HET			R	W
WS-13	Duravit	Starck 3	012809 bowl, 092010 tank	NM	WS	2				*			HET				F
WS-16	Duravit	Starck 3	220209 bowl, used with in-wall tank	NM	WS	2		S	*	*			HET			R	W
WS-16	Duravit	Starck 3	220309 bowl, used with in-wall tank	NM	WS	2		S	*	*			HET			R	W
8-543	Duravit	Starck 3 RF	220009 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	R	*	*			HET			R	W
WS-13	Duravit	Starck X	220409 bowl, used with in-wall tank	NM	WS	2		S	*	*			HET			R	W
WS-13	Duravit	Vero	211609 bowl, 090910 tank	NM	WS	2				*			HET				F
WS-13	Duravit	Vero	211709 bowl, 109.304 in-wall tank (Geberit)	NM	WS	2	2	S		*			HET				F
12-034	Duravit	Vero (ADA optional)	221709 bowl, 111.335 in-wall tank (Geberit)	350	WS	2	2	S	*	*			HET			R	W
WS-15	Duravit	Vero EL	210301 (one-piece)	NM	WS	1		E							HET		F
13-089D	Eljer	Belmont RF COMPLETE	091-0800: 3061.428 bowl, 4061.428 tank	800		2	2	R							HET		F
9-009	Eljer	Power 1-G EL	091-7625: 131-7625 bowl; 141-7600 tank	800		2	-	E						HET			F
9-010	Eljer	Power 1-G EL ADA	091-7675: 131-7675 bowl; 141-7600 tank	800		2	-	E	*					HET			F
14-133D	Eljer	Somerville Dual Flush RF (siphonic)	091-6100: 3708.416 bowl, 4339.416 tank	1,000	WS	2	2	R		*			HET				F
16-071	Eljer	Stratus EL ADA	091-1285: 3016.428 bowl, 4007.428 tank (UPC bar code 3305682509 sold as a COMPLETE unit)	1,000	WS	2	3	E	*						HET		F
16-072	Eljer	Stratus RF	091-1280: 3011.428 bowl, 4007.428 tank (UPC bar code 3305682508 sold as a COMPLETE unit)	1,000	WS	2	3	R							HET		F
12-016	Foremost	AIO (All-In-One) RF ADA	AIO1000-R: AIOB1000-R bowl, AIOT1000 tank	1,000	WS	2	-	R	*		*		HET				F
14-115	Foremost	AIO (All-In-One) EL ADA	AIO 7800HET-LO: AIO B7800HET-LO bowl, AIO T7800HET-LO tank	750	WS	2	3	E	*						HET		F
12-017	Foremost	AIO (All-In-One) EL ADA	AIO1000-E: AIOB1000-E bowl, AIOT1000 tank	1,000	WS	2	-	E	*		*		HET				F
14-072	Foremost	Astoria EL ADA(lined tank)	TL-1980E-*L: LL-1980E bowl, T-1980*L tank (lined)	750	WS	2	3	E	*						HET		F
13-141	Foremost	Europa EL (one-piece with lined tank)	TL-8271E-*L (one-piece with lined tank)	800	WS	1	2	E					HET				F
9-044 & 13-147	Foremost	Gemini Dual-Flush ADA	TL-2100-*L (one-piece)	1,000	WS	1	2	S	*	*			HET				F
8-539	Foremost	Gemini Dual-Flush RF (lined tank)	TL-2005-*L: LL-2005 bowl, T-2005-*L tank (lined)	800	WS	2	2	R		*			HET				F
13-140	Foremost	Genie EL (lined tank)	TL-2010E-*L, LL-2010E bowl, T-2010-*L tank (lined)	750		2	2	E					HET				F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		Type/technology of toilet fixture														
		6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)														
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
13-135	Foremost	HET EL (one-piece)	TL-6100-E*N (one-piece)	500	WS	1	3	E							HET	F
14-064	Foremost	HET EL ADA	TL-20PA-HET-E*L: LL-20PA-HET-E bowl, T-20PA-HET-E tank (lined tank)	600	WS	2	3	E	*						HET	F
11-086 & 13-149	Foremost	HET EL ADA	TL-7600HC-HET OR BT6001: LL-7600HC-HET bowl, T-7600-HET tank	1,000	WS	2	3	E	*						HET	F
14-077	Foremost	HET EL ADA	TL-7600HC-HET-*1: LL-7600HC-HET-*1 bowl, T-7600HC-HET-*1 tank	600	WS	2	3	E	*						HET	F
16-084	Foremost	HET EL ADA	TL-7600HC-HET-*L ; LL-7600HC-* bowl , T-7600-HET-*L tank (Lined) (R&T tank trims) UPC 721015415800	1000	WS	2	3	E	*						HET	F
14-076	Foremost	HET EL ADA	TL-7600HC-HET-LO: LL-7600HC-HET-LO bowl, T-7600-HET-LO tank	400	WS	2	3	E	*						HET	F
13-130	Foremost	HET EL ADA (lined tank)	TL-7600HC-HET-*L: LL-7600HC-HET bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	WS	2	3	E	*						HET	F
14-073	Foremost	HET EL ADA (one-piece)	HB-800-ADA (one-piece)	1,000	WS	1	3	E	*	*				HET	F	
13-138 & 14-108	Foremost	HET EL ADA (one-piece)	TL-10PA-HET-E (one-piece)	650	WS	1	3	E	*						HET	F
13-137 & 14-109	Foremost	HET EL ADA (one-piece)	TL-10PB-HET-E (one-piece)	600	WS	1	3	E	*						HET	F
13-131	Foremost	HET RF ADA	TL-7600HC-HETR-*L: LL-7600HC-HETR bowl, T-7600HC-HET tank (unlined tank) (Fluidmaster tank trim)	1,000	WS	2	3	R	*						HET	F
13-132	Foremost	HET RF ADA (lined tank)	TL-7600HC-HETR: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	WS	2	3	R	*						HET	F
14-081	Foremost	HET RF ADA (lined tank)	TL-7605HC-*L: LL-7605HC bowl, T-7605-*L tank (lined tank)	550	WS	2	3	R	*						HET	F
14-082	Foremost	HET RF ADA (lined tank)	TL-7637HC-*L: LL-7637HC bowl, T-7637-*L tank (lined tank)	600	WS	2	3	R	*						HET	F
8-530	Foremost	Moline EL	TL-8267-*L: LL-8267 bowl, T-8267 tank (lined)	700	WS	2	2.5	S		*				HET	F	
WS-15	Foremost	None EL (lined tank)	TL-8295-*L: LL-8295 bowl, T-8295 tank (lined)	NM	WS	2		E							HET	F
14-118	Foremost	None EL ADA	AIO 400E*-HET: AIO B400E bowl, AIO T400 tank	400	WS	2	3	E	*						HET	F
15-117	Foremost	None EL ADA	AO1-054777E: LL777E bowl, T1-054 tank	800	WS	2	3	E	*						HET	F
15-020	Foremost	None EL ADA	AO1-803807-E: LL-807-E bowl, T1-803 tank	650	WS	2	3	E	*						HET	F
15-114	Foremost	None EL ADA	AO2-058777E: LL-777E bowl, T2-058 tank	800	WS	2	3	E	*	*				HET	F	
15-116	Foremost	None EL ADA	AO2-158777E: LL-777E bowl, T2-158 tank	850	WS	2	2	E	*	*				HET	F	
15-103	Foremost	None EL ADA	AO4-035177E: LL-177E bowl, T4-035 tank	800	WS	2	-	E	*						HET	F
15-104	Foremost	None EL ADA	AO4-045177E: LL-177E bowl, T4-045 tank	800	WS	2	-	E	*						HET	F
15-100	Foremost	None EL ADA	AO4-215177E: LL-177E bowl, T4-215 tank	800	WS	2	-	E	*						HET	F
15-102	Foremost	None EL ADA	AO4-425177E: LL-177E bowl, T4-425 tank	800	WS	2	-	E	*						HET	F
15-101	Foremost	None EL ADA	AO4-825177E: LL-177E bowl, T4-825 tank	800	WS	2	-	E	*						HET	F

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP score)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	350 grams to 475 grams		NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	500 grams and more															
	Type/technology of toilet fixture															
Make	Model Name	Model Number	6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)			4-L (1.1-gal) Pressure-assist (HET)			Gravity-fed & Vacuum-assist							
			13-139 & 14-107	Foremost	None EL ADA	TL-20PA-HET-E: LL-20PA-HET-E bowl, T-20PA-HET-E tank	550	WS	2	3	E	*				
14-062	Foremost	None EL ADA (lined tank)	TL-10PA-HET-E (one-piece- lined tank)	600		1	3	E	*					HET	F	
14-063	Foremost	None EL ADA (lined tank)	TL-10PB-HET-E (one-piece- lined tank)	650	WS	1	3	E	*					HET	F	
15-050	Foremost	None EL ADA (lined tank)	TL-5207HC-*L2: LL-5207HC-*2 bowl,T-5207-*L2 (lined tank)	700	WS	2	3	E	*					HET	F	
15-115	Foremost	None RF	AO1-203824R: LL-824R bowl, T1-203 tank	800	WS	2	3	R						HET	F	
15-021	Foremost	None RF	AO2-7851-HET-R: LL-0051-R bowl, T-7800-HET tank	850	WS	2	3	R						HET	F	
14-113	Foremost	None RF (lined tank)	TL-5207-*L2: LL-5207-*2 bowl, T-5207-*L2 tank (lined)	600	WS	2	3	R						HET	F	
14-111	Foremost	None RF (lined tank)	TL-8207-*L4: LL-8207-*4 bowl, T-8207-*L4 tank (lined)	800	WS	2	3	R						HET	F	
15-121	Foremost	None RF ADA	AO1-054777R: LL-777R bowl, T1-054 tank	800	WS	2	3	R	*					HET	F	
15-019	Foremost	None RF ADA	AO1-803807-R: LL-807-R bowl, T1-803 tank	650	WS	2	3	R	*					HET	F	
15-118	Foremost	None RF ADA	AO2-058777R: LL-777R bowl, T2-058 tank	800	WS	2	3	R	*	*			HET		F	
15-119	Foremost	None RF ADA	AO2-158777R: LL-777R bowl, T2-158 tank	900	WS	2	2	R	*	*			HET		F	
14-074	Foremost	Odessa RF (one-piece with lined tank)	TL-8260-*L (one-piece with lined tank)	800	WS	1	2	S		*			HET		F	
11-001	Foremost	Plaza	TL-7107-*L: LL-7107 bowl, T-7107 tank	500	WS	2	2.5	S		*			HET		F	
13-142	Foremost	Regent RF	TL-5210-*L (one piece - lined tank)	750	WS	1	2	R					HET		F	
11-073	Foremost	Total - RF	TT-2010-*L: LL-2010 bowl, T-2010 tank (lined)	600	WS	2	2.5	R		*			HET		F	
13-130	Foremost	Total Smart HET EL ADA	TT-8295-*L: LL-7600-HET bowl, T-7600-HET-*L tank (NOTE: This is the All-In-One version of the TL-7600HC-HET-*L fixture shown above)	900	WS	2	3	E	*					HET	F	
13-133	Foremost	Home Depot - Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (HD SKU#780-036)	800	WS	2	3	E	*					HET	F	
15-109	Foremost	None EL ADA	AO4-045167E: LL-167E bowl, T4-045 tank	800	WS	2	-	E	*				HET		F	
15-110	Foremost	None RF (lined tank)	TL-1207-*L2: LL-1207-*2 bowl, T-1207-*L2 tank (lined tank)	700	WS	2	3	R						HET	F	
14-117	Foremost	None RF ADA	AIO 400R*-HET: AIO B400R bowl, AIO T400 tank	500	WS	2	3	R	*					HET		
13-134	Foremost	Total Advantage EL (one-piece with lined tank)	TT-2000E-*L (one piece with lined tank)	1,000	WS	1	2	E					HET		F	
14-089	Gerber	Avalanche 1.28 EL ADA	HE-21-818: HE-21-828 bowl, HE-28-890 tank	800	WS	2	3	E	*					HET	F	
15-144	Gerber	Avalanche 1.28 EL ADA (10-inch rough-in)	HE-21-817: HE-21-828 bowl, HE-28-895 tank	800		2	3	E	*					HET	F	
15-141	Gerber	Avalanche 1.28 RF (10-inch rough-in)	HE-21-800: HE-21-852 bowl, HE-28-895 tank	800		2	3	R						HET	F	
15-143	Gerber	Avalanche 1.28 RF (12-inch rough-in - lined tank)	HE-21-802: HE-21-852 bowl, HE-28-892 tank (lined)	800		2	3	R						HET	F	
15-142	Gerber	Avalanche 1.28 RF (12-inch rough-in)	HE-21-802: HE-21-852 bowl, HE-28-890 tank	800		2	3	R						HET	F	

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		Type/technology of toilet fixture														
		6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)														
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
15-151	Gerber	Maxwell Dual-Flush EL (12" r.i.-insulated tank)	DF-21-112: 21-162 bowl, DF-28-192 tank (insulated)	600		2	2	E		*			HET			F
15-150	Gerber	Maxwell Dual-Flush EL (12" rough-in)	DF-21-112: 21-162 bowl, DF-28-190 tank	500		2	2	E		*			HET			F
14-099	Gerber	Maxwell Dual-Flush EL ADA	DF-21-118: 21-128 bowl, DF-28-190 tank	500	WS	2	2	E	*	*			HET			F
15-152	Gerber	Maxwell Dual-Flush EL ADA (12' rough-in - insulated tank)	DF-21-118: 21-128 bowl, DF-28-192 tank (insulated)	600		2	2	E	*	*			HET			F
15-148	Gerber	Maxwell Dual-Flush RF (12" rough-in - insulated tank)	DF-21-102: 21-152 bowl, DF-28-192 tank (insulated)	600		2	2	R		*			HET			F
15-149	Gerber	Maxwell Dual-Flush RF (12" rough-in)	DF-21-102: 21-152 bowl, DF-28-190 tank	600		2	2	R		*			HET			F
14-103	Gerber	Ultra Dual Flush EL	DF-21-310: 21-374 bowl, DF-28-380 tank	1,000	WS	2	-	E		*			HET		R	F
15-RN	Gerber	Ultra Dual Flush EL	DF-21-312: 21-372 bowl, DF-28-380 tank	1,000	WS	2	-	E		*			HET			F
15-RN	Gerber	Ultra Dual Flush EL	DF-21-314: 21-372 bowl, DF-28-384 tank	1,000	WS	2	-	E		*			HET			F
15-RN	Gerber	Ultra Dual Flush EL ADA	DF 21-318: 21-377 bowl, DF-28-380 tank	1,000	WS	2	-	E	*	*			HET			F
15-RN	Gerber	Ultra Dual Flush EL ADA	DF-21-324: 21-377 bowl, DF-28-384 tank	1,000	WS	2	-	E	*	*			HET			F
15-RN	Gerber	Ultra Dual Flush EL ADA (rear discharge)	DF-21-325: 21-375 bowl, DF-28-380 tank	1,000	WS	2	-	E	*	*			HET		R	F
15-158RN	Gerber	Ultra Dual Flush EL ADA (w/bedpan lugs)	DF 21-319: 21-329 bowl, DF-28-380 tank	1,000		2	-	E	*	*			HET			F
6-616	Gerber	Ultra Dual Flush RF	DF-21-302: 21-342 bowl, DF-28-380 tank	1,000	WS	2		R		*			HET			F
6-620	Gerber	Ultra Dual Flush RF	DF-21-304: 21-342 bowl, DF-28-384 tank	1,000	WS	2	-	R		*			HET			F
14-104	Gerber	Ultra Flush EL	EF-21-310: 21-374 bowl, EF-28-380 tank	800	WS	2		E						HET	R	F
15-RN	Gerber	Ultra Flush EL ADA	EF 21-318: 21-377 bowl, EF-28-380 tank	800	WS	2	-	E	*				HET			F
15-RN	Gerber	Ultra Flush EL ADA	EF-21-312: 21-372 bowl, EF-28-380 tank	800	WS	2	-	E	*				HET			F
15-RN	Gerber	Ultra Flush EL ADA	EF-21-314: 21-372 bowl, EF-28-384 tank	800	WS	2	-	E	*				HET			F
15-RN	Gerber	Ultra Flush EL ADA	EF-21-324: 21-372 bowl, EF-28-384 tank	800	WS	2	-	E	*				HET			F
15-RN	Gerber	Ultra Flush EL ADA (rear discharge)	EF-21-325: 21-375 bowl, EF-28-380 tank	800	WS	2	-	E	*				HET		R	F
15-159RN	Gerber	Ultra Flush EL ADA (w/bedpan lugs)	EF-21-319: 21-329 bowl, EF-28-380 tank	600		2	-	E	*				HET			F
6-615	Gerber	Ultra Flush RF	EF-21-302: 21-342 bowl, EF-28-380 tank	1,000	WS	2	-	R					HET			F
6-619	Gerber	Ultra Flush RF	EF-21-304: 21-342 bowl, EF-28-384 tank	1,000	WS	2	-	R					HET			F
WS-13	Greentide - CE Union International	None	6810H: X-6810H bowl, T-6810H tank	NM	WS	2		R					HET			F
WS-13	Greentide - CE Union International	None	6810H-S: X-6810HS bowl, T-6810HS tank	NM	WS	2		R						HET		F
WS-13	Greentide - CE Union International	None	6811H: X-6811H bowl, T-6811H tank	NM	WS	2		E					HET			F
WS-13	Greentide - CE Union International	None	6811H-S: X-6811HS bowl, T-6810HS tank	NM	WS	2		E						HET		F
WS-15	Greentide - CE Union International	None EL (one-piece)	0907 (one-piece)	NM	WS	1		E					HET			F
WS-15	Hali Industries	None EL	2211	NM	WS	2		E						HET		F
WS-15	Hali Industries	None EL	2212 OR 6811H	NM	WS	2		E					HET			F
WS-15	Hali Industries	None EL ADA (one-piece)	1012 OR 0907 (one-piece)	NM	WS	1		E					HET			F

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		Type/technology of toilet fixture														
		6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)														
		4-L (1.1-gal) Pressure-assist (HET)														
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
WS-15	Hali Industries	None RF	2102 OR 6810H	NM	WS	2		R					HET			F
WS-15	Hali Industries	None RF (one-piece)	2101 (one-piece)	NM	WS	1		R							HET	F
WS-15	HCG	None	C2002 bowl, S140-3 tank	NM	WS	2	3									
WS-15	HCG	None	C6811 bowl, S140-3 tank	NM	WS	2	3									
WS-15	HCG	None	C6816 bowl, S140-3 tank	NM	WS	2	3									
WS-15	HCG	None	CS1004: C1003-3 bowl, S1004-3 tank	NM	WS	2										
8-546	HCG	None - EL	CS9001DF: C9001 bowl, S9002DF tank	400		2	2	E		*			HET			F
8-545	HCG	None - RF	CS9002DF: C9002 bowl, S9002DF tank	350		2	2	R		*			HET			F
14-002	Hennessy & Hinchcliffe	Proficiency - EL ADA	N7717: N7717 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number)	500	WS	2	2	E	*	0.8g 3L					HET	F
14-003	Hennessy & Hinchcliffe	Proficiency - RF ADA	N7716: N7716 bowl, N7715T tank - NOTE: 3L/0.8-gal flush (Also sold in the U.S. under the Niagara brand name - same model number)	400	WS	2	2	R	*	0.8g 3L					HET	F
14-043	Home Depot - Glacier Bay	Glacier Bay Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold in Combined All-In-One package by Home Depot SKU 215-583 - UPC Code 732291231619)	1,000	WS	2	2.5	E	*	*			HET			F
WS-14	Home Depot - Glacier Bay	Pegasus RF	Home Depot SKUs 779-923: 779-923B bowl, 779-923T tank	NM	WS	2		R							HET	F
14-076	Home Depot - Glacier Bay (by Foremost)	Glacier Bay EL ADA	Home Depot SKU 331-725-UPC bar code 721015348887 - Foremost Model TL-7600HC-HET: LL-7600HC-HET bowl, T-7600-HET tank (R&T tank trim)	400	WS	2	3	E	*						HET	F
13-132	Home Depot - Glacier Bay (by Foremost)	Glacier Bay RF ADA	HD SKU 535-904 - UPC bar code 721015414346: LL-7600HC-HETR bowl, T-7600HC-HET-*L tank (lined tank) (Fluidmaster tank trim)	900	WS	2		R							HET	F
14-011	Home Depot - Glacier Bay (by Niagara)	Glacier Bay Ecologic RF ADA (All-In-One package)	N2225R: N2225RB bowl, N22225T tank (Sold in combined All-In-One package by Home Depot: SKU 779-923 - UPC CODE 732291222549)	1,000	WS	2	-	R	*						HET	F
12-129 & 15-007b	Home Depot - Glacier Bay (by Niagara)	Glacier Bay EL ADA (All-In-One package)	Home Depot SKU 331-725 UPC Bar Code: 732291222518	1,000	WS	2	3	E	*						HET	F
14-075	Home Depot - Pegasus (by Foremost)	None EL ADA	TL-7600HC-HET: LL700HC-HET bowl, T-7600-*FM HET tank (Fluidmaster tank trim) Home Depot SKU 331-725	900		2	3	E	*						HET	F
13-133	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	TL-7700HC-HET: LL-7700HC-HET bowl, T-7700-HET tank (Sold combined as Home Depot SKU 780-036 - UPC code 721015350491)	800	WS	2	3	E	*						HET	F
13-068	Home Depot - Pegasus (by Niagara)	Cottage EL ADA (Flapperless - All-In-One package)	N2228: N2228B bowl, N2228T tank. (Also sold in Combined All-In-One package as Home Depot SKU 840-565 - UPC Code 732291222822)	1,000	WS	2	-	E	*						HET	F
13-067	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	HD SKU 780-036 - Two-piece fixture sold combined as "All In One" - UPC Code 732291344685	1,000	WS	2	3	E	*						HET	F
8-540	Home Depot - Pegasus/Glacier Bay (by Foremost)	Dual-Flush RF	Home Depot SKU 131-926	800	WS	2	-	R		*			HET			F
WS-15	Home Depot (by Foremost)	Glacier Bay EL	HD SKU 780-036	NM	WS	2		E							HET	F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E)	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		Type/technology of toilet fixture														
6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)		4-L (1.1-gal) Pressure-assist (HET)		Gravity-fed & Vacuum-assist												
	Model Name	Model Number														
11-106	Home Depot (by Niagara)	Ecologic EL ADA (Flapperless)	N2225E: N2225EB bowl, N2225T tank. (Also sold in All-In-One combination package as Home Depot SKU 331-725 --- Replaced by another product: Glacier Bay All-In-One with UPC Code 732291222518)	800	WS	2	-	E	*					HET	F	
12-036	Home Depot (by Niagara)	Power One EL	Home Depot SKU 385-195 - UPC Bar Code 732291231015 (Also available as Niagara N2310: 2310B bowl, 2310T tank)	1,000	WS	2	-	E						HET	F	
16-044	INAX	None EL ADA	C-610S-MC-US	600		2	2	E	*					HET	F	
16-041	INAX	None EL ADA (NOTE: 1.28g/4.8L for the full flush - 0.8g/3.0L for reduced flush)	C-620S-MC-US:	600		2	2	E	*	1.28g 4.8L			HET		F	
16-043	INAX	None EL ADA (NOTE: 1.28g/4.8L for the full flush - 0.8g/3.0L for reduced flush)	C-621S-MC-US	600		2	2	E	*	1.28g 4.8L			HET		F	
16-042	INAX	None EL ADA (NOTE: 1.28g/4.8L for the full flush - 0.8g/3.0L for reduced flush)	C-622S-MC-US	600		2	2	E	*	1.28g 4.8L			HET		F	
13-037	Jacuzzi	Espree HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU E236959 (Also sold as Lowe's SKU 48624)	1,000	WS	2	3	E	*					HET	F	
14-057	Jacuzzi	Perfecta HET EL ADA	Sold as complete toilet set (includes bowl, tank, seat, and installation accessories). Jacuzzi SKU GU04959 (Also sold as Lowe's SKU 312978)	1,000	WS	2	3	E	*					HET	F	
15-022	Jacuzzi	Prescott HET EL ADA	GV80	1,000	WS	2	3	E	*					HET		
16-025	Kohler	Archer Class 5 EL (one-piece)	K-3639 (one-piece) UPC bar code 650531897381	800	WS	1	3	E						HET	F	
12-018	Kohler	Barrington Pressure Lite EL	K-3652: 4327 bowl, 4484 tank	800	WS	2	-	E						HET	R F	
WS-15	Kohler	Barrington Pressure Lite EL ADA	K-3578: 4305 bowl, 4484 tank	NM	WS	2		E	*					HET	F	
10-109	Kohler	Cimarron Eco-Smart EL ADA	K-3496-HE: 4286 bowl, 4634-HE tank	800	WS	2	3	E	*					HET	F	
13-032	Kohler	Cimarron EL ADA	K-3609: 4309 bowl, 4421 tank - NOTE: this fixture is also sold as K-11451, K-11813, and K-11823 when included as part of the "COMPLETE SOLUTION" package	1,000	WS	2	3	E	*					HET	F	
12-076	Kohler	Escale EL	K-3588: 4308 bowl, 4472 tank	500	WS	2		E		*			HET		F	
WS-12	Kohler	Fountainhead Power Lite EL ADA	K-3524 (one piece)	NM	WS	1		E	*		*			HET	F	
12-074	Kohler	Kelston EL ADA	K-3755: 4306 bowl, 4469 tank; NOTE: this fixture also sold as K-11453 AND K-11844 when included as part of the "COMPLETE SOLUTION" package	1,000	WS	2		E	*					HET	F	
13-063	Kohler	Persuade EL	K-3654: 4322 bowl, 4419 tank	600	WS	2	2.5	E		*			HET		F	
WS-15	Kohler	Reve EL	K-3797 (one-piece)	NM	WS	1		E					HET		F	
12-094	Kohler	Saile EL	K-3564 (one piece)	500	WS	1		E		*			HET		F	
7-545	Kohler	San Raphael Power Lite EL ADA	K-3393 Power-Assisted	1,000	WS	1	-	E	*		*-at 1.4-g		HET		F	
WS-15	Kohler	San Raphael Power Lite EL ADA (one-piece)	K-3607 (one-piece) NOTE: This is a powered toilet with two flush volume settings.	NM	WS	1		E	*				HET		F	
12-024	Kohler	San Raphael Pressure Lite EL ADA	K-3597 (one-piece)	600	WS	1	-	E	*					HET	F	

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		Type/technology of toilet fixture														
		6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)														
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
WS-16	Kohler	Sterling	402076: 403070 bowl, 402091 tank (NOTE: also sold as 404702 when included as part of a complete package)	NM	WS	2										F
WS-16	Kohler	Sterling	404702: 403070 bowl, 402091 tank	NM	WS	2										F
9-051	Kohler	Sterling Karsten Dual Force EL	402028: 402026 bowl, 402023 tank	400	WS	2	2	E		*			HET			F
8-550	Kohler	Sterling Karsten RF	402025: 402021 bowl, 402023 tank	800	WS	2	2	R		*			HET			F
6-622	Kohler	Sterling Rockton EL	402027: 402026 bowl, 402022 tank	350	WS	2	-	E		*			HET			F
WS	Kohler	Sterling Rockton RF	402024: 402021 bowl, 402022 tank	NM	WS	2	-	R		*			HET			F
WS	Kohler	Sterling Stanton EL	402040: 402030 bowl, 402031 tank	NM	WS	2	-	E		*			HET			F
15-055	Kohler	Strela EL ADA	K-3598: 4379 bowl, 4742 tank	500	WS	2		E	*				HET			F
WS-15	Kohler	Wellworth EL	K-3575: 4198 bowl, 4436 tank	NM	WS	2	3							HET		F
7-508	Kohler	Wellworth Pressure Lite EL	K-3531: 4303 bowl, 4484 tank	1,000	WS	2	-	E					HET			F
WS-15	Kohler	Wellworth RF	K-3577: 4179 bowl, 4436 tank	NM	WS	2	3	R						HET		F
15-090	Kohler	Devonshire EL ADA	K-3678: 4288 bowl, 4446 tank	1,000	WS	2	3	E	*					HET		F
7-509	Kohler	Highline Pressure Lite EL ADA	K-3519: 4304 bowl, 4484 tank	1,000	WS	2	-	E	*				HET			F
WS-15	Laufen Bathrooms	Alessi Dot (wall-mount)	8.2090.0 wall-mount bowl used with Geberit 111.335 system	NM	WS	2										
WS-15	Laufen Bathrooms	Alessi Floor	8.2297.6 bowl, 8.2697.1 tank	NM	WS	2										F
WS-15	Laufen Bathrooms	Form	8.2367.6 bowl, 8.2767.3 tank	NM	WS	2										
WS-15	Laufen Bathrooms	Laufen	8.2495.8 bowl, 8.2695.3 tank	NM	WS	2										
WS-15	Laufen Bathrooms	Mylife	8.2294.3 bowl, 8.2694.1 tank	NM	WS	2										
WS-15	Laufen Bathrooms	Mylife (wall-mount)	8.2094.6 wall-mount bowl used with Geberit 111.335 dual flush system	NM	WS	2							HET		R	W
WS-15	Laufen Bathrooms	Palomba	8.2480.6 bowl, 8.2880.3 tank	NM	WS	2										F
WS-15	Laufen Bathrooms	Pro (wall-mount - compact)	2095.2: 8.2095.2 wall-mount bowl used with Geberit 111.335 dual flush system	NM	WS	2							HET		R	W
WS-15	Laufen Bathrooms	Pro (wall-mount)	2095.0: 8.2095.0 wall-mount bowl used with Geberit 111.335 dual flush system	NM	WS	2							HET		R	W
15-082	Lefroy Brooks	None EL ADA	C531222(LW6000)/ C600152(LW6001)	800	WS	2	3	E	*					HET		F
14-115	Lowe's	Aquasource HET EL ADA	SKU#0061042 (Foremost #AIO 7800HET-LO)	750	WS	2	3	E	*					HET		F
WS-15	Lowe's (by Axent)	Aquasource EL ADA	98923	NM	WS			E	*					HET		F
WS-15	Lowe's (by Axent)	Aquasource EL ADA	312795	NM	WS			E	*					HET		F
WS-15	Lowe's (by Axent)	Aquasource RF	12293	NM	WS			R						HET		F
WS-15	Lowe's (by Foremost)	Aquasource EL	005905	NM	WS	2	3	E						HET		F
14-076	Lowe's (by Foremost)	Aquasource HET EL ADA	SKU#0005905 (Foremost #TL-7600HC-HET-LO)	400	WS	2	3	E	*					HET		F
15-021	Lowe's (by Foremost)	Aquasource RF	0104502	850	WS	2	3	R						HET		F

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	WS	1	2	3	E	*	*	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)	
		Flush performance (MaP score)											Type/technology of toilet fixture	Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist			Single-Flush Max 1.28 G (4.8 L) Gravity
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.															
		500 grams and more																
Model Name	Model Number	6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)	4-L (1.1-gal) Pressure-assist (HET)	Gravity-fed & Vacuum-assist														
WS-15	Lowe's (by Quality Craft)	Aquasource	9311K (one-piece)	NM	WS	1											F	
WS-15	Lowe's (by Tangshan Monopy)	None EL (one-piece)	SKU#0164903 (one-piece)	NM	WS	1		E									F	
11-068	Mansfield	EcoQuantum - EL	144 bowl, 119 tank	1,000	WS	2	-	E	*		*			HET			R W	
10-125	Mansfield	EcoQuantum EL	147 bowl, 119 tank	1,000	WS	2	-	E			*			HET			F	
10-118	Mansfield	EcoQuantum EL	149 bowl, 119 tank	550	WS	2	-	E			*			HET		R	F	
10-123	Mansfield	EcoQuantum EL ADA	148 bowl, 119 tank	1,000	WS	2	-	E	*		*			HET			F	
10-124	Mansfield	EcoQuantum RF	146 bowl, 119 tank	1,000	WS	2	-	R			*			HET			F	
14-033	Mansfield	Maverick	111 bowl, 112 tank	700	WS	2	3									HET	F	
14-001	Mansfield	Maverick	114 bowl, 112 tank	1,000	WS	2	3	E	*							HET	F	
14-034	Mansfield	None RF	113 bowl, 112 tank	700	WS	2	3	R								HET	F	
12-027	Mansfield	Prestigio 4 EL	704 (one-piece)	950	WS	1	-	E								HET	F	
11-070	Mansfield	Quantum EL	144 bowl, 153 tank	900	WS	2	-	E	*							HET	R W	
10-121	Mansfield	QuantumOne EL	147 bowl, 153 tank	1,000	WS	2	-	E								HET	F	
10-119	Mansfield	QuantumOne EL	149 bowl, 153 tank	1,000	WS	2	-	E								HET	R F	
10-120	Mansfield	QuantumOne EL ADA	148 bowl, 153 tank	1,000	WS	2	-	E	*							HET	F	
10-122	Mansfield	QuantumOne RF	146 bowl, 153 tank	1,000	WS	2	-	R								HET	F	
14-024	Mansfield/Colceramica	Enso EL ADA	177 bowl, 178 tank	800	WS	2	2.5	E	*	*				HET			F	
15-089	Mansfield/Colceramica	Forzazul RF	3002 bowl, 4463 tank	750		2	2	R								HET		
13-064	Niagara	Claremont EL ADA (Flapperless)	N4417 bowl, N4415T tank	800		2	-	E	*							HET	F	
11-046	Niagara	Claremont One-Piece EL	N4418 (one piece)	500		1	-	E								HET	F	
13-060	Niagara	Cottage Flapperless HET EL	N2228: N2228B bowl, N2228T tank. Also sold as Home Depot Pegasus Cottage: SKU 840-565	1,000	WS	2	-	E	*							HET	F	
14-043	Niagara	Dual Flush EL ADA	N2316: N2316B bowl, N2316T tank (Also sold at Home Depot in a Combination All-In-One package as HD SKU 215-583 - UPC Bar Code 732291231619)	1,000	WS	2	2.5	E	*	*				HET			F	
14-105	Niagara	Dual Flush EL ADA	N2328: N2328B bowl, N2328T tank	1,000	WS	2	2.5	E	*	*				HET			F	
10-023	Niagara	Ecologic EL ADA HET (Flapperless)	N2225E: N2225EB bowl, N2225T tank.	800	WS	2	-	E	*							HET	F	
12-038	Niagara	Ecologic RF ADA	N2225R: N2225RB bowl, N2225T tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291222549) (NOTE: This model previously listed as Model N2225R-165)	1,000	WS	2	-	R								HET	F	
10-024	Niagara	Ecologic RF HET (Flapperless)	N2225R: N2225RB bowl, N2225T tank (NOTE: model replaced by N2225R Ecologic RF ADA HET - Report No. 12-038)	500	WS	2	-	R								HET	F	
12-129	Niagara	Glacier Bay EL ADA (All-In-One package)	N2225E-RT: N2225E-RT bowl, N2225T-RT tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT SKU 331-725 - UPC Bar Code 732291222518) (Fluidmaster fill valve)	600	WS	2	3	E	*							HET	F	

MaP Test Report No. (for internal use)	Make	KEY: Flush performance (MaP score)		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		Type/technology of toilet fixture														
		6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)														
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
14-042	Niagara	None EL ADA	331-725: 331-725B bowl, 331-725T tank	650		2	3	E	*						HET	F
12-036	Niagara	Power One EL	N2310: 2310B bowl, 2310T tank	1,000	WS	2	-	E							HET	F
15-076	Niagara	PowerOne RF	N2310R: N2310R bowl, N2310T tank	800	WS	2	-	R							HET	F
13-008	Niagara	Simcoe RF	N4416: N4416 bowl, N4415T tank	1,000		2	-	R							HET	F
14-002	Niagara	Stealth EL ADA	N7717: N7717 bowl, N7715T tank - 3L/0.8-gal flush	500	WS	2	2	E	*	0.8g 3L					HET	F
14-003	Niagara	Stealth RF ADA	N7716: N7716 bowl, N7715T tank - 3L/0.8-gal flush	400	WS	2	2	R	*	0.8g 3L					HET	F
WS-13	OPS - Original Pacific Supply	None EL	T/X-6688E: T-6688E bowl, X-6688 tank	NM	WS	2		E		*					HET	F
16-037	OPS - Original Pacific Supply	None EL	T/X-66891E:	600	WS	2	3	E							HET	F
16-038	OPS - Original Pacific Supply	None EL	T/X-66891H:	600	WS	2	3	E							HET	F
WS-15	OPS - Original Pacific Supply	None EL	T/X-66892E: T-66892E bowl, X-66892 tank	NM	WS	2		E							HET	F
WS-15	OPS - Original Pacific Supply	None EL	T/X-66892H: T-66892H bowl, X-66892 tank	NM	WS	2		E							HET	F
WS-13	OPS - Original Pacific Supply	None EL ADA	T/X-6688H: T-6688H bowl, X-6688 tank	NM	WS	2		E	*	*					HET	F
WS-13	OPS - Original Pacific Supply	None RF	T/X-6688: T-6688 bowl, X-6688 tank	NM	WS	2		R		*					HET	F
16-036	OPS - Original Pacific Supply	None RF	T/X-66891:	600	WS	2	3	R							HET	F
WS-15	OPS - Original Pacific Supply	None RF	T/X-66892: T-66892 bowl, X-66892 tank	NM	WS	2		R							HET	F
WS-15	Orion	Forte EL	50320 bowl, 5129 tank	NM	WS	2		E	*						HET	
15-006	Orion	Green Sense EL ADA	50320 bowl, 51299 tank	500	WS	2	3	E	*						HET	F
WS-12	Orion	Green Sense RF	50299 bowl, 51299 tank	NM	WS	2		R							HET	F
15-037	Porcher (American Standard)	Archive EL ADA (one-piece)	97920-28 (one-piece)	1,000	WS	1	3	E	*						HET	F
15-035	Porcher (American Standard)	Chapeau EL ADA (one-piece)	97820-28 (one-piece)	1,000	WS	1	3	E	*						HET	F
15-031	Porcher (American Standard)	Ovale EL ADA	90750-28: 41750-28 bowl, 40750-28 tank	1,000	WS	2	3	E	*						HET	F
15-139	Porcher (American Standard)	Ovale EL ADA (one-piece)	97620-28 (one-piece)	1,000	WS	1	3	E	*						HET	F
15-038	Porcher (American Standard)	Ovale RF ADA	90850-28: 41850-28 bowl, 40750-28 tank	1,000	WS	2	3	R	*						HET	F
15-138	Porcher (American Standard)	Veneto III EL (one-piece)	97320-28 (one-piece)	1,000	WS	1	3	E							HET	
15-084b	Price Pfister	None EL	VTP-E11W	1,000	WS	2	3	E		*					HET	F
15-051	Price Pfister	None EL	VTP-E20W (one-piece)	600		1	3	E		*					HET	F
13-115	Price Pfister	None EL	VTP-E51: C-5518 bowl, S-5518 tank	1,000		2	3	E		*					HET	F
13-061	Price Pfister	None EL ADA	VTP-E31: C-1003 bowl, S-1003 tank	1,000		2	3	E	*	*					HET	F
15-026	Price Pfister	None RF	VTP-E40 (one piece)	600		1	3	R		*					HET	F
13-062	Price Pfister (by HCG)	None EL ADA		1,000	WS	2	3	E	*	*					HET	F
11-066	PROFLO	Cascade EL	PF9301 bowl; PF9312 tank	400	WS	2	2	E		*					HET	F
11-065	PROFLO	Cascade EL ADA	PF9303 bowl; PF9312 tank	450	WS	2	2	E	*	*					HET	F
11-067	PROFLO	Cascade RF	PF9300 bowl; PF9312 tank	500	WS	2	2	R		*					HET	F

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP score) 350 grams to 475 grams NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. 500 grams and more			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	WaterSense Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)						
												Make	Model Name	Model Number			Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity			
																				Type/technology of toilet fixture		
																				6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)		
4-L (1.1-gal) Pressure-assist (HET)																						
Gravity-fed & Vacuum-assist																						
13-109	PROFLO	Foyle EL ADA	PF6101 bowl, PF6112HE tank (Fluidmaster fill valve)	800	WS	2	3	E	*				HET		F							
11-114	PROFLO	MacLair EL	PF9401 bowl; PF9412 tank	850	WS	2	3	E					HET		F							
11-112	PROFLO	MacLair RF	PF9400 bowl; PF9412 tank	900	WS	2	3	R					HET		F							
14-040	PROFLO	None EL	PF1601 bowl, PF1612 tank	900	WS	2	-	E					HET		F							
WS-12	PROFLO	None EL	PF9201 bowl; PF9212 tank	NM	WS	2		E		*			HET		F							
13-104	PROFLO	None EL	PF6101 bowl; PF6112HE tank (R&T fill valve)	900	WS	2		E					HET		F							
14-041	PROFLO	None EL ADA	PF1603 bowl, PF1612 tank	900	WS	2	-	E	*				HET		F							
13-113	PROFLO	None EL ADA	PF6201 bowl; PF6212HE tank	900	WS	2		E					HET		F							
13-111	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (Fluidmaster fill valve)	950	WS	2	3	E	*				HET		F							
13-098	PROFLO	None EL ADA	PF9403 bowl; PF 9412 tank (R&T fill valve)	950	WS	2		E					HET		F							
16-016	PROFLO	None EL ADA	PFCT103: PF1403 bowl, PF5512 tank	500		2	2	E	*				HET		F							
WS-12	PROFLO	None RF	PF9200 bowl; PF9212 tank	NM	WS	2		R		*			HET		F							
12-015	Quality Craft	Alexis HET Dual Flush Toilet in Box EL ADA	30014K: 3001 bowl, 3004 tank (insulated)	900	WS	2	3	E	*	*			HET		F							
12-014	Quality Craft	Alexis HET Toilet in a Box - EL ADA	30013K: 3001 bowl, 3003 tank (insulated)	900	WS	2	3	E	*				HET		F							
12-009	Quality Craft	None - EL ADA	3001/3003 (insulated tank)	900		2	3	E	*				HET		F							
12-011	Quality Craft	None - EL ADA	3001/3004 (insulated tank)	900		2	3	E	*	*			HET		F							
WS-15	Quality Craft	None (one-piece)	9311 (one-piece) (NOTE: Also sold as Combination Toilet in a Box 9311KQ with installation accessories)	NM	WS	1							HET		F							
9-003	RAK Ceramics	Venice EL	VN03 bowl, VN10 tank	500		2	2	E		*			HET		F							
15-085	Roca	Dama Senso ADA	59361 bowl, 59570 tank	800			2.5	S	*	*			HET		F							
15-045	Roca	Hall Dual-Flush	67361 bowl, 67570 tank	850		2	2.5	S	*	*			HET		F							
15-044	Roca	Happening Dual-Flush ADA	65361 bowl, 65570 tank	800		2	2.5	S	*	*			HET		F							
13-141	Rona	Europa EL	SKU#7369129 (Foremost #TL-8271E-WL)	800		1	2	E					HET		F							
9-044 & 13-147	Rona	Gemini Dual Flush ADA	SKU#7369068 (Foremost # TL-2100-*L)	1,000	WS	1	2	S	*	*			HET		F							
8-539	Rona	Gemini Dual Flush RF	SKU# 7369067 (Foremost #TL-2005-*L)	800	WS	2	2	R		*			HET		F							
13-132	Rona	HET TTG RF ADA	SKU#7369128 (Foremost #TL-7600HC-HETR-*L (lined tank) (Fluidmaster tank trim)	900	WS	2	3	R	*				HET		F							
8-530	Rona	Rona Collection	SKU#2003354 (Foremost #TL-8267-WL)	700	WS	2	2.5	S		*			HET		F							
15-015	Saniflo	Saniflush EL ADA (lined tank)	SF04B bowl, SF01T tank (lined)	850	WS	2	2	E	*	*				R	F							
15-012	Saniflo	Saniflush RF ADA (lined tank)	SF03B bowl, SF01T tank (lined)	750	WS	2	2	R	*	*				R	F							
12-017	Seasons (HD Supply)	Dual Flush EL ADA	SE 10056 bowl, SE10055 tank (Same as Foremost AIOB1000-E bowl, AIO1000 tank; also HD Supply Facilities Maint Nos. 564852 and 564851, respectively)	1,000	WS	2		E	*		*		HET		F							
WS-15	Seasons (HD Supply)	None EL	564-833 bowl, 564-832 tank	NM	WS	2		E					HET		F							

MaP Test Report No. (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
		350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
		Type/technology of toilet fixture														
		6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)														
4-L (1.1-gal) Pressure-assist (HET)																
Gravity-fed & Vacuum-assist																
Model Name	Model Number															
WS-15	Seasons (HD Supply)	None EL	564-852 bowl, 564-851 tank	NM	WS	2		E					HET			
WS-13	Seasons (HD Supply)	None EL	SE10040 bowl, SE10039 tank (Same as Foremost HET 7600 elongated bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564832, respectively)	NM	WS	2		E						HET		F
13-135	Seasons (HD Supply)	None EL (one-piece)	SE10042 (one-piece) (Foremost TL-6100-E*N) (uses Fluidmaster tank trim)	500	WS	1	3	E						HET		F
WS-13	Seasons (HD Supply)	None RF	SE10041 bowl, SE10039 tank (Same as Foremost HET 7600 round bowl, HET 7600 tank; also HD Supply Facilities Maint Nos. 564834 and 564833, respectively)	NM	WS	2		R						HET		F
14-030	Swell Holding	Aquasenses RF	ES22114: ES2214 bowl, ES3214 tank	350	WS	2		R					HET			F
12-028	Tangshan - Ayers Bath	Dofiny - EL ADA	UACT1301: UAC1301BS-AA bowl, UAT1302-AA tank	550	WS	2	3	E	*					HET		F
WS-13	Tangshan - Ayers Bath	None EL	UAC1303BS-AA bowl, UAT1304-AA tank	NM	WS	2		E						HET		F
WS-13	Tangshan - Ayers Bath	None RF (one-piece)	UAC1003BS-AA (one-piece)	NM	WS	1		R						HET		F
16-039	Tangshan Cielo Ceramics	None RF	0025D:	800		2	3	R						HET		F
16-040	Tangshan Cielo Ceramics	None RF (one-piece)	0025S (one-piece)	800		1	3	R		*			HET			F
WS-15	Tangshan Monopy Ceramics	None EL (one-piece)	104 (one-piece)	NM	WS	1		E						HET		F
WS-15	Tangshan Monopy Ceramics	None EL (one-piece)	104B (one-piece)	NM	WS	1		E						HET		F
WS-15	Tangshan Monopy Ceramics	None RF (one-piece)	102B (one-piece)	NM	WS	1		R						HET		F
15-RN	Toto	Aquia EL	CST414M: CT414 bowl, ST413M tank	800	WS	2	2	E		*			HET			F
WS-15	Toto	Aquia EL (one-piece)	CT412MF (one-piece)	NM	WS	1		E					HET			F
WS-15	Toto	Aquia EL (one-piece)	CT412MF.10 (one-piece)	NM	WS	1		E					HET			F
WS-15	Toto	Aquia EL (one-piece)	CT418FG (one-piece)	NM	WS	1		E					HET			F
12-082	Toto	Aquia II EL	CST416M: CT416 bowl, ST416M tank	500	WS	2	2.5	E					HET			F
12-084	Toto	Aquia III EL	CST464M: CT464 bowl, ST464M tank	500	WS	2	2.5	E					HET			F
12-080	Toto	Aquia IIIUH EL ADA	CST464MF: CT464F bowl, ST464M tank	500	WS	2	2.5	E	*				HET			F
12-083	Toto	Drake II EL ADA (Formerly Gwyneth Two-Piece)	CST454CEF(G): C454CEF(G) bowl, ST454E tank	800	WS	2	3	E	*					HET		F
11-122	Toto	EcoClayton	CST784EF: C784EF bowl, ST784E tank	500	WS	2	3	E	*					HET		F
11-125	Toto	EcoDartmouth EL ADA	CST754EF: C754EF bowl, ST753E tank	700	WS	2	3	E	*					HET		F
11-061	Toto	EcoDrake EL	CST744E(G): C744E(G) bowl, ST743E tank	600	WS	2	3	E						HET		F
WS-15	Toto	EcoDrake EL	CST744EF.10: C744EF.10 bowl, ST743E tank	NM	WS	2		E						HET		F
16-024	Toto	EcoDrake EL ADA	CST744EF.10: CF744EF.10 bowl, ST743E tank	500		2	3	E	*					HET		F
11-062	Toto	EcoDrake EL ADA	CST744EL: C744EL bowl, ST743E tank	900	WS	2	3	E	*					HET		F
11-060	Toto	EcoDrake RF	CST743E: C743E bowl, ST743E tank	500	WS	2	3	R						HET		F
13-144	Toto	EcoGuinevere EL ADA	CST974CEF(G) (one-piece) OR MS974***CEF(G) OR MW974***CEF(G)	550	WS	1	3	E	*					HET		F

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)		Type/technology of toilet fixture									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.														
	500 grams and more															
Make	Model Name	Model Number														
14-106	Toto	EcoLloyd EL ADA (one-piece)	CST934EF OR MS934214EF OR MS934304EF OR MW934****EF (one-piece)	600	WS	1	3	E	*					HET	F	
11-121	Toto	EcoNexus EL ADA	CST794EF: CT794EF bowl, ST794E tank	500	WS	2	3	E	*					HET	F	
12-081	Toto	EcoPromenade EL ADA	CST424EF(G): C424EF(G) bowl, ST423E tank	400	WS	2	3	E	*					HET	F	
13-146	Toto	EcoPromenade RF	CST423EF(G): C423EF(G) bowl, ST423E tank	550	WS	2	3	R						HET	F	
14-112	Toto	EcoSoiree EL ADA (one-piece)	CST964CEF(G) OR MS964214CEF(G) OR MW964***CEF(G) (one-piece)	600	WS	1	3	E	*					HET	F	
11-120	Toto	EcoSupreme EL	CST864E OR MS864114E OR MW864***E	500	WS	1	3	E						HET	F	
WS-13	Toto	EcoSupreme Rf	CST863E OR MS863113E OR MW863***E	NM	WS	1	3	E						HET	F	
11-118	Toto	EcoUltramax EL	CST854E(G) OR MS854114E(G) OR MW854***E(G)	500	WS	1	3	E						HET	F	
11-119	Toto	EcoUltramax EL ADA	CST854EL(G) OR MS854114EL(G) OR MW854***EL(G)	500	WS	1	3	E	*					HET	F	
11-117	Toto	EcoUltramax RF	CST853E OR MS853113E OR MW853***E	550	WS	1	3	R						HET	F	
11-124	Toto	EcoWhitney EL ADA	CST754EFN: C754EF bowl, ST754E tank	700	WS	2	3	E	*					HET	F	
13-143	Toto	Neorest EL	550	800		1	-	E			*		HET		F	
11-123	Toto	Ultramax II EL ADA (Formerly Gwyneth One-Piece)	CST604CEF(G) OR MS604114CEF(G) (one-piece) OR MW604***CEF(G)	500	WS	1	3	E	*					HET	F	
13-107	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (Fluidmaster fill valve)	900	WS	2	3	E	*					HET	F	
13-101	Tynan Plumbing	Avoca EL ADA	4344: 0344 bowl, 1344 tank (R&T fill valve)	900	WS	2	3	E	*					HET	F	
11-066	Tynan Plumbing	Cascade EL	4353: 0353.01 bowl, 1312.01 tank	400	WS	2	2	E		*			HET		F	
11-065	Tynan Plumbing	Cascade EL ADA	4354: 0354.01 bowl, 1312.01 tank	450	WS	2	2	E	*	*			HET		F	
11-067	Tynan Plumbing	Cascade RF	4352: 0352.01 bowl, 1312.01 tank	500	WS	2	2	R		*			HET		F	
13-108	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (Fluidmaster fill valve)	800	WS	2	3	E	*					HET	F	
13-103	Tynan Plumbing	Foyle EL ADA	4345: 0345 bowl, 1345 tank (R&T fill valve)	900	WS	2	3	E	*					HET	F	
14-031	Tynan Plumbing	Louth EL	4510: 7510 bowl, 1712 tank	900	WS	2	-	E					HET		F	
14-032	Tynan Plumbing	Louth EL ADA	4512: 7512 bowl, 1712 tank	900	WS	2	-	E	*				HET		F	
11-113	Tynan Plumbing	MacLair EL	4343: 0343 bowl, 1342HET tank	850	WS	2	3	E						HET	F	
13-110	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (Fluidmaster fill valve)	950	WS	2	3	E	*					HET	F	
13-097	Tynan Plumbing	MacLair EL ADA	4347: 0347 bowl, 1342 tank (R&T fill valve)	950	WS	2	3	E	*					HET	F	
11-111	Tynan Plumbing	MacLair RF	4342: 0342 bowl, 1342HET tank	900	WS	2	3	R						HET	F	
13-112	Tynan Plumbing	Nore EL ADA	4346: 0346 bowl, 1346 tank	900	WS	2	3	E	*					HET	F	
WS-15	Unison Ridge Limited	None	BT-08E-46	NM	WS											
WS-15	Unison Ridge Limited	None	BT-08R-46	NM	WS											
WS-15	Unison Ridge Limited	None	BT-16E-46	NM	WS											
WS-15	Unison Ridge Limited	None	UB1415R bowl, UT14248 tank	NM	WS	2		R								

MaP Test Report No. (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)		Type/technology of toilet fixture									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.														
	500 grams and more															
Make	Model Name	Model Number														
WS-15	Unison Ridge Limited	None	UB1516E bowl, UT10348 tank	NM	WS	2		E								
WS-15	Villeroy & Boch	Arlington EL ADA	6119.230: 6119.033 bowl, 6119.028 tank	NM	WS	2		E	*					HET		
WS-15	Villeroy & Boch	Arlington EL ADA (one-piece)	6119.128 (one-piece)	NM	WS	1		E	*					HET		
WS-15	Villeroy & Boch	Arlington RF	6119.120: 6119.130 bowl, 6119.028 tank	NM	WS	2		R						HET		
13-053	Villeroy & Boch	Aveo Dual-Flush EL	6614.10 bowl, 7724-U1 tank	700	WS	2	2.5	E		*			HET			F
WS-15	Villeroy & Boch	Aveo EL	6612 10 XX	NM	WS			E						HET	R	W
WS-15	Villeroy & Boch	Barrymore ADA	6171.230: 6171.128 bowl, 6171.028 tank	NM	WS	2								HET		
WS-15	Villeroy & Boch	Bellevue EL	5664 10	NM	WS			E						HET	R	W
WS-15	Villeroy & Boch	Bellevue EL	5666 11 bowl, 5764 U1 tank	NM	WS	2		E					HET			F
WS-15	Villeroy & Boch	Celebration EL ADA (one-piece)	6131.128 (one-piece)	NM	WS	1		E	*					HET		
WS-15	Villeroy & Boch	Century EL	6653 10	NM	WS			E						HET	R	W
WS-15	Villeroy & Boch	Hommage EL	6661 10	NM	WS			E						HET	R	W
WS-15	Villeroy & Boch	Hommage EL	6662 11 bowl, 7721 U1 tank	NM	WS	2		E					HET			F
WS-15	Villeroy & Boch	Malibu EL ADA	6116.128 (one-piece)	NM	WS	1		E	*					HET		
WS-15	Villeroy & Boch	Malibu RF ADA	6116.213 (one-piece)	NM	WS	1		R	*					HET		
WS-15	Villeroy & Boch	Neo-Venetian EL ADA	6123.128 (one-piece)	NM	WS	1		E	*					HET		
WS-15	Villeroy & Boch	Neo-Venetian EL ADA	6123.210: 6123.013 bowl, 6123.028 tank	NM	WS	2		E	*					HET		
WS-15	Villeroy & Boch	Neo-Venetian EL ADA	6123.230: 6123.033 bowl, 6123.028 tank	NM	WS	2		E	*					HET		
WS-15	Villeroy & Boch	Oblic EL	6664 1L	NM	WS			E						HET	R	W
WS-15	Villeroy & Boch	Oblic EL	6664 1R	NM	WS			E						HET	R	W
WS-15	Villeroy & Boch	Palermo EL ADA	6137.230: 6137.033 bowl, 6137.028 tank	NM	WS	2		E	*					HET		
WS-15	Villeroy & Boch	Palermo EL ADA (one-piece)	6006.128 (one-piece)	NM	WS	1		E	*					HET		
WS-15	Villeroy & Boch	Palermo RF ADA	6137.213: 6137.313 bowl, 6137.028 tank	NM	WS	2		R	*					HET		
WS-15	Villeroy & Boch	Presley EL ADA	6401.230: 6401.033 bowl, 6401.028 tank	NM	WS	2		E	*					HET		
WS-15	Villeroy & Boch	Presley EL ADA (one-piece)	6401.128 (one-piece)	NM	WS	1		E	*					HET		
WS-15	Villeroy & Boch	Pure Stone EL	5670 10	NM	WS			E						HET	R	W
WS-15	Villeroy & Boch	Richmond EL ADA	6125.230: 6123.033 bowl, 6125.028 tank	NM	WS	2		E	*					HET		
WS-15	Villeroy & Boch	Richmond EL ADA (one-piece)	6125.128 (one-piece)	NM	WS	1		E	*					HET		
WS-15	Villeroy & Boch	Richmond RF	6125,210: 6123.013 bowl, 6125.028 tank	NM	WS	2		R						HET		
WS-15	Villeroy & Boch	Sentique EL	5622 10	NM	WS			E						HET	R	W
WS-15	Villeroy & Boch	Sentique EL	5625 11 bowl, 5722 U1 tank	NM	WS	2		E					HET			F
WS-15	Villeroy & Boch	Subway EL	6600 10	NM	WS			E						HET	R	W
WS-14	Villeroy & Boch	Subway EL	6610.10 bowl, 7723-U1 tank	NM	WS	2		E		*			HET			
WS-15	Villeroy & Boch	Twist EL	5C10	NM	WS	1		E						HET		F

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP score) 350 grams to 475 grams NM - Not measured for Maximum Performance - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however. 500 grams and more Type/technology of toilet fixture 6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only) 4-L (1.1-gal) Pressure-assist (HET) Gravity-fed & Vacuum-assist			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)					
												Make	Model Name	Model Number			Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
																				Type of HET	
																				Type of HET	
WS-16	Vitra	Aria	4415 bowl, 4416 tank	NM	WS								HET	F							
WS-16	Vitra	Epoca	4032 bowl, 6514 tank	NM	WS								HET	F							
6-627	Vitra	Evergreen (formerly Arkitekt) EL ADA	5065 bowl, 5066 tank	500	WS	2	-	E	*				HET	F							
6-607	Vitra	Evergreen (formerly Corina) Dual Flush Comfort EL ADA	5074 bowl, 5055 tank	800	WS	2	2	E	*	*			HET	F							
10-108	Vitra	Evergreen (formerly Corina) Dual Flush RF	5076 bowl, 5055 tank	500	WS	2	-	R		*			HET	F							
WS-15	Vitra	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5400 tank	NM	WS	2		E	*				HET	F							
9-048	Vitra	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5402 tank	600	WS	2	2	E	*				HET	F							
WS-15	Vitra	EverGreen EL ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5195 bowl, 5404 tank	NM	WS	2		E	*				HET	F							
WS-15	Vitra	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5400 tank	NM	WS	2		R	*				HET	F							
9-047	Vitra	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5402 tank	800	WS	2	2	R	*				HET	F							
WS-15	Vitra	EverGreen RF ADA (NOTE: Flush volume of this fixture is 1.2-gal/4.5L)	5196 bowl, 5404 tank	NM	WS	2		R	*				HET	F							
	Vortens-Lamosa	Dali EL	5101 bowl, 5201 tank	NM	WS	2		E		*			HET	F							
	Vortens-Lamosa	Delfos	3130	NM	WS	1				*			HET	F							
WS-14	Vortens-Lamosa	Dominic Victory RF	3209 bowl, 3472 tank	NM	WS	2		R		*			HET	F							
WS-14	Vortens-Lamosa	Dominic EL	3113 bowl, 3472 tank	NM	WS	2		E		*			HET	F							
WS-14	Vortens-Lamosa	Dominic EL ADA	3123 bowl, 3472 tank	NM	WS	2		E	*	*			HET	F							
WS-14	Vortens-Lamosa	Dominic RF	3208 bowl, 3472 tank	NM	WS	2		R		*			HET	F							
13-031	Vortens-Lamosa	Hurricane EL	3137 bowl, 3473 tank	800	WS	2	3	E					HET	F							
13-036	Vortens-Lamosa	Hurricane RF	3213 bowl, 3473 tank	600	WS	2	3	R					HET	F							
12-128	Vortens-Lamosa	Hurricane RF ADA	3140 bowl, 3473 tank	1,000	WS	2	3	E	*				HET	F							
13-034	Vortens-Lamosa	Loretto EL	3137 bowl, 3475 tank	800	WS	2	3	E					HET	F							
13-033	Vortens-Lamosa	Loretto EL ADA	3140 bowl, 3475 tank	1,000	WS	2	3	E	*				HET	F							
13-029	Vortens-Lamosa	Loretto RF	3213 bowl, 3475 tank	800	WS	2	3	R					HET	F							
10-050	Vortens-Lamosa	Rhodas EL ADA (HET)	3123 bowl, 3436 tank	1,000	WS	2	-	E	*	*			HET	F							
13-033	Vortens-Lamosa	Superio EL ADA	3140 bowl, 3475 tank	1,000	WS	2	3	E	*				HET	F							
13-029	Vortens-Lamosa	Superio RF	3213 bowl, 3475 tank	800	WS	2	3	R					HET	F							
	Vortens-Lamosa	Tornado EL	3138 bowl, 3468 tank	NM	WS	2	-	E					HET	F							
WS-14	Vortens-Lamosa	Tornado EL	3138 bowl, 3471 tank	NM	WS	2		E	*				HET	F							
8-553	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3468 tank	1,000	WS	2	-	E	*				HET	F							
WS-14	Vortens-Lamosa	Tornado EL ADA	3134 bowl, 3471 tank	NM	WS	2		E					HET	F							

MaP Test Report No. (for internal use)	KEY: Flush performance (MaP score)			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	350 grams to 475 grams		NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.									Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	500 grams and more															
	Type/technology of toilet fixture															
Make	Model Name	Model Number	6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)			4-L (1.1-gal) Pressure-assist (HET)			Gravity-fed & Vacuum-assist							
			WS-12	Vortens-Lamosa	Vienna ELX	3113 bowl, 3420 tank	NM	WS	2		E				HET	
13-035	Vortens-Lamosa	Vienna ELX	3113 bowl, 3436 tank	600	WS	2	2	E		*		HET			F	
11-063	Vortens-Lamosa	Vienna RF	3208 bowl, 3436V tank	600	WS	2	2	R		*		HET			F	
	Vortens-Lamosa	Vienna RF Dual Flush	3208 bowl, 3420 tank	NM	WS	2		R		*		HET			F	
WS-12	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3420 tank	NM	WS	2		R		*		HET			F	
10-052	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3436SPS tank	600	WS	2	2	R		*		HET			F	
WS-15	WaterRidge-Milim G&G Ceramics	None	C531222 bowl, C600152 tank	NM	WS	2								HET		
WS-14	WaterRidge-Milim G&G Ceramics	None EL	C21075C: C531082 bowl, C600137 tank	NM	WS	2		E		*		HET			F	
15-011	WaterRidge-Milim G&G Ceramics	WaterRidge EL ADA	C21079C, 191575 tank	800	WS	2	3	E	*	*		HET				
12-037	WaterRidge-Milim G&G Ceramics	WaterRidge Grace EL	C22055C (one-piece) Sold as Costco Item No. 386082	500	WS	1	2	E		*		HET			F	
12-040	Western Pottery	Environmental Dual Flush EL	B812 DF bowl, T8-UULF-DF tank	550	WS	2	2	E		*		HET			F	
WS-15	Western Pottery	None	B422PF-1: 422PF bowl, T-4ULF-PF tank (1.0 gal)	NM	WS	2	-						HET		F	
WS-15	Western Pottery	None	B422PF-1-28: 422PF bowl, T-4ULF-PF tank (1.28 gpf)	NM	WS	2	-						HET		F	
15-047	Western Pottery	None EL	832HET: B832 bowl, T8-HET tank	900	WS	2	2.5	E						HET	F	
15-049	Western Pottery	None EL ADA	817DF: 817 bowl, T8-DF tank	800	WS	2	2.5	E	*			HET			F	
15-048	Western Pottery	None EL ADA	872HET: B872 bowl, T8-HET tank	1,000	WS	2	2.5	E	*					HET	F	
15-046	Western Pottery	None RF	822HET: B822 bowl, T8-HET tank	900	WS	2	2.5	R						HET	F	
WS-15	Western Pottery	Wrangler EL	472PF-1: 472PF bowl, T-4ULF-PF tank (1.0 gpf)	NM	WS	2	-	E					HET		F	
WS-15	Western Pottery	Wrangler EL	472PF-1-28: 472PF bowl, T-4ULF-PF tank (1.28 gpf)	NM	WS	2	-	E					HET		F	
WS-15	Western Pottery	Wrangler EL	B432PF-1-28: 432 PF bowl, ULF-T4 tank (1.28 gpf)	NM	WS	2	-	E					HET		F	
10-117 & 12-120	Western Pottery	Wrangler One EL	B432PF-1: 432 PF bowl, ULF-T4 tank (1.0 gpf)	1,000	WS	2	-	E					HET		F	
15-162	Winfield	None EL ADA	T3511: TB3511 bowl, TK3511 tank	450	WS	2	3	E	*					HET	F	
15-163	Winfield	None EL ADA	T3512: TB3512 bowl, TK3512 tank	400	WS	2	3	E	*					HET	F	
15-161	Winfield	None RF	T3513: TB3513 bowl, TK3513 tank	450	WS	2	3	R						HET	F	
WS-14	Xiamen Lota International Co.	None EL	582601 bowl, 582602 tank	NM	WS	2		E						HET		
WS-14	Xiamen Lota International Co.	None EL	582603 bowl, 582604 tank	NM	WS	2		E						HET		
WS-13	Xiamen Lota International Co.	None EL	CT-113: CF-113 bowl, TA-113 tank	NM	WS	2		E						HET	F	
WS-13	Xiamen Lota International Co.	None EL	CT-123: CF-123 bowl, TA-123 tank	NM	WS	2		E						HET	F	
15-013	Xiamen Lota International Co.	None EL ADA	CT-201: CF201 bowl, TA-201 tank	950	WS	2	3	E	*					HET	F	
15-014	Xiamen Lota International Co.	None RF ADA	CT-202: CF202 bowl, TA-202 tank	850	WS	2	3	R	*					HET		
6-637	Zurn	EcoVantage Dual Flush EL	Z5572: Z5570 bowl, Z5562 tank	800	WS	2	-	E			*	HET			F	
6-639	Zurn	EcoVantage Dual Flush EL ADA	Z5562: Z5560 bowl, Z5562 tank	1,000	WS	2	-	E	*		*	HET			F	

MaP Test Report No. (for internal use)	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	Certified to the U.S. EPA WaterSense Specification for High-Efficiency Toilets	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush on a dual-flush system	Power OR Pressure-Assisted Full Flush at 1.6-G (6-L)	Type of HET			Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)										Dual-Flush	Single-Flush Max 1.1-G (4-L) Pressure-Assist	Single-Flush Max 1.28 G (4.8 L) Gravity		
	350 grams to 475 grams	NM - Not measured for <u>Maximum Performance</u> - these WaterSense fixtures met the minimum 350 gram waste removal threshold, however.													
	Type/technology of toilet fixture														
Make	Gravimetric & Vacuum-assist		Model Name	Model Number											
	6-L (1.6-gal) Pressure- or power-assist (for dual-flush HETs only)														
		4-L (1.1-gal) Pressure-assist (HET)													
		Gravity-fed & Vacuum-assist													
6-634	Zurn	EcoVantage EL	Z5571: Z5570 bowl, Z5561 tank	800	WS	2	-	F							F
6-638	Zurn	EcoVantage EL ADA	Z5561: Z5560 bowl, Z5561 tank	1,000	WS	2	-	F	*						F
WS-12	Zurn	EcoVantage Dual Flush RF	Z5577: Z5575 bowl, Z5562 tank	NM	WS	2		R		*					F
WS-12	Zurn	EcoVantage RF	Z5576: Z5575 bowl, Z5561 tank	NM	WS	2	-	R							F

Notes: RF – Round-front toilet bowl
 EL – Elongated-front toilet bowl
 S - Special bowl design
 ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.
 NM - Not measured: WaterSense-certified fixtures that were not Maximum Performance (MaP) tested; these fixtures meet the minimum 350 gram waste removal threshold
 WS - Compliance established by meeting the requirements of the U.S. EPA WaterSense specification for high-efficiency toilets; certified to WaterSense
 G - Gallons per Flush
 L - Litres per Flush
 RN - Renewed MaP Listing