

Maximum Performance (MaP) of Toilet Fixtures May 2009 Listing

**UNAR-Qualified Ultra-Low-Flush
Toilet Fixtures (1.6-gallon - 6 Litre)
Sorted by Manufacturer**

Note: Compiling this listing is a service of the U.S.-Canadian Alliance for Water Efficiency (AWE). All of the fixtures on this list are rated at 6.0 Litres (1.6 gallons) per flush and are believed to meet the requirements of the specification titled "Uniform North American Requirements for Toilet Fixtures", although there is no guarantee of such. That UNAR specification requires fixture compliance with the Los Angeles Supplementary Purchase Specification (SPS) as to adjustability and meet a 350 gram minimum performance on the Maximum Performance (MaP) test. Further details may be found at: <http://www.allianceforwaterefficiency.org/MaP-main.aspx>

MaP Test Report Number (for internal use)	Make	KEY:		MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1-piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
		Flush performance (MaP score)												
		350 grams to 475 grams												
		500 grams and more												
Type of toilet fixture														
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Model Name	Model Number													
14-134	American Standard	Antiquity Cadet 3 EL (one-piece)	2907.016 (one-piece)	1,000	1	3		E		*				F
7-517	American Standard	Cadet 3 COMPLETE RF (10" rough-in)	2384.310: "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU. Includes 3011 bowl, 4019 tank	1,000	2	3		R		*				F
7-521	American Standard	Cadet 3 EL (10" rough-in)	2383.010: 3014 bowl, 4019 tank	800	2	3		E		*				F
6-641	American Standard	Cadet 3 EL (12" rough-in)	2383.012: 3014 bowl, 4021 tank (unlined tank)	1,000	2	3	*	E		*				F
7-541	American Standard	Cadet 3 EL (12" rough-in)	2383.500: 3014 bowl, 4021.500 (lined tank)	800	2	3		E		*				F
7-520	American Standard	Cadet 3 EL (14" rough-in)	2383.014: 3014 bowl, 4027 tank	1,000	2	3		E		*				F
7-518	American Standard	Cadet 3 EL ADA (10" rough-in)	2386.010: 3016 bowl, 4019 tank	1,000	2	3		E	*	*				F
7-523	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.012: 3016 bowl, 4021 tank (unlined tank); NOTE: this combination is also sold as 3305.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		E	*	*				F
7-542	American Standard	Cadet 3 EL ADA (12" rough-in)	2386.500: 3016 bowl, 4021.500 (lined tank)	1,000	2	3		E	*	*				F
7-516	American Standard	Cadet 3 EL ADA (14" rough-in)	2386.014: 3016 bowl, 4027 tank	1,000	2	3		E	*	*				F
7-517	American Standard	Cadet 3 RF (10" rough-in)	2384.010: 3011 bowl, 4019 tank NOTE: this combination is also sold as 2384.310 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		R		*				F
7-522	American Standard	Cadet 3 RF (12" rough-in)	2384.012: 3011 bowl, 4021 tank; NOTE: this combination is also sold as 2880.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		R		*				F
7-543	American Standard	Cadet 3 RF (12" rough-in)	2384.500: 3011 bowl, 4021.500 (lined tank)	1,000	2	3		R		*				F
7-519	American Standard	Cadet 3 RF (14" rough-in)	2384.014: 3011 bowl, 4027 tank	1,000	2	3		R		*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall- Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
12-109	American Standard	Cadet 3 RF (insulated tank)	2880.500: 3011.016 bowl, 4021.500 tank (lined); NOTE: this combination is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	2	3		R		*				F
12-117	American Standard	Cadet 3 RF (insulated tank)	2882.000 Toilet in a Box (A "COMPLETE" package that includes bowl, tank, seat, and installation mat'l's as one item or SKU)	1,000	2	3		R		*				F
14-056	American Standard	Cadet 3 RF ADA	2755.016: 3005.016 bowl, 4021.016 tank	1,000	2	3		R	*	*				F
14-127	American Standard	Cadet 3 Right Height RF ADA (lined)	2755.500: 3005.016 bowl, 4021.016 tank (lined)	1,000	2	3		R	*	*				F
14-RN	American Standard	Cadet EL	2333: 4098 tank, 3099 bowl	750	2	-	*	E				*		F
13-085	American Standard	Cadet EL	2462.016: 3481.016 bowl, 4142.016 tank	800	2	-	*	E				*		F
13-086	American Standard	Cadet EL ADA	2467.016: 3483.016 bowl, 4142.016 tank	800	2	-	*	E	*			*		F
10-007	American Standard	Champion 4 EL	2018.214: 3121 bowl, 4266 tank	1,000	2	3		E		*				F
11-100	American Standard	Champion 4 EL	2018.504: 3121.016 bowl, 4266.504 (lined tank)	1,000	2	3		E		*				F
12-102	American Standard	Champion 4 EL (one-piece)	2004 (one-piece)	800	1	3		E		*				F
13-073	American Standard	Champion 4 EL ADA	2002.014: 3225 bowl, 4266 tank; NOTE: this combination is also sold as 2586.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	2	3		E	*	*				F
11-099	American Standard	Champion 4 EL ADA	2002.504: 3225.016 bowl, 4266.504 tank(lined)	1,000	2	3		E	*	*				F
13-093	American Standard	Champion 4 EL ADA	2586.500: 3225.016 bowl, 4266.504 tank(lined)	1,000	2	3		E	*	*				F
11-097	American Standard	Champion 4 EL ADA (one-piece)	2034.314 (one-piece); NOTE: this one-piece fixture is also sold as 2034.014, which is the same fixture but with a seat.	800	1	3		E	*	*				F
10-022 & 12-118	American Standard	Champion 4 RF	2023.214: 3110 bowl, 4266 tank; NOTE: this combination is also sold as 2585.000, which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	2	3		R		*				F
11-101	American Standard	Champion 4 RF	2023.504: 3110.016 bowl, 4266.504 tank(lined)	1,000	2	3		R		*				F
13-091	American Standard	Champion 4 RF	2585.500: 3110.016 bowl, 4266.504 tank(lined)	1,000	2	3		R		*				F
5-502	American Standard	Champion Right Height EL ADA	2002: 3225 bowl, 4260 tank	1,000	2	3	*	E	*	*				F
5-546	American Standard	Champion Select EL	2087: 3121 bowl, 4272 tank	1,000	2	3	*	E		*				F
5-545	American Standard	Champion Select EL ADA	2057: 3225 bowl, 4272 tank	1,000	2	3	*	E	*	*				F
5-547	American Standard	Champion Select RF	2035: 3110 bowl, 4272 tank	800	2	3	*	R		*				F
14-050	American Standard	Chinalux EL	1000EL: 1100EL bowl, 120012 tank	350	2	2		E		*				F
14-051	American Standard	Chinalux RF	1000RF: 1100RF bowl, 120012 tank	400	2	2		R		*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
Type of toilet fixture														
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
13-074	American Standard	Colony FitRight EL	2435.012: 3189.016 bowl, 4003.016 tank; NOTE: this combination is also sold as 2453.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	600	2	2		E		*				F
13-082	American Standard	Colony FitRight EL (10-inch rough-in)	2485.010: 3189.016 bowl, 4006.016 tank	600	2	2		E		*				F
13-076	American Standard	Colony FitRight EL (lined tank)	3189.016 bowl, 4003.516 tank (lined)	600	2	2		E		*				F
13-078	American Standard	Colony FitRight EL ADA	2437.012: 3191.016 bowl, 4003.016 tank	600	2	2		E	*	*				F
13-088	American Standard	Colony FitRight EL ADA (10-inch rough-in)	2487.010: 3191.016 bowl, 4006.016 tank	600	2	2		E	*	*				F
13-083	American Standard	Colony FitRight EL ADA (lined tank)	3191.016 bowl, 4003.516 tank (lined)	600	2	2		E	*	*				F
13-084	American Standard	Colony FitRight RF (10-inch rough-in)	2486.010: 3190.016 bowl, 4006.016 tank	600	2	2		R		*				F
13-077	American Standard	Colony FitRight RF (lined tank)	3190 bowl, 4003.516 tank (lined)	600	2	2		R		*				F
10-128	American Standard	Compact Cadet 3 EL	2431.010: 3046.016 bowl, 4019.016 tank; NOTE: this combination is also sold as 2447.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		E		*				F
13-090	American Standard	Compact Cadet 3 EL ADA (one-piece)	2403.500 (one-piece): NOTE: this fixture also sold as 2568.500 as part of the "COMPLETE" package and includes seat and installation mat'ls as one item or SKU	1,000	1	3		E	*	*				F
10-011	American Standard	Compact Cadet 3 One Piece EL ADA	2403.012 (one-piece); NOTE: this combination is also sold as 2568.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	1	3		E	*	*				F
10-015	American Standard	Doral Champion 4 EL	2368.014: 3121 bowl, 4272 tank	1,000	2	3		E		*				F
10-003	American Standard	Doral Champion 4 EL ADA	2367.014: 3225 bowl, 4272 tank	1,000	2	3		E	*	*				F
10-020	American Standard	Doral Champion 4 RF	2369.014: 3110 bowl, 4272 tank	1,000	2	3		R		*				F
5-540	American Standard	Doral Champion EL	2368: 3121 bowl, 4272 tank	1,000	2	3	*	E		*				F
5-539	American Standard	Doral Champion EL ADA	2367: 3225 bowl, 4272 tank	1,000	2	3	*	E	*	*				F
5-541	American Standard	Doral Champion RF	2369: 3110 bowl, 4272 tank	800	2	3	*	R		*				F
10-019	American Standard	Doral Classic Champion 4 EL OR Williamsburg Champion 4 EL	2074.014: 3121 bowl, 4281 tank	1,000	2	3		E		*				F
10-014	American Standard	Doral Classic Champion 4 RF OR Williamsburg Champion RF	2076.014: 3110 bowl, 4281 tank	1,000	2	3		R		*				F
10-001	American Standard	Doral Classic Champion EL ADA	2058.014: 3225 bowl, 4281 tank	850	2	3		E	*	*				F
5-543	American Standard	Doral Classic/Williamsburg EL	2074: 3121 bowl, 4281.016 tank	1,000	2	3	*	E		*				F
5-542	American Standard	Doral Classic/Williamsburg EL ADA	2058: 3225 bowl, 4281.016 tank	1,000	2	3	*	E	*	*				F
5-544	American Standard	Doral Classic/Williamsburg RF	2076: 3110 bowl, 4281.016 tank	800	2	3	*	R		*				F
14-RN	American Standard	Glenwall EL (wall mount-ADA possible)	3402 bowl, 4098 tank	800	2	-	*	E	*			*	R	W

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
13-076	American Standard	Horizon EL COMPLETE	3474.500: 3189.016 bowl, 4003.516 tank (lined) NOTE: this combination is sold as a "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	2	2		E		*				F
12-099	American Standard	Mainstream (Evolution 2) RF (insulated tank)	3061.016 bowl, 4061.500 tank (lined)	800	2	2		R		*				F
12-103	American Standard	Mainstream (Evolution 2) EL	2427.012: 3063.016 bowl, 4061.016 tank	800	2	2		E		*				F
12-105	American Standard	Mainstream (Evolution 2) EL (insulated tank)	3063.016 bowl, 4061.500 tank (lined) NOTE: this combination is also sold as 3469.500 , which is identified as the "Mainstream COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	1,000	2	2		E		*				F
12-104	American Standard	Mainstream (Evolution 2) EL ADA	2428.012: 3068.016 bowl, 4061.016 tank	1,000	2	2		E	*	*				F
12-106	American Standard	Mainstream (Evolution 2) EL ADA (insulated tank)	3068.016 bowl, 4061.500 tank (lined)	1,000	2	2		E	*	*				F
12-100	American Standard	Mainstream (Evolution 2) RF	2426.012: 3061.016 bowl, 4061.016 tank	800	2	2		R		*				F
12-105	American Standard	Mainstream COMPLETE EL (insulated tank)	3469.500: a COMPLETE package, which includes bowl, tank, seat, & installation mat'l's as one item or SKU. Includes 3063.316 bowl, 4061.516 tank (lined)	1,000	2	2		E		*				F
14-084	American Standard	Mainstream Complete EL (lined tank)	3469.500.020 (COMPLETE with bowl and tank - lined tank)	1,000	2	2		E		*				F
13-080 & 13-087	American Standard	Monarch RF	2436.012: 3190.016 bowl, 4003.016 tank; NOTE: this combination is also sold as 3510.000 , which is identified as the "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	2	2		R		*				F
13-077 & 13-079	American Standard	Monarch RF (lined tank)	3510.500: 3190.016 bowl, 4003.516 tank (lined); This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'l's as one item or SKU.	600	2	2		R		*				F
5-531	American Standard	Oakmont Champion EL ADA	2738: 3101 bowl, 4272 tank	1,000	2	3	*	E	*	*				F
10-004	American Standard	Oakmont Champion 4 EL	2625.014: 3153 bowl, 4272 tank	1,000	2	3		E		*				F
5-532	American Standard	Oakmont Champion 4 EL	2625: 3153 bowl, 4272 tank	1,000	2	3	*	E		*				F
10-017	American Standard	Oakmont Champion 4 EL ADA	2738.014: 3101 bowl, 4272 tank	1,000	2	3		E	*	*				F
10-008	American Standard	Oakmont Champion 4 RF	2627.014: 3167 bowl, 4272 tank	1,000	2	3		R		*				F
5-503	American Standard	Oakmont Champion 4 RF	2627: 3167 bowl, 4272 tank	1,000	2	3	*	R		*				F
10-009	American Standard	Skyline Champion 4 EL	2219.014: 3121 bowl, 4077 tank	1,000	2	3		E		*				F
10-005	American Standard	Skyline Champion 4 EL ADA	2067.014: 3225 bowl, 4077 tank	950	2	3		E	*	*				F
6-642	American Standard	Skyline Champion 4 EL ADA	3225 bowl, 4077 tank	1,000	2	3	*	E	*	*				F
10-006	American Standard	Skyline Champion 4 RF	2112.014: 3110 bowl, 4077 tank	1,000	2	3		R		*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
Type of toilet fixture														
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
6-643	American Standard	Skyline Champion 4 RF	3110 bowl, 4077 tank	1,000	2	3	*	R		*				F
14-125	American Standard	Studio Cadet 3 EL	2588.016: 3014.016 bowl, 4202.016 tank	1,000	2	3		E		*				F
14-126	American Standard	Studio Cadet 3 EL (lined tank)	2588.500: 3014.016 bowl, 4202.500 tank (lined)	1,000	2	3		E		*				F
14-129	American Standard	Studio Cadet 3 EL ADA	2589.016: 3016.016 bowl, 4202.016 tank	1,000	2	3		E	*	*				F
14-128	American Standard	Studio Cadet 3 EL ADA (lined tank)	2589.500: 3016.016 bowl, 4202.500 tank (lined)	1,000	2	3		E	*	*				F
14-121	American Standard	Studio Cadet 3 RF	2587.016: 3011.016 bowl, 4202.016 tank	1,000	2	3		R		*				F
14-124	American Standard	Studio Cadet 3 RF (lined tank)	2587.500: 3011.016 bowl, 4202.500 tank (lined)	1,000	2	3		R	*	*				F
14-123	American Standard	Studio Cadet 3 RF ADA	2579.016: 3005.016 bowl, 4202.016 tank	1,000	2	3		R	*	*				F
14-122	American Standard	Studio Cadet 3 RF ADA (lined tank)	2579.500: 3005.016 bowl, 4202.500 tank (lined)	1,000	2	3		R	*	*				F
10-145	American Standard	Titan EL	2841.016: 3893.016 bowl, 4337.016 tank	1,000	2	3		E		*				F
14-RN	American Standard	Titan EL ADA	2839.016: 3892.016 bowl, 4337.016 tank	900	2	3		E	*	*				F
8-515	American Standard	Titan EL ADA (one piece)	2782.016 (one-piece)	1,000	1	3		E	*	*				F
10-144	American Standard	Titan RF	2845.016: 3895.016 bowl, 4337.016 tank	1,000	2	3		R		*				F
8-519	American Standard	Titan Triangle EL	2842.016: 3893.016 bowl, 4338.016 tank	1,000	2	3		E		*				F
8-520	American Standard	Titan Triangle EL ADA	2840.016: 3892.016 bowl, 4338.016 tank	1,000	2	3		E	*	*				F
8-517	American Standard	Titan Triangle RF	2846.016: 3895.016 bowl, 4338.016 tank	1,000	2	3		R		*				F
10-010	American Standard	Townsend Champion 4 EL ADA	2733.014: 3177 bowl, 4281 tank	1,000	2	3		E	*	*				F
10-002	American Standard	Townsend Champion 4 RF ADA	2735.014: 3180 bowl, 4281 tank	1,000	2	3		R	*	*				F
10-012	American Standard	Tropic Cadet 3 Right Height EL ADA	2459.016: 3016 bowl, 4007 tank	1,000	2	3		E	*	*				F
13-096	American Standard	Tropic EL	2457.516: 3014 bowl, 4007.516 tank (lined tank)	1,000	2	2.5		E		*				F
13-071	American Standard	Tropic EL ADA	2459.516: 3016 bowl, 4007.516 tank (lined tank)	1,000	2	2.5		E	*	*				F
13-095	American Standard	Tropic RF	2455.516: 3011 bowl, 4007.516 tank (lined tank)	1,000	2	2.5		R		*				F
10-018	American Standard	Tropic/Triumph Cadet 3 EL	2457.016: 3014 bowl, 4007 tank	1,000	2	3		E		*				F
10-013	American Standard	Tropic/Triumph Cadet 3 RF	2455.016: 3011 bowl, 4007 tank	1,000	2	3		R		*				F
13-075	American Standard	Yorkville EL ADA	2878.016: 3703.016 bowl, 4142.016 tank	1,000	2	-	*	E	*		*	R		F
10-056	Aquadis	DecoKit RF	TI 627 bowl, FL 610 tank	500	2	2		R		*				F
10-054	Aquadis	Liverpool EL ADA	FI 629 bowl, FL 610 tank	800	2	2		E	*	*				F
13-001	Aquadis	None	AKDE627 RF	250	2	2		R		*				F
14-110	AquaSource (Lowe's)	None RF	SKU#0000187 (Foremost #AIO 250RW-LO)	800	2	2		R		*				F
14-114	AquaSource (Lowe's)	None EL	SKU#0000184 (Foremost # AIO250EW-LO)	800	2	2		E		*				F
14-083	AquaSource (Lowe's)	Traditional Design RF	SKU#0000164 (Foremost#TL-6800RW-LO)	700	2	2		R		*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
14-004	Axent-Regatta Water Co.	Mirabelle/Soiree EL	6004.002: 6004.012.02 bowl, 6004.024.02 tank	1,000	2	3		E		*				F
14-005	Axent-Regatta Water Co.	Mirabelle/Bellina EL	6002.002: 6002.012.02 bowl, 6002.024.02 tank	1,000	2	3		E		*				F
14-006	Axent-Regatta Water Co.	Mirabelle/Edgewater EL ADA (one-piece)	6001.001 (one piece)	1,000	1	3		E	*	*				F
14-007	Axent-Regatta Water Co.	Mirabelle/Peninsula EL ADA (one piece)	6003.001 (one-piece)	1,000	1	3		E	*	*				F
13-047	Briggs	Altima EL	4325 bowl, 4438 tank	400	2	2		E		*				F
13-049	Briggs	Altima EL ADA	4328 bowl, 4438 tank	550	2	2		E	*	*				F
8-511	Briggs	Altima III RF	4232: 4320 bowl, 4430 tank	600	2	2		R		*				F
13-045	Briggs	Altima RF	4320 bowl, 4438 tank	500	2	2		R		*				F
11-089	Briggs	Kingsley EL	6087 (one piece)	800	1	3		E		*				F
11-090	Briggs	Kingsley RF	6083-130 (one piece)	600	1	3		R		*				F
7-536	Briggs	Maelstrom EL	4395 bowl, 4490 tank	600	2	3		E		*				F
7-537	Briggs	Maelstrom EL ADA	4398 bowl, 4490 tank	600	2	3		E	*	*				F
7-538	Briggs	Maelstrom RF	4390 bowl, 4490 tank	400	2	3		R		*				F
8-506	Ceralux/Mancesa	San Marino EL ADA	2262 bowl, 2261 tank	500	2	2		E	*	*				F
8-505	Ceralux/Mancesa	Windsor RF	2700 bowl, 2711 tank	400	2	2		R		*				F
13-007	Chelini	Bournelli RF	B1415R/T14206: 1415 R bowl, 14206 tank	800	2	2		R		*				F
13-024	Chelini	Cabot EL	B1015E/T10306: B1015E bowl, T10306 tank	1,000	2	3		E		*				F
13-027	Chelini	Cabot RF	B1015R/T10306: B1015R bowl, T10306 tank	1,000	2	3		R		*				F
13-120	Chelini	Champlain EL	B215E/T2306: B215E bowl, T2306 tank	600	2	3		E		*				F
13-118	Chelini	Champlain EL ADA	B216E/T2306: B216E bowl, T2306 tank	1,000	2	3		E	*	*				F
13-006	Chelini	Champlain EL ADA	B218E/T2306: 218E bowl, T2306 tank	1,000	2	3		E	*	*				F
13-119	Chelini	Champlain RF	B215R/T2306: B215R bowl, T2306 tank	600	2	3		R		*				F
14-048	Chelini	Champlain EL ADA	B216R bowl, T2306 tank (lined tank)	1,000	2	3		E	*	*				F
13-117	Chelini	Verrazano RF ADA	B1118R/T11206: B1118R bowl, T11206 tank	800	2	2		R	*	*				F
11-082	Conrac	None RF	4710BFT (lined tank)	600	1	2.5		R		*				F
11-083	Conrac	None RF	4710BFTU (one piece)	550	1	2.5		R		*				F
11-078	Conrac	None EL	4722BET bowl, 4721BFT tank (lined)	650	2	2		E		*				F
11-079	Conrac	None EL	4722BET bowl, 4721BFTU tank	600	2	2		E		*				F
11-074	Conrac	None RF	4722BFT bowl, 4721BFT tank (lined)	600	2	2		R		*				F
11-075	Conrac	None RF	4722BFT bowl, 4721BFTU tank	550	2	2		R		*				F
11-076	Conrac	None EL ADA	4722BIT bowl, 4721BFT tank (lined)	600	2	2		E	*	*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
14-067	Contrac	Chloe RF (1 piece - lined tank)	5710BFT (one-piece - lined tank)	700	1	2		R		*				F
11-077	Contrac	None EL ADA	4722BIT bowl, 4721BFTU tank	600	2	2		E	*	*				F
13-011	Crane	Artesian EL	31108: 3406 bowl, 3544 tank	300	2	2		E		*				F
13-012	Crane	Artesian EL	31110: 3406 bowl, 3546 tank (insulated)	300	2	2		E		*				F
11-037	Crane	Atlas/Atlanta RF	31012N: 31047N bowl, 31742N tank	400	2	2		R		*				F
11-017	Crane	Baby Bowl (NOTE: 10" child's bowl height)	3811: 3210 bowl, 3227 tank	250	2	3		R		*				F
11-023	Crane	Classic III EL ADA	31512: 31852 bowl, 31822 tank	800	2	3		E	*	*				F
11-029	Crane	Economiser Bigfoot EL	31135: 31125 bowl, 3612 tank	1,000	2	-	*	E				*		F
11-019	Crane	Economiser EL	3832: 3822 bowl, 3612 tank	1,000	2	-	*	E				*		F
10-039	Crane	Economiser EL	3835: 3825 bowl, 3612 tank	1,000	2	-	*	E				*		F
10-031	Crane	Economiser EL ADA	3838: 3828 bowl, 3612 tank	1,000	2	-	*	E	*			*		F
11-027	Crane	Economiser One Bigfoot RF	31134: 31124 bowl, 3612 tank	1,000	2	-	*	R				*		F
10-038	Crane	Economiser RF	3834: 3824 bowl, 3612 tank	1,000	2	-	*	R				*		F
11-016	Crane	Flormont EL	3186: 3184 bowl, 3546 tank (lined)	250	2	2		E		*				F
11-021	Crane	Flormont EL	3921: 3184 bowl, 3742 tank	250	2	3		E		*				F
11-022	Crane	Flormont EL ADA	3922: 3191 bowl, 3742 tank	400	2	3		E	*	*				F
11-007	Crane	Galaxy Cranada EL	31514: 3372 bowl, 31744 tank	500	2	3		E		*				F
11-006	Crane	Galaxy Cranada EL	3790: 3372 bowl, 3740 tank	500	2	3		E		*				F
10-042	Crane	Galaxy Cranada EL	3792: 3372 bowl, 3742 tank	500	2	2		E		*				F
10-043	Crane	Galaxy Cranada EL	3793: 3372 bowl, 3743 tank	500	2	2		E		*				F
11-005	Crane	Galaxy Cranada EL ADA	31149: 3815 bowl, 3740 tank	250	2	3		E	*	*				F
11-008	Crane	Galaxy Cranada RF	31504: 3352 bowl, 31744 tank	500	2	3		R		*				F
10-029	Crane	Galaxy Cranada RF	3782: 3352 bowl, 3742 tank	500	2	2		R		*				F
10-041	Crane	Galaxy Cranada RF	3783: 3352 bowl, 3743 tank	500	2	2		R		*				F
11-015	Crane	Opus III EL	31672: 31572 bowl, 31552 tank	800	2	3		E						F
11-003	Crane	Opus III EL ADA	31682: 31582 bowl, 31552 tank	800	2	3		E	*	*				F
11-024	Crane	Shiloh EL	31731 (one piece)	400	1			E		*				F
10-036	Crane	Sureflush EL	31352: 31192 bowl, 31242 tank	1,000	2	3		E		*				F
11-013	Crane	SureFlush EL	31362: 31202 bowl, 31242 tank	800	2	3		E		*				F
11-012	Crane	Sureflush EL	31363: 31202 bowl, 31243 tank	800	2	3		E		*				F
11-011	Crane	SureFlush EL ADA	31372: 31212 bowl, 31242 tank	1,000	2	3		E	*	*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
Type of toilet fixture														
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
11-014	Crane	Sureflush EL ADA	31373: 31212 bowl, 31243 tank	1,000	2	3		E	*	*				F
11-002	Crane	SureFlush RF	31352: 31192 bowl, 31242 tank	1,000	2	3		R		*				F
11-010	Crane	Sureflush RF	31353: 31192 bowl, 31243 tank	800	2	3		R		*				F
10-145	Crane	Titan EL	32022: 32008 bowl, 32006 tank	1,000	2	3		E		*				F
8-514	Crane	Titan EL (one piece)	081-0755	1,000	1	3		E		*				F
14-RN	Crane	Titan EL ADA	32032: 32013 bowl, 32006 tank	900	2	3		E	*	*				F
8-515	Crane	Titan EL ADA (one piece)	32018	1,000	1	3		E	*	*				F
8-518	Crane	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	2	3		E		*				F
8-521	Crane	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	2	3		E	*	*				F
8-516	Crane	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	2	3		R		*				F
10-144	Crane	Titan RF	32012: 32004 bowl, 32006 tank	1,000	2	3		R		*				F
8-519	Crane	Titan Triangle EL	32062: 32008 bowl, 32026 tank	1,000	2	3		E		*				F
8-520	Crane	Titan Triangle EL ADA	32035: 32013 bowl, 32026 tank	1,000	2	3		E	*	*				F
8-517	Crane	Titan Triangle RF	32052: 32004 bowl, 32026 tank	1,000	2	3		R		*				F
12-064	Danze	Cirtangular EL ADA	DC023230 bowl, DC022221 tank	1,000	2	3		E	*	*				F
12-127	Danze	Orrington EL ADA	DC013230 bowl, DC012223 tank	1,000	2	3		E	*	*				F
12-065	Danze	Orrington EL ADA (one-piece)	DC011223 (one-piece)	1,000	1	3		E	*	*				F
14-094	Danze	Ziga Zaga EL ADA	DC031221 (one-piece)	1,000	1	3		E	*	*				F
8-529	Duravit	Phillipe Starck RF (one piece)	016301.02 (one-piece)	300	1	3		R	*	*			R	W
13-078	Eljer	Calloway EL ADA	091-2775: 3191.416 bowl, 4003.416 tank	600	2	2		E	*	*				F
13-080	Eljer	Calloway RF	091-2760: 3190.416 bowl, 4003.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	600	2	2		R		*				F
9-007	Eljer	Canterbury EL (one piece)	081-3025 (one-piece)	600	1	3		E		*				F
7-523	Eljer	Diplomat EL ADA (12" rough-in)	091-3275: 3016.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		E	*	*				F
7-522	Eljer	Diplomat RF (12" rough-in)	091-0160: 3011.416 bowl, 4021.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		R		*				F
10-128	Eljer	Diplomat Spacesaver EL	091-3925: 3046.416 bowl, 4019.416 tank; This combination sold as "COMPLETE" package and includes bowl, tank, seat, & installation mat'ls as one item or SKU.	1,000	2	3		E		*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
9-008	Eljer	PR Titan RF (one piece)	081-0750	1,000	1	3		R		*				F
10-145	Eljer	Titan EL	091-0755: 131-0755 bowl, 141-0777 tank	1,000	2	3		E		*				F
8-514	Eljer	Titan EL (one piece)	081-0755	1,000	1	3		E		*				F
14-RN	Eljer	Titan EL ADA	091-0777: 131-0777 bowl, 141-0777 tank	900	2	3		E	*	*				F
8-515	Eljer	Titan EL ADA (one piece)	081-0777	1,000	1	3		E	*	*				F
8-518	Eljer	Titan Elite EL	091-2755: 131-0755 bowl; 141-2777 tank	1,000	2	3		E		*				F
8-521	Eljer	Titan Elite EL ADA	091-2777: 131-0777 bowl; 141-2777 tank	1,000	2	3		E	*	*				F
8-516	Eljer	Titan Elite RF	091-2750: 131-0750 bowl; 141-2777 tank	1,000	2	3		R		*				F
10-144	Eljer	Titan RF	091-0750: 131-0750 bowl, 141-0777 tank	1,000	2	3		R		*				F
8-519	Eljer	Titan Triangle EL	091-3755: 131-0755 bowl; 141-3777 tank	1,000	2	3		E		*				F
8-520	Eljer	Titan Triangle EL ADA	091-3777: 131-0777 bowl; 141-3777 tank	1,000	2	3		E	*	*				F
8-517	Eljer	Titan Triangle RF	091-3750: 131-0750 bowl; 141-3777 tank	1,000	2	3		R		*				F
14-114	Foremost	AIO (All-In-One) EL	AIO250EW-LO: AIO B250EW-LO bowl, AIO T250EW-LO tank (Combination also sold as AquaSource-Lowe's SKU#0000184)	800	2	2		E		*				F
14-110	Foremost	AIO (All-In-One) RF	AIO250RW-LO: AIO B250RW-LO bowl, AIO T250RW-LO tank (Combination also sold as AquaSource-Lowe's SKU#0000187)	800	2	2		R		*				F
14-059	Foremost	Premier RF (lined tank)	LL-8207-*3: LL-8207-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8207-*L3)	1,000	2	2		R		*				F
14-058	Foremost	Premier EL ADA (lined tank)	LL-8207HC-*3: LL-8207HC-*3 bowl, T-8207-*L3 tank (lined tank) (also sold as TT-8297-*L3)	1,000	2	2		E	*	*				F
13-128	Foremost	Iris EL	TL-4000 (one piece)	1,000	1	3		E		*				F
11-095 & 13-150	Foremost	Iris	TL-4000-*L (one-piece) (Also sold as TL-4310-*LM)	1,000	1	3		E		*				F
14-014	Foremost	None EL (one piece, All-In-One package)	TL-4000-*L and TL-4310-*LM sold as All-In-One package (one-piece) (lined tank)	1,000	1	3		E		*				F
11-093	Foremost	Premier EL	TL-5100-*L (one piece with lined tank)	750	1	2		E		*				F
14-078	Foremost	Premier/Lilas RF (one-piece)	TL-5101-*L1 (one-piece)	750	1	2		R		*				F
11-092	Foremost	Regent RF	TL-5200-*L (one piece with lined tank)	700	1	2		R		*				F
14-016	Foremost	Regent RF	TL-5207-*L: LL-5207 bowl, T-5207-*L tank (lined tank)	400	2	2		R		*				F
9-045	Foremost	Tuxedo EL ADA	TL-5300E-*L (one-piece) (ALSO sold as TL-5310-*LM)	1,000	1	2		E	*	*				F
10-080	Foremost	Colonade - EL ADA	TL-6010E-*L: LL-6010-E bowl, T-6010-*L tank (lined)	500	2	3		E	*	*				F
11-094	Foremost	Aragon IV - EL	TL-6300E-*LN (one-piece, lined tank)	1,000	1	2		E		*				F
10-084 & 13-148	Foremost	Westminster - RF	TL-6800-*L: T-6800-*L bowl, LL-6800 tank (lined)	800	2	2		R		*				F

UNAR-ULFTs

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall- Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
13-129	Foremost	Westminster EL	TL-6800E-WN, LL-6800-EWN Bowl T-6800-WN Tank	900	2	3		E		*				F
14-083	Foremost	None RF	TL-6800R*-LO: LL-6800-R*-MI bowl, T-6800-*-S tank (Combination also sold as AquaSource-Lowe's SKU#0000164)	700	2	2		R		*				F
11-072	Foremost	Dietrich EL	TL-7237-*L: LL-7237 bowl, T-7237-*L tank (lined)	350	2	3		E		*				F
14-085	Foremost	Rona Toilet-to-Go (TTG) RF	TL-8257-*L1-TTG: LL-8257-*1 bowl, T-8257-*L1 tank (lined tank)	700	2	2		R		*				F
5-574	Gerber	Aquasaver EL (one-piece)	21-015	400	1	2		E		*				F
12-058	Gerber	Avalanche EL (10-inch rough-in)	21-810: 21-862 bowl, 28-895 tank	600	2	3		E		*				F
12-059	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-890 tank	800	2	3		E		*				F
12-063	Gerber	Avalanche EL (12-inch rough-in)	21-812: 21-862 bowl, 28-892 tank (insulated)	800	2	3		E		*				F
12-060	Gerber	Avalanche EL (14-inch rough-in)	21-814: 21-862 bowl, 28-894 tank	600	2	3		E		*				F
9-029	Gerber	Avalanche EL ADA	21-817: 21-828 bowl, 28-895 tank	1,000	2	3		E	*	*				F
9-030	Gerber	Avalanche EL ADA	21-818: 21-828 bowl, 28-890 tank	1,000	2	3		E	*	*				F
9-031	Gerber	Avalanche EL ADA	21-824: 21-828 bowl, 28-894 tank	1,000	2	3		E	*	*				F
12-061	Gerber	Avalanche EL ADA (12-inch rough-in)	21-818: 21-828 bowl, 28-892 tank	500	2	3		E	*	*				F
12-055	Gerber	Avalanche RF (10-inch rough-in)	21-800: 21-852 bowl, 28-895 tank	800	2	3		R		*				F
12-056	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-890	800	2	3		R		*				F
12-062	Gerber	Avalanche RF (12-inch rough-in)	21-802: 21-852 bowl, 28-892 (insulated)	800	2	3		R		*				F
12-057	Gerber	Avalanche RF (14-inch rough-in)	21-804: 21-852 bowl, 28-894 tank	800	2	3		R		*				F
12-047	Gerber	Brianne EL	21-011 (one-piece)	1,000	2	3		E		*				F
10-063	Gerber	Brianne EL	21-013 (one-piece)	600	1	-		E				*		F
10-105	Gerber	Brianne EL (12-inch rough-in)	20-015: 21-185 bowl, 28-183 tank	1,000	2	3		E		*				F
10-104	Gerber	Brianne EL ADA (12-inch rough-in)	20-013: 21-183 bowl, 28-183 tank	800	2	3		E	*	*				F
10-062	Gerber	Brianne RF	20-014: 21-184 bowl, 28-183 tank	1,000	2	3		R		*				F
14-092	Gerber	Brianne EL (12-inch rough-in - lined tank)	20-015: 21-185 bowl, LT28-183 tank (lined tank)	1,000	2	3		E		*				F
14-090	Gerber	Brianne EL ADA (12-inch rough-in - lined tank)	20-013: 21-183 bowl, LT28-183 tank (lined tank)	1,000	2	3		E	*	*				F
14-091	Gerber	Brianne RF (lined tank)	20-014: 21-184 bowl, LT28-183 tank (lined tank)	800	2	3		R		*				F
14-095	Gerber	Logan Square EL (12-inch rough-in - lined tank)	20-016: 21-532 bowl, LT28-530 tank (lined tank)	500	2	3		E		*				F
14-096	Gerber	Logan Square EL ADA (12-inch rough-in - lined tank)	20-018: 21-538 bowl, LT28-530 tank (lined tank)	1,000	2	3		E	*	*				F
12-126	Gerber	Logan Square EL (10-inch rough-in)	20-017: 21-532 bowl, 28-535 tank	1,000	2	3		E		*				F
12-125	Gerber	Logan Square EL (12-inch rough-in)	20-016: 21-532 bowl, 28-530 tank	800	2	3		E		*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall- Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
12-124	Gerber	Logan Square EL ADA (10-inch rough-in)	20-019: 21-538 bowl, 28-535 tank	1,000	2	3		E	*	*				F
12-123	Gerber	Logan Square EL ADA (12-inch rough-in)	20-018: 21-538 bowl, 28-530 tank	1,000	2	3		E	*	*				F
10-064	Gerber	Maurice EL	20-012 (one-piece)	500	1	-	*	E				*		F
10-106	Gerber	Maxwell EL (10-inch rough-in)	21-410: 21-762 bowl, EH 28-495 tank (pedestal flush valve)	400	2	2		E		*				F
10-101	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH 28-490 tank	300	2	2		E		*				F
12-050	Gerber	Maxwell EL (12-inch rough-in)	21-412: 21-762 bowl, EH28-492 tank (insulated) (pedestal flush valve)	400	2	2		E		*				F
10-099	Gerber	Maxwell EL (14-inch rough-in)	21-414: 21-762 bowl, EH 28-494 tank (pedestal flush valve)	300	2	2		E		*				F
10-072	Gerber	Maxwell EL ADA (10-inch rough-in)	21-417: 21-728 bowl, EH28-495 tank (pedestal flush valve)	250	2	2		E	*	*				F
10-074	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-490 tank (pedestal flush valve)	300	2	2		E	*	*				F
12-051	Gerber	Maxwell EL ADA (12-inch rough-in)	21-418: 21-728 bowl, EH28-492 tank (insulated)(pedestal flush valve)	250	2	2		E	*	*				F
10-076	Gerber	Maxwell EL ADA (14-inch rough-in)	21-424: 21-728 bowl, EH28-494 tank (pedestal flush valve)	250	2	2		E	*	*				F
10-066	Gerber	Maxwell RF (10-inch rough-in)	21-400: 21-752 bowl, EH28-495 tank (pedestal flush valve)	400	2	2		R		*				F
12-049	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-492 tank (insulated) (pedestal flush valve)	350	2	2		R		*				F
10-068	Gerber	Maxwell RF (12-inch rough-in)	21-402: 21-752 bowl, EH28-490 tank (insulated) (pedestal flush valve)	400	2	2		R		*				F
10-070	Gerber	Maxwell RF (14-inch rough-in)	21-404: 21-752 bowl, EH28-494 tank (pedestal flush valve)	300	2	2		R		*				F
14-102	Gerber	Picturesque EL ADA (12-inch rough-in - lined tank)	20-010: 21-180 bowl, LT28-180 tank (lined tank)	1,000	2	3		E	*	*				F
12-052	Gerber	Picturesque EL ADA (12-inch rough-in)	20-010: 21-180 bowl, 28-180 tank	1,000	2	3		E	*	*				F
5-562	Gerber	Ultra Flush EL	21-312: 21-372 bowl , 28-380 tank	1,000	2	-		E				*		F
5-578	Gerber	Ultra Flush EL	21-314: 21-372 bowl , 28-384 tank	1,000	2	-		E				*		F
5-577	Gerber	Ultra Flush EL ADA	21-311: 21-372 bowl, 28-385 tank	1,000	2	-		E	*			*		F
5-581	Gerber	Ultra Flush EL ADA	21-317: 21-377 bowl, 28-385 tank	1,000	2	-		E	*			*		F
5-561	Gerber	Ultra Flush EL ADA	21-318: 21-377 bowl, 28-380 tank	1,000	2	-		E	*			*		F
5-582	Gerber	Ultra Flush EL ADA	21-324: 21-377 bowl, 28-384 tank	1,000	2	-		E	*			*		F
5-565	Gerber	Ultra Flush EL ADA (rear discharge)	21-325: 21-375 bowl, 28-380 tank	1,000	2	-		E	*			*	R	F
6-617	Gerber	Ultra Flush RF	21-300: 21-342 bowl, 28-385 tank	900	2	-		R				*		F
6-618	Gerber	Ultra Flush RF	21-304: 21-342 bowl, 28-384 tank	900	2	-		R				*		F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
9-018	Gerber	Viper EL	21-510: 21-562 bowl, EH28-595 tank (pedestal flush valve)	800	2	2		E		*				F
9-020	Gerber	Viper EL	21-512: 21-562 bowl, EH28-590 tank (pedestal flush valve)	800	2	2		E		*				F
12-054	Gerber	Viper EL	21-512: 21-562 bowl, EH28-592 tank (pedestal flush valve)(insulated)	500	2	2		E		*				F
9-022	Gerber	Viper EL	21-514: 21-562 bowl, EH28-594 tank (pedestal flush valve)	500	2	2		E		*				F
9-024	Gerber	Viper EL ADA	21-517: 21-528 bowl, EH28-595 tank (pedestal flush valve)	800	2	2		E	*	*				F
9-026	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-590 tank (pedestal flush valve)	800	2	2		E	*	*				F
12-045	Gerber	Viper EL ADA	21-518: 21-528 bowl, EH28-592 tank (insulated) (pedestal flush valve)	500	2	2		E	*	*				F
9-028	Gerber	Viper EL ADA	21-524: 21-528 bowl, EH28-594 tank (pedestal flush valve)	600	2	2		E	*	*				F
9-012	Gerber	Viper RF	21-500: 21-552 bowl, EH28-595 tank (pedestal flush valve)	500	2	2		R		*				F
9-014	Gerber	Viper RF	21-502: 21-552 bowl, EH28-590 tank (pedestal flush valve)	600	2	2		R		*				F
12-053	Gerber	Viper RF	21-502: 21-552 bowl, EH28-592 tank (insulated) (pedestal flush valve)	600	2	2		R		*				F
9-016	Gerber	Viper RF	21-504: 21-552 bowl, EH28-594 tank (pedestal flush valve)	500	2	2		R		*				F
11-048	Globe Union Canada	StoneHouse EL	C220672 (one-piece)	350	1	2		E		*				F
6-612	Home Depot - Glacier Bay	All-In-One RF	TG-4200-WL- Home Depot SKU 170-263	300	2	2		R		*				F
12-067, 12-070, & 13-009	Home Depot - Glacier Bay (by Niagara)	All-In-One RF ADA	Home Depot SKU 303-635: 303-635 bowl, 140-911 tank (ALSO SOLD AS ALL-IN-ONE PACKAGE BY HOME DEPOT UPC CODE 732291338240)	1,000	2	2		R	*	*				F
10-083	Home Depot	Aragon IV EL	Home Depot SKU 511-028 (one-piece, lined tank)	1,000	1	2		E		*				F
10-081	Home Depot - Pegasus	Colonade EL ADA	HD SKUs: 146-548 bowl, 146-283 tank (lined)	500	2	3		E	*	*				F
11-108	Home Depot - Glacier Bay (by Niagara)	Glacier Bay - EL ADA (Flapperless)	Home Depot SKUs: 382-298 bowl, 382-438 tank UPC Code: 732291222617 (bowl) UPC Code: 732291222624 (tank)	400	2	-		E	*	*				F
9-046	Home Depot - Pegasus (by Foremost)	Pegasus EL ADA	Home Depot SKU 464-747 (one-piece)	1,000	1	2		E	*	*				F
7-532	Home Depot - Glacier Bay (by Foremost)	Westminster EL ADA	TL-6800-E: LL-6800-E bowl (HD SKU 160-753), T-6800 tank (HD SKU 164-146)	250	2	3		E	*	*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
Type of toilet fixture														
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
12-023	Home Depot - Pegasus (by Niagara)	Westminster EL ADA	Home Depot SKUs 160-753 bowl, 164-146 tank (Also sold in All-In-One combination package as Home Depot SKU 266-868 and UPC Code 732291344678)	600	2	3		F	*	*				F
14-010	Home Depot - Pegasus (by Niagara)	Westminster EL ADA (All-In-One package)	Two-piece fixture sold combined as "All In One" - Home Depot SKU 266-868	600	2	3		F	*	*				F
12-069	Jacuzzi	Era Toilet "in a box" EL ADA	Sold as complete toilet set. Jacuzzi SKU BK37959 (Also sold as Lowe's SKU 86426)	1,000	2	3		F	*	*				F
8-512	Jacuzzi	Maxima EL ADA	Sold as complete toilet set. Jacuzzi SKU EZ37959: DP55959 bowl, EL61959 tank (Also sold as Lowe's SKU 49238)	1,000	2	3		F	*	*				F
12-066	Jacuzzi	Perfecta RF ADA (toilet in a box)	Sold as complete toilet set. Jacuzzi SKU EZ33959 (Also sold as Lowe's SKU 130294)	1,000	2	3		R	*	*				F
10-047	Kohler	Archer EL ADA	K-3517: 4295 bowl, 4493 tank	800	2	3		F	*	*				F
5-526	Kohler	Bancroft Comfort Height EL ADA	K-3487: 4281 bowl, 4633 tank	800	2	3		F	*	*				F
6-603	Kohler	Barrington Pressure Lite EL	K-3554: 4327 bowl, 4645 tank	1,000	2	-	*	F				*	R	F
13-010	Kohler	Cimarron Class 6 EL ADA	K-3589: 4309 bowl, 4418 tank - NOTE: this fixture is also sold as K-11456 when included as part of the "COMPLETE SOLUTION" package.	1,000	2	3		F	*	*				F
5-522	Kohler	Cimarron Comfort Height EL ADA	K-3489	800	1	3		F	*	*				F
6-628 & 8-555	Kohler	Cimarron RF ADA	K-3497: 4287 bowl, 4634 tank - NOTE: this fixture is also sold as K-11465 when included as part of the "COMPLETE SOLUTION" package.	800	2	3		R	*	*				F
9-049	Kohler	Devonshire EL ADA	K-3503: 4288 bowl, 4708 tank	1,000	2	3		F	*	*				F
10-046	Kohler	Gabrielle EL ADA	K-3513 (one-piece)	800	1	3		F	*	*				F
10-107	Kohler	Highline EL ADA	K-3611: 4298 bowl, 4632 tank	800	2	3		F	*	*				F
5-523	Kohler	Highline Pressure Lite EL ADA	K-3493: 4304 bowl, 4645 tank	800	2	-	*	F	*			*		F
12-075	Kohler	Kelston EL ADA	K-11452: F4306 bowl, F4474 tank	1,000	2			F	*	*				F
5-524	Kohler	Memoirs Classic EL	K-3451 (Classic tank lid)	800	1	3		F		*				F
12-019	Kohler	Memoirs Classic EL ADA	K-3515: 4294 bowl, 4491 tank; NOTE: this fixture is also sold as K-11461 when included as part of the "COMPLETE SOLUTION" package.	1,000	2	3		F	*	*				F
12-020	Kohler	Memoirs Classic RF ADA	K-3509: 4289 bowl, 4491 tank	1,000	2	3		R	*	*				F
5-525	Kohler	Memoirs Stately EL	K-3453 (Stately tank lid)	800	1	3		F		*				F
12-022	Kohler	Memoirs Stately EL ADA	K-3526: 4294 bowl, 4492 tank; NOTE: this fixture is also sold as K-11460 when included as part of the "COMPLETE SOLUTION" package.	1,000	2	3		F	*	*				F
12-021	Kohler	Memoirs Stately RF ADA	K-3511: 4289 bowl, 4492 tank	1,000	2	3		R	*	*				F
9-050	Kohler	Portrait EL ADA	K-3506 (one-piece)	1,000	1	3		F	*	*				F
4-501	Kohler	Purist EL	K-3492 Power-Assisted	800	1	-	*	F				*		F
13-003b	Kohler	Sterling Stinson EL	402075: 402070 bowl, 402071 tank	1,000	2	2		F		*				F

UNAR-ULFTs

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
Type of toilet fixture														
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
14-029	Kohler	Sterling Windham EL	402215: 404215 bowl, 404515 tank	1,000	2	2		E		*				F
12-073	Kohler	Wellworth Class 5 EL	K-3574: 4293 bowl, 4632 tank	1,000	2	3		E		*				F
5-527	Kohler	Wellworth Pressure Lite EL	K-3505: 4303 bowl, 4645 tank	1,000	2	-		E				*		F
12-097	Kohler	Wellworth Class 5 RF	K-3576: 4299 bowl, 4632 tank	800	2	3		R		*				F
14-110	Lowe's	Aquasource RF	SKU#0000187 (Foremost #AIO 250RW-LO)	800	2	2		R		*				F
14-114	Lowe's	Aquasource EL	SKU#0000184 (Foremost # AIO250EW-LO)	800	2	2		E		*				F
14-083	Lowe's	Aquasource Traditional Design RF	SKU#0000164 (Foremost#TL-6800RW-LO)	700	2	2		R		*				F
8-506	Mancesa/Ceralux	San Marino EL ADA	2262 bowl, 2261 tank	500	2	2		E	*	*				F
8-505	Mancesa/Ceralux	Windsor RF	2700 bowl, 2711 tank	400	2	2		R		*				F
12-071	Mansfield	705NS ONE-PIECE EL	70501002 (one-piece)	600	1	3		E		*				F
12-072	Mansfield	Alto RF	130 bowl, 161 tank	250	2	-	*	R		*				F
5-503	Mansfield	Magnum EL	722	600	1	3		E		*				F
9-041	Mansfield	Maverick EL	101 bowl, 109 tank (lined tank)	1,000	2	3		E		*				F
9-040	Mansfield	Maverick EL ADA	104 bowl, 109 tank (lined tank)	1,000	2	3		E	*	*				F
6-648	Mansfield	Montclair EL ADA	107 bowl, 108 tank	550	2	3		E	*	*				F
11-069	Mansfield	None - EL	144 bowl, 123 tank	1,000	2	-		E	*			*	R	W
9-042	Mansfield	None - RF	103 bowl, 109 tank	400	2	3		R		*				F
6-647	Mansfield	Quantum EL (rear discharge)	149 bowl, 123 tank	550	2	-		E				*	R	F
12-007	Mansfield/Colceramica	Essence EL ADA	184 bowl, 185 tank	750	2	3		E	*	*				F
12-008	Mansfield/Colceramica	Reo EL ADA	186 bowl, 187 tank	600	2	3		E	*	*				F
9-039	Mansfield/Colceramica	Stafford EL	105 bowl, 106 tank	800	2	3		E		*				F
6-644	Niagara	Flapperless Muskoka EL ADA	N2217: 2217 bowl, 2217 tank	600	2	-	*	E	*	*				F
6-646	Niagara	Flapperless Muskoka RF ADA	N2217R: 2217R bowl, 2217 tank	600	2	-	*	R	*					F
13-028	Niagara	Flapperless RF	N2216: 2216BC bowl, 2216LPT tank	800	2	-	*	R		*				F
6-645	Niagara	Flapperless Superior EL (one-piece)	N2218 (one-piece)	600	1	-	*	E	*	*				F
12-067, 12-070, & 13-009	Niagara	All-In-One RF ADA	Home Depot SKUs: 303-635 bowl, 140-911 tank (ALSO SOLD AS COMBINATION ALL-IN-ONE PACKAGE BY HOME DEPOT - UPC Bar Code 732291338240)	1,000	2	-		R	*	*				F
11-091	Niagara	None EL ADA	N2226: 2226B bowl, 2216T tank	400	2	-	*	E	*	*				F
12-110	Porcher (American Standard)	EPIC EL (one-piece)	97720 (one-piece)	500	1	3		E		*				F
14-135	Porcher (American Standard)	Archive EL (one-piece)	97920-60 (one-piece)	1,000	1	3		E		*				F
13-072	Porcher (American Standard)	L'Expression II (one-piece)	97520 (one-piece)	600	1	2		E		*				F
10-137	Porcher (American Standard)	Veneto II EL (one-piece)	97220 (one-piece)	800	1	3		E		*				F
13-004	PreCon Solutions	None	1003 EL (one-piece)	800	1	2		E		*				F

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2-piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
Type of toilet fixture														
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
11-103	Pro-Flo	None - EL	PF1301: PF1301 bowl, PF 4112 tank	350	2	2		E		*				F
11-104	Pro-Flo	None - EL ADA	PF1303: PF1303 bowl, PF 4112 tank	350	2	2		E	*	*				F
11-102	Pro-Flo	None - RF	PF1300: PF1300 bowl, PF 4112 tank	350	2	2		R		*				F
13-048	Pro-Flo (by Briggs for Ferguson)	Altima EL	PF1201 bowl; PF3312 tank	400	2	2		E			*			F
13-050	Pro-Flo (by Briggs for Ferguson)	Altima EL ADA	PF1203 bowl; PF3312 tank	550	2	2		E	*		*			F
8-511	Pro-Flo (by Briggs for Ferguson)	Altima III RF	PF1200 bowl; PF3112 tank	600	2	2		R		*				F
13-046	Pro-Flo (by Briggs for Ferguson)	Altima RF	PF1200 bowl; PF3312 tank	500	2	2		R			*			F
7-536	Pro-Flo (by Briggs for Ferguson)	Maelstrom EL	PF8200 bowl; PF8212 tank	600	2	3		E		*				F
7-537	Pro-Flo (by Briggs for Ferguson)	Maelstrom EL ADA	PF8201 bowl; PF8212 tank	600	2	3		E	*	*				F
7-538	Pro-Flo (by Briggs for Ferguson)	Maelstrom RF	PF8203 bowl; PF8212 tank	400	2	3		R		*				F
13-106	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF6101 bowl, PF6112 tank	900	2	3		E	*	*				F
13-100	Pro-Flo (by Tynan for Ferguson)	None EL ADA	PF8503 bowl, PF8512 tank	950	2	3		E	*	*				F
12-013	Quality Craft	Alexis ULF Toilet in a Box - EL ADA	30012K: 3001 bowl, 3002 tank (insulated)	950	2	3		E	*	*				F
10-093	Quality Craft	None	2301 bowl, 2302 tank (lined) with pilot-type fill valve	300	2	2		R		*				F
12-010	Quality Craft	None - EL ADA	3001/3002 (insulated tank)	950	2	3		E	*	*				F
7-529	Quality Craft	Sylvia RF	2301 bowl, 2302 tank with ballcock fill valve	400	2	2		R		*				F
5-556	RAK Ceramics	Compact Syphonic EL ADA	CT30 bowl, CT65 tank	650	2	3		E	*	*				F
6-601	RAK Ceramics	Washington Syphonic EL	171 bowl, WT20 tank	600	2	3		E		*				F
9-002	RAK Ceramics	Windsor EL	WE20 bowl, W120 tank	1,000	2	3		E		*				F
9-045	Rona	Chateau EL	SKU#7369130 (Foremost #TL-5300E-WL)	1,000	1	2		E	*	*				F
13-128	Rona	Iris EL	SKU#7369070 (Foremost #TL-4000)	1,000	1	3		E		*				F
14-085	Rona	Rona TTG (Toilet-to-Go) RF	SKU#2003388 (Foremost#TL-8257-WL1)	700	2	2		R		*				F
13-017	St Thomas Creations	Palermo EL ADA	6006.130 (one-piece)	1,000	1	3		E	*	*				F
13-025	St Thomas Creations	Palermo EL ADA	6137.030: 6137.033 bowl, 6137.024 tank	1,000	2	3		E	*	*				F
13-026	St Thomas Creations	Palermo RF ADA	6137.310: 6137.313 bowl, 6137.024 tank	1,000	2	3		R	*	*				F
13-051	St Thomas Creations	Celebration EL ADA	6131.130 (one-piece)	1,000	1	3		E	*	*				F
13-052	St Thomas Creations	Richmond/Neo-Venetian II EL ADA	6125.130 OR 6123.130 (one-piece)	1,000	1	3		E	*	*				F
13-018	St Thomas Creations	Malibu EL ADA	6116.130 (one-piece)	1,000	1	3		E	*	*				F
13-019	St Thomas Creations	Presley EL ADA	6401.030: 6401.033 bowl, 6401.024 tank	1,000	2	3		E	*	*				F
13-020	St Thomas Creations	Barrymore II EL ADA	6171.030: 6171.033 bowl, 6171.024 tank	1,000	2	3		E	*	*				F
13-021	St Thomas Creations	Arlington II EL ADA	6119.030: 6119.033 bowl, 6119.024 tank	1,000	2	3		E	*	*				F
13-022	St Thomas Creations	Arlington EL ADA	6119.130 (one-piece)	1,000	1	3		E	*	*				F

UNAR-ULFTs

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall-Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
	Type of toilet fixture													
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
13-023	St Thomas Creations	Richmond/Neo-Venetian II EL ADA	6125.030: 6123.033 bowl, 6125.024 tank	1,000	2	3		E	*	*				F
11-047	Svena Int'l	Eago EL	TB109M	300	1	2.5		E		*				F
14-RN	Toto	Drake EL	CST744S: C744S or C744E bowl, ST743S tank	900	2	3		E		*				F
7-515	Toto	Neorest EL	600	700	1	-	*	E				*		F
14-RN	Toto	Ultimate EL	CST854 OR MS854114 OR MW854***	325	1	3		E		*				F
14-RN	Toto	Ultimate RF	CST853 OR MS853113 OR MW853***	400	1	3		R		*				F
14-RN	Toto	Ultramax EL	CST854S OR MS854114S OR MW854***S	700	1	3		E		*				F
14-RN	Toto	Willingham EL (formerly Plymouth)	CST924F OR MS924154F OR MW924***F	675	1	3		E		*				F
13-102	Tynan Plumbing	Avoca EL ADA	4301: 0320 bowl, 1331 tank	900	2	3		E	*	*				F
13-105	Tynan Plumbing	Foyle EL ADA	4332: 0321 bowl, 1332 tank	900	2	3		E	*	*				F
11-110	Tynan Plumbing	MacLair EL	4313: 0313 bowl, 1330FET3 tank	1,000	2	3		E		*				F
13-099	Tynan Plumbing	MacLair EL ADA	4314: 0314 bowl, 1330 tank	950	2	3		E	*	*				F
11-109	Tynan Plumbing	MacLair RF	4312: 0312 bowl, 1330FET3 tank	1,000	2	3		R		*				F
14-027	Villeroy & Boch	Elody EL	5W01-01: 5C01-01 bowl, 5D01-U1 tank	900	2	3		E		*				F
12-035	Villeroy & Boch	Strada EL	5W00-01: 5C00-01 bowl, 5D01-U1 tank	1,000	2	3		E		*				F
14-028	Villeroy & Boch	Twist EL ADA	5W05-01: 5C05-01 bowl, 5D02-U1 tank	600	2	3		E	*	*				F
14-022	VitrA	Atlantis EL ADA	5052 bowl, 6853 tank	400	2	2		E	*	*				F
	VitrA	Altantis EL	5051 bowl, 6853 tank	750	2	2		E		*				F
	VitrA	Altantis RF	5050 bowl, 6853 tank	800	2	2		R		*				F
	VitrA	Corina EL	5069 bowl, 5070 tank	850	2	3		E		*				F
	VitrA	Corina RF	5068 bowl, 5070 tank	825	2	3		R		*				F
14-023	VitrA	Corina EL ADA	5032 bowl, 5070 tank	800	2	3		E	*	*				F
6-609	VitrA	Corina Comfort EL ADA	5232 bowl, 5070 tank	1,000	2	3		E	*	*				F
5-551	VitrA	Corina EL (one-piece)	5178	750	1	3		E		*				F
5-550	VitrA	Corina RF (one-piece)	5209	850	1	3		R		*				F
5-536 & 5-548	VitrA	Mona EL	4117 bowl, 4015 tank	800	2	3		E		*				F
5-537 & 5-549	VitrA	Riva EL	4117 bowl, 6952 tank	700	2	3		E		*				F
8-503	VitrA	Serenada EL ADA	4219-003-5265	800	1	3		E	*	*				F
10-049	Vortens-Lamosa	Rhodos EL ADA	3123V bowl, 3436SPS tank	600	2	2		E	*	*				F
5-521	Vortens-Lamosa	Taza Vienna RF (Lined)	3208 bowl, 3464-S tank (lined)	550	2	2		R		*				F
5-520	Vortens-Lamosa	Taza Vienna RF (Unlined)	3208 bowl, 3464-R tank (unlined)	600	2	2		R		*				F

UNAR-ULFTs

MaP Test Report Number (for internal use)	KEY:			MaP Flush Performance (grams of solid waste removed from the toilet in a SINGLE flush)	1- piece or 2- piece model	Flush Valve-Flapper size (in.)	No flapper / Non-traditional flapper	Round Front (R) or Elongated (E) bowl	ADA-Comfort Height-Right Height Bowl	1.6G (6L) Gravity-flush	1.6G (6L) Vacuum-Assist	1.6G (6L) Pressure-Assist	Rear Discharge	Floor-Mounted (F) OR Wall- Mounted (W)
	Flush performance (MaP score)													
	350 grams to 475 grams													
	500 grams and more													
Type of toilet fixture														
Pressure- or power-assist														
Gravity-fed & Vacuum-assist														
Make	Model Name	Model Number												
9-052	Vortens-Lamosa	Vienna L EL (pilot fill valve)	3113-3464: 3113 bowl, 3464 tank (or T464R)	800	2	2		E		*				F
10-053	Vortens-Lamosa	Vienna RF	3208 bowl, 3436SPS tank	500	2	2		R		*				F
8-552	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464 tank	800	2	2		R		*				F
9-001	Vortens-Lamosa	Vienna Victory RF	3209 bowl, 3464-C tank	500	2	2		R		*				F
10-142	Western Pottery	Wrangler EL	432PF: B432PF bowl, T4ULF-PF tank	1,000	2	-		E				*		F
10-141	Western Pottery	Wrangler EL ADA	472PF: B472PF bowl, T4ULF-PF tank	1,000	2	-		E	*			*		F
6-635	Zurn	EcoVantage EL	Z5570	800	2	-	*	E				*		F
7-506	Zurn	EcoVantage EL ADA	Z5551: Z5551 bowl, Z5551 tank	900	2	3		E	*	*				F
6-640	Zurn	EcoVantage EL ADA	Z5560	1,000	2	-	*	E	*			*		F
8-510	Zurn	EL	Z-HPT/Z5552: Z5552 bowl; Z5551 tank	1,000	2	3		E		*				F

Notes: RF – Round-front toilet bowl
 EL – Elongated-front toilet bowl
 S - Special bowl design
 ADA-Meets bowl-height requirements of Americans with Disabilities Act; does NOT imply that fixture meets any other ADA requirements.
 G - Gallons per Flush
 L - Litres per Flush
 RN - Renewed Listing